

=> d his

(FILE 'HOME' ENTERED AT 10:25:56 ON 02 FEB 2006)

FILE 'REGISTRY' ENTERED AT 10:26:08 ON 02 FEB 2006

L1 STRUCTURE UPLOADED

L2 26 S L1


L3 570 S L1 FULL

FILE 'CAPLUS' ENTERED AT 10:27:17 ON 02 FEB 2006

L4 14 S L3

=> d que l4 stat

L1 STR



Structure attributes must be viewed using STN Express query preparation.

L3 570 SEA FILE=REGISTRY SSS FUL L1

L4 14 SEA FILE=CAPLUS ABB=ON PLU=ON L3

=> d 1-14 bib abs hitstr

L4 ANSWER 1 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN
 AN 2005:29228 CAPLUS
 DN 142:107431
 TI Pain threshold fall inhibitor
 IN Shimomura, Kyoichi; Aono, Hiroyuki; Tsukahara, Yaeiko; Hata, Taeko
 PA Santen Pharmaceutical Co., Ltd., Japan
 SO PCT Int. Appl., 30 pp.
 CODEN: PIXXD2
 DT Patent
 LA Japanese
 FAN.CNT 1


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI WO 2005002622	A1	20050113	WO 2004-JP9766	20040702

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MY, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW

RW: BW, GH, GM, KE, LS, MW, NA, SD, SL, SS, TZ, UG, ZM, ZW, AG, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG

JP 2005041866 A2 20050217 JP 2004-196146 20040702
 PRAT JP 2003-270967 A 20030704
 OS MARPAT 142:107431
 AB A medical drug capable of inhibiting the fall of pain threshold. In particular, a κ -opioid receptor agonist is capable of effectively inhibiting the fall of pain threshold, so that it is useful as a pain threshold fall inhibitor.
 IT 610308-87-7 610308-92-4 610309-27-8
 823204-37-1 823204-39-3 823204-44-0
 823204-46-2
 RI: PAC (Pharmacological activity); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
 (κ -opioid receptor agonists as pain threshold fall inhibitors)
 RN 610308-87-7 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2,3-dihydro-2-[2-[3-[(2-hydroxyethyl)(1-methylethyl)amino]propoxy]-5-methoxyphenyl]-, monohydrochloride (9CI) (CA INDEX NAME)


L4 ANSWER 1 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



● HCl

RN 610308-92-4 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2,3-dihydro-2-[2-[3-[(2-hydroxyethyl)(1-methylethyl)amino]propoxy]-5-methoxyphenyl]-, monohydrochloride, (+)-(9CI) (CA INDEX NAME)


Rotation (+).



● HCl

RN 610309-27-8 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2-[2-[3-[(2-ethoxyethyl)(1-methylethyl)amino]propoxy]-5-methoxyphenyl]-2,3-dihydro- (9CI) (CA INDEX NAME)

L4 ANSWER 1 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)




RN 823204-37-1 CAPLUS
 CN Butanedioic acid, 2,3-bis(acetyloxy)-, (2R,3R)-, compd. with (+)-3-acetyl-6-chloro-2,3-dihydro-2-[5-methoxy-2-[3-[(2-methoxyethyl)(1-methylethyl)amino]propoxy]phenyl]benzothiazole (1:2) (9CI) (CA INDEX NAME)

CM 1

CRN 610309-32-5
 CMF C25 H33 Cl N2 O4 S


Rotation (+).



CM 2

CRN 51591-38-9
 CMF C8 H10 O8

Absolute stereochemistry. Rotation (-).




RN 823204-39-3 CAPLUS
 CN Butanedioic acid, 2,3-bis(acetyloxy)-, (2R,3R)-, compd. with (+)-3-acetyl-6-chloro-2-[2-[3-[(2-ethoxyethyl)(1-methylethyl)amino]propoxy]-5-methoxyphenyl]-2,3-dihydrobenzothiazole (1:2) (9CI) (CA INDEX NAME)

L4 ANSWER 1 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)

CM 1

CRN 610309-34-7
 CMF C26 H35 Cl N2 O4 S


Rotation (+).



CM 2


CRN 51591-38-9
 CMF C8 H10 O8

Absolute stereochemistry. Rotation (-).



RN 823204-44-0 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[3-[(2-acetyloxy)ethyl](1-methylethyl)amino]propoxy]-5-methoxyphenyl]-6-chloro-2,3-dihydro-, monohydrochloride, (+)-(9CI) (CA INDEX NAME)

Rotation (+).




● HCl

L4 ANSWER 1 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)

RN 823204-46-2 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2,3-dihydro-2-[5-methoxy-2-[3-[(2-methoxymethoxy)ethyl](1-methylethyl)amino]propoxy]phenyl]-, monohydrochloride, (+)- (9CI) (CA INDEX NAME)

Rotation (+).



RE.CNT 10 THERE ARE 10 CITED REFERENCES AVAILABLE FOR THIS RECORD
 ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 2 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN

AN 2003:796678 CAPLUS

DN 139:312393

TI κ -opioid receptor agonist comprising 2-phenylbenzothiazoline derivative

IN Tokai, Maki; Honda, Takahiro; Niwa, Masashi; Osumi, Yaeko; Fujimura, Ken-ichi; Kohno, Shin-ichi

PA Santen Pharmaceutical Co., Ltd., Japan

SO PCT Int. Appl., 129 pp.


CODEN: PIXXD2

DT Patent

LA Japanese

FAN.CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI WO 2003082840	A1	20031009	WO 2003-JP3928	20030328
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, T2, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
CA 2480560	AA	20031009	CA 2003-2480560	20030328
JP 2004002352	A2	20040108	JP 2003-89657	20030328
EP 1496053	A1	20050112	EP 2003-715569	20030328
R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK			
US 2005113430	A1	20050526	US 2003-509549	20030328
PRAI JP 2002-97500	A	20020329		
WO 2003-JP3928	W	20030328		
OS MARPAT 139:312393				
GI				



AB Dislocation closed is a κ -opioid receptor agonist comprising a 2-phenylbenzothiazoline derivative which is either a compound having a basic skeleton having a chemical structure represented by the general formula

(I) (wherein R represents amino-substituted alkyl and R1 represents acyl) or

a salt of the compound Also disclosed is an analgesic in particular for rheumatism-like diseases or anti-itching agent containing the above κ -opioid receptor agonist as an active ingredient. The presence of

L4 ANSWER 2 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)


an amino-substituted alkyl group bonded to the Ph group of 2-phenylbenzothiazoline and the presence of an acyl group bonded to the nitrogen atom of the 2-phenylbenzothiazoline are important for the impartation of κ -opioid receptor agonistic activity. The compd. I also possesses anti-nociception activity. For example,

(+)-3-acetyl-6-chloro-2-[2-[3-[N-(2-ethoxyethyl)-N-isopropylamino]propoxy]-5-methoxyphenyl]benzothiazoline hydrochloride at 30 mg/kg p.o. inhibited 100% pain in a mouse acetic acid-writhing assay.

IT 610309-83-6P 610309-84-7P
 RL: PAC (Pharmacological activity); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)
 (κ -opioid receptor agonist, analgesic, and anti-itching agent comprising phenylbenzothiazoline derivative)

RN 610309-83-6 CAPLUS


CN Benzothiazole, 3-acetyl-6-chloro-2,3-dihydro-2-[5-methoxy-2-[3-[(1-methylethyl)amino]propoxy]phenyl]- (9CI) (CA INDEX NAME)



RN 610309-84-7 CAPLUS

CN Benzothiazole, 3-acetyl-6-chloro-2,3-dihydro-2-[2-[3-[(2S)-2-(hydroxymethyl)-1-pyrrolidinyl]propoxy]-5-methoxyphenyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



IT 610308-00-4P 610308-01-5P 610308-02-6P
 610308-03-7P 610308-04-8P 610308-05-9P
 610308-06-0P 610308-07-1P 610308-08-2P
 610308-09-3P 610308-10-6P 610308-11-7P
 610308-12-8P 610308-13-9P 610308-14-0P
 610308-15-1P 610308-16-2P 610308-17-3P

L4 ANSWER 2 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)

610308-18-4P 610308-19-5P 610308-20-6P
 610308-21-9P 610308-22-0P 610308-23-1P
 610308-24-2P 610308-25-3P 610308-26-4P
 610308-27-5P 610308-28-6P 610308-29-7P
 610308-30-0P 610308-31-1P 610308-32-2P
 610308-33-3P 610308-34-4P 610308-35-5P
 610308-36-6P 610308-38-8P 610308-40-2P
 610308-41-3P 610308-42-4P 610308-43-5P
 610308-45-7P 610308-46-8P 610308-47-9P
 610308-49-1P 610308-50-4P 610308-52-6P
 610308-55-9P 610308-56-0P 610308-58-2P
 610308-60-6P 610308-62-8P 610308-63-9P
 610308-64-0P 610308-66-2P 610308-68-4P
 610308-70-8P 610308-71-9P 610308-72-0P
 610308-76-4P 610308-78-6P 610308-80-0P
 610308-82-2P 610308-83-3P 610308-84-4P
 610308-85-5P 610308-86-6P 610308-87-7P
 610308-88-8P 610308-89-9P 610308-90-2P
 610308-91-3P 610308-92-4P 610308-93-5P
 610308-94-6P 610308-95-7P 610308-96-8P
 610308-97-9P 610308-98-0P 610308-99-1P
 610309-00-7P 610309-01-8P 610309-02-9P
 610309-03-0P 610309-04-1P 610309-05-2P
 610309-06-3P 610309-07-4P 610309-08-5P
 610309-09-6P 610309-10-9P 610309-11-0P
 610309-12-1P 610309-13-2P 610309-14-3P
 610309-15-4P 610309-17-6P 610309-18-7P
 610309-19-8P 610309-20-1P 610309-21-2P
 610309-22-3P 610309-23-4P 610309-24-5P
 610309-25-6P 610309-26-7P 610309-27-8P
 610309-28-9P 610309-29-0P 610309-30-3P
 610309-31-4P 610309-32-5P 610309-33-6P
 610309-34-7P 610309-35-8P 610309-36-9P
 610309-37-0P 610309-38-1P 610309-39-2P
 610309-40-5P 610309-41-6P 610309-42-7P
 610309-43-8P 610309-44-9P 610309-45-0P
 610309-46-1P 610309-47-2P 610309-48-3P
 610309-49-4P


RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(κ -opioid receptor agonist, analgesic, and anti-itching agent comprising phenylbenzothiazoline deriv.)

RN 610308-00-4 CAPLUS


CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[2-[3-[(hydroxymethylamino)propoxy]-5-methoxyphenyl]-, monohydrochloride (9CI) (CA INDEX NAME)

L4 ANSWER 2 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



● HCl


RN 610308-01-5 CAPLUS
 CN Benzo[1,2-b:4,5-b']dithiazole, 3-acetyl-2-[2-[3-[(2-hydroxyethyl)methylamino]propoxy]-5-methoxyphenyl]-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl


RN 610308-02-6 CAPLUS
 CN Benzo[1,2-b:4,5-b']dithiazole, 3-acetyl-2-[2-[3-[(bis(2-hydroxyethyl)amino)propoxy]-5-methoxyphenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)

L4 ANSWER 2 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



● HCl


RN 610308-03-7 CAPLUS
 CN Benzo[1,2-b:4,5-b']dithiazole, 3-acetyl-2-[2-[3-[(2-hydroxyethyl)(phenylmethyl)amino]propoxy]-5-methoxyphenyl]-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl


RN 610308-04-8 CAPLUS
 CN Benzo[1,2-b:4,5-b']dithiazole, 3-acetyl-2-[2-[3-[(cyclohexylmethyl)(2-hydroxyethyl)amino]propoxy]-5-methoxyphenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)

L4 ANSWER 2 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)




● HCl

RN 610308-05-9 CAPLUS
 CN Benzo[1,2-b:4,5-b']dithiazole, 3-acetyl-2-[2-[3-[(2-hydroxyethyl)(3-hydroxypropyl)amino]propoxy]-5-methoxyphenyl]-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl


RN 610308-06-0 CAPLUS
 CN Benzo[1,2-b:4,5-b']dithiazole, 3-acetyl-2-[2-[3-[(2-hydroxyethyl)(2-phenoxyethyl)amino]propoxy]-5-methoxyphenyl]-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl


L4 ANSWER 2 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)

RN 610308-07-1 CAPLUS
 CN Benzo[1,2-b:4,5-b']dithiazole, 3-acetyl-2-[2-[3-[(cyclopropylmethyl)(2-hydroxyethyl)amino]propoxy]-5-methoxyphenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl


RN 610308-08-2 CAPLUS
 CN Benzo[1,2-b:4,5-b']dithiazole, 3-acetyl-2-[2-[3-[(2-hydroxyethyl)(1-methylethyl)amino]propoxy]-5-methoxyphenyl]-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl


RN 610308-09-3 CAPLUS
 CN Benzo[1,2-b:4,5-b']dithiazole, 3-acetyl-2-[2-[3-[(5-methoxy-2-[3-(methylamino)propoxy]phenyl)-, monohydrochloride (9CI) (CA INDEX NAME)

L4 ANSWER 2 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)




● HCl

RN 610308-10-6 CAPLUS
 CN Glycine, N-[3-[2-(3-acetyl-2,3-dihydro-2-benzothiazolyl)-4-methoxyphenoxy]propyl]-N-methyl-, ethyl ester, monohydrochloride (9CI) (CA INDEX NAME)




● HCl

RN 610308-11-7 CAPLUS
 CN Acetamide, 2-[[3-[2-(3-acetyl-2,3-dihydro-2-benzothiazolyl)-4-methoxyphenoxy]propyl]methylamino]-, monohydrochloride (9CI) (CA INDEX NAME)




● HCl

L4 ANSWER 2 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)




● HCl

RN 610308-15-1 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[3-(dipentylamino)propoxy]-5-methoxyphenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl

RN 610308-16-2 CAPLUS
 CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[5-methoxy-2-[3-[(2-methylthio)ethyl](phenylmethyl)amino]propoxy]phenyl]-, monohydrochloride (9CI) (CA INDEX NAME)




● HCl

RN 610308-17-3 CAPLUS


L4 ANSWER 2 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)

RN 610308-12-8 CAPLUS
 CN Acetamide, 2-[[3-[2-(3-acetyl-2,3-dihydro-2-benzothiazolyl)-4-methoxyphenoxy]propyl]methylamino]-N,N-dimethyl-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl

RN 610308-13-9 CAPLUS
 CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[5-methoxy-2-[3-(methoxymethylamino)propoxy]phenyl]-, monohydrochloride (9CI) (CA INDEX NAME)




● HCl

RN 610308-14-0 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[3-[(2-(dimethylamino)ethyl)methylamino]propoxy]-5-methoxyphenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)


L4 ANSWER 2 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)

RN 610308-12-8 CAPLUS
 CN Glycine, N-[3-[2-(3-acetyl-2,3-dihydro-2-benzothiazolyl)-4-methoxyphenoxy]propyl]-N-methyl-, phenylmethyl ester, monohydrochloride (9CI) (CA INDEX NAME)



● HCl


RN 610308-18-4 CAPLUS
 CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[2-[3-[hydroxy(1-methylethyl)amino]propoxy]-5-methoxyphenyl]-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl


RN 610308-19-5 CAPLUS
 CN Glycine, N-[2-[2-(3-acetyl-2,3-dihydro-2-benzothiazolyl)-4-methoxyphenoxy]ethyl]-N-methyl-, ethyl ester, monohydrochloride (9CI) (CA INDEX NAME)

L4 ANSWER 2 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



● HCl


RN 610308-20-8 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2-[5-methoxy-2-[3-[(2-methoxyethyl)propylamino]propoxy]phenyl]-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl


RN 610308-21-9 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2-[2-[3-[(2-hydroxyethyl)(1-methylethyl)amino]propoxy]-5-methoxyphenyl]-, monohydrochloride (9CI) (CA INDEX NAME)

L4 ANSWER 2 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)




● HCl

RN 610308-24-2 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2-[2-[3-[ethyl(2-hydroxyethyl)amino]propoxy]-5-methoxyphenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl


RN 610308-25-3 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2-[2-[3-[(2-hydroxyethyl)(1-methylpropyl)amino]propoxy]-5-methoxyphenyl]-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl


RN 610308-26-4 CAPLUS

L4 ANSWER 2 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



● HCl


RN 610308-22-0 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2-[2-[3-[(cyclopropylmethyl)(2-hydroxyethyl)amino]propoxy]-5-methoxyphenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl


RN 610308-23-1 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2-[2-[3-[(cyclohexyl)(2-hydroxyethyl)amino]propoxy]-5-methoxyphenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)

L4 ANSWER 2 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)
 CN Benzothiazole, 3-acetyl-6-chloro-2-[2-[3-[(3-hydroxypropyl)(1-methylethyl)amino]propoxy]-5-methoxyphenyl]-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl


RN 610308-27-5 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2,3-dihydro-2-[2-[3-[(2-hydroxy-2-methylpropyl)(1-methylethyl)amino]propoxy]-5-methoxyphenyl]-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl


RN 610308-28-6 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2,3-dihydro-2-[2-[3-[(2-hydroxyethyl)amino]propoxy]-5-methoxyphenyl]-, monohydrochloride (9CI) (CA INDEX NAME)

L4 ANSWER 2 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



● HCl


RN 610308-29-7 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2,3-dihydro-2-[2-[(2-hydroxyethyl)propylamino]propoxy]-5-methoxyphenyl]-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl

RN 610308-30-0 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2,3-dihydro-2-[2-[(2-hydroxyethyl)-2-methylpropylamino]propoxy]-5-methoxyphenyl]-, monohydrochloride (9CI) (CA INDEX NAME)


L4 ANSWER 2 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



● HCl

RN 610308-33-3 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2,3-dihydro-2-[2-[(3S)-3-hydroxy-1-pyrrolidinyl]propoxy]-5-methoxyphenyl]-, monohydrochloride (9CI) (CA INDEX NAME)

Absolute stereochemistry.




● HCl

RN 610308-34-4 CAPLUS
 CN L-Proline, 1-[3-[2-(3-acetyl-6-chloro-2,3-dihydro-2-benzothiazolyl)-4-methoxyphenoxy]propyl]-, methyl ester, monohydrochloride (9CI) (CA INDEX NAME)

Absolute stereochemistry.


L4 ANSWER 2 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



● HCl

RN 610308-31-1 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2,3-dihydro-2-[2-[(2S)-2-(hydroxymethyl)-1-pyrrolidinyl]propoxy]-5-methoxyphenyl]-, monohydrochloride (9CI) (CA INDEX NAME)

Absolute stereochemistry.




● HCl

RN 610308-32-2 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2,3-dihydro-2-[5-methoxy-2-[3-[(2S)-2-(methoxymethyl)-1-pyrrolidinyl]propoxy]phenyl]-, monohydrochloride (9CI) (CA INDEX NAME)


Absolute stereochemistry.

L4 ANSWER 2 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



● HCl


RN 610308-35-5 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[(3-butyl(2-hydroxyethyl)amino)propoxy]-5-methoxyphenyl]-6-chloro-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl


RN 610308-36-6 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2-[2-[(3-cyclopentyl(2-hydroxyethyl)amino)propoxy]-5-methoxyphenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)

L4 ANSWER 2 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



● HCl


RN 610308-38-8 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2-[2-[3-[(2-hydroxy-1-(hydroxymethyl)ethyl)amino]propoxy]-5-methoxyphenyl]-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl


RN 610308-40-2 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2-[2-[3-[(cyclopropyl(2-hydroxyethyl)amino)propoxy]-5-methoxyphenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)

L4 ANSWER 2 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



● HCl


RN 610308-41-3 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2-[2-[3-[(2-hydroxy-1,1-dimethylethyl)amino]propoxy]-5-methoxyphenyl]-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl

RN 610308-42-4 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2-[2-[3-[(2-hydroxyethyl)(3-methylbutyl)amino]propoxy]-5-methoxyphenyl]-, monohydrochloride (9CI) (CA INDEX NAME)


L4 ANSWER 2 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



● HCl

RN 610308-43-5 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2-[2-[3-[(1S)-1-(hydroxymethyl)-2-methylpropyl]amino]propoxy]-5-methoxyphenyl]-, monohydrochloride (9CI) (CA INDEX NAME)


Absolute stereochemistry.



● HCl


RN 610308-45-7 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2-[2-[3-[ethyl(1-methylethyl)amino]propoxy]-5-methoxyphenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)

L4 ANSWER 2 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)




● HCl

RN 610308-46-8 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2-[2-[3-[hydroxy(1-methylethyl)amino]propoxy]-5-methoxyphenyl]- (9CI) (CA INDEX NAME)




RN 610308-47-9 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2-[5-methoxy-2-[3-[(2-methoxyethyl)(1-methylethyl)amino]propoxy]phenyl]-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl


RN 610308-49-1 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2-[5-methoxy-2-[3-[(1-methylethyl)(phenylmethyl)amino]propoxy]phenyl]-, monohydrochloride (9CI) (CA INDEX NAME)

L4 ANSWER 2 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)




● HCl

RN 610308-50-4 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2-[2-[3-(cyclohexyl(1-methylethyl)amino)propoxy]-5-methoxyphenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)




● HCl

RN 610308-52-6 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2-[5-methoxy-2-[3-[(1-methylethyl)amino]propoxy]phenyl]-, monohydrochloride (9CI) (CA INDEX NAME)




● HCl

L4 ANSWER 2 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)




● HCl

RN 610308-60-6 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2-[2-[3-[(2-ethoxyethyl)(1-methylethyl)amino]propoxy]-5-methoxyphenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl


RN 610308-62-8 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2-[2-[3-[(cyclopropylmethyl)(2-methoxyethyl)amino]propoxy]-5-methoxyphenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl


L4 ANSWER 2 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)

RN 610308-55-9 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2-[2-[3-[(ethyl(2-methoxyethyl)amino)propoxy]-5-methoxyphenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl

RN 610308-56-0 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2,3-dihydro-2-[5-methoxy-2-[3-[(1-methylethyl)(2-(phenylmethoxy)ethyl)amino]propoxy]phenyl]-, monohydrochloride (9CI) (CA INDEX NAME)




● HCl

RN 610308-58-2 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2-[2-[3-[(3-cyclohexylpropyl)(1-methylethyl)amino]propoxy]-5-methoxyphenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)


L4 ANSWER 2 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)

RN 610308-63-9 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[3-[(bis(2-ethoxyethyl)amino)propoxy]-5-methoxyphenyl]-6-chloro-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl


RN 610308-64-0 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2,3-dihydro-2-[5-methoxy-2-[3-[(2-methoxyphenyl)methyl](1-methylethyl)amino]propoxy]phenyl]-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl


RN 610308-66-2 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2,3-dihydro-2-[5-methoxy-2-[3-[(1-methylethyl)(2-pyridinylmethyl)amino]propoxy]phenyl]-, monohydrochloride (9CI) (CA INDEX NAME)

L4 ANSWER 2 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



● HCl


RN 610308-68-4 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2-[2-[3-[(2-furanylmethyl) (1-methylethyl)amino]propoxy]-5-methoxyphenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl


RN 610308-70-8 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2,3-dihydro-2-[5-methoxy-2-[3-[(1-methylethyl) (2-thiazolylmethyl)amino]propoxy]phenyl]-, monohydrochloride (9CI) (CA INDEX NAME)

L4 ANSWER 2 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)
 CN Benzothiazole, 3-acetyl-5-chloro-2,3-dihydro-2-[2-[3-[(hydroxy(1-methylethyl)amino]propoxy]-5-methoxyphenyl]-, monohydrochloride (9CI)
 (CA INDEX NAME)



● HCl


RN 610308-78-6 CAPLUS
 CN Benzothiazole, 3-acetyl-5-chloro-2,3-dihydro-2-[5-methoxy-2-[3-[(2-methoxyethyl) (1-methylethyl)amino]propoxy]phenyl]-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl


RN 610308-80-0 CAPLUS
 CN Benzothiazole, 3-acetyl-5-chloro-2,3-dihydro-2-[2-[3-[(2-hydroxyethyl) (1-methylethyl)amino]propoxy]-5-methoxyphenyl]-, monohydrochloride (9CI)
 (CA INDEX NAME)

L4 ANSWER 2 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)




● HCl

RN 610308-71-9 CAPLUS
 CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[2-[3-[(hydroxy(1-methylethyl)amino]propoxy)-5-methoxyphenyl]-5-(trifluoromethyl)- (9CI)
 (CA INDEX NAME)




RN 610308-72-0 CAPLUS
 CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[2-[3-[(2-hydroxyethyl) (1-methylethyl)amino]propoxy]-5-methoxyphenyl]-5-(trifluoromethyl)-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl


RN 610308-76-4 CAPLUS

L4 ANSWER 2 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)




● HCl

RN 610308-82-2 CAPLUS
 CN Benzothiazole, 3-acetyl-5-chloro-2,3-dihydro-2-[2-[3-[(2-hydroxyethyl)propylamino]propoxy]-5-methoxyphenyl]-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl


RN 610308-83-3 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2,3-dihydro-2-[2-[3-[(hydroxy(1-methylethyl)amino]ethoxy)-5-methoxyphenyl]-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl

RN 610308-84-4 CAPLUS


L4 ANSWER 2 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)
 CN Benzothiazole, 3-acetyl-6-chloro-2,3-dihydro-2-[2-[(2-hydroxyethyl)(1-methylethyl)amino]ethoxy]-5-methoxyphenyl]-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl

RN 610308-85-5 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2,3-dihydro-2-[2-[(1S)-1-(hydroxymethyl)-2-methylpropyl]amino]ethoxy]-5-methoxyphenyl]-, monohydrochloride (9CI) (CA INDEX NAME)


Absolute stereochemistry.



● HCl


RN 610308-86-6 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2,3-dihydro-2-[2-[3-(hydroxy(1-methylethyl)amino)-1-methylpropoxy]-5-methoxyphenyl]- (9CI) (CA INDEX NAME)

L4 ANSWER 2 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



● HCl

RN 610308-90-2 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[3-[(2-ethoxyethyl)(1-methylethyl)amino]propoxy]-5-methoxyphenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)




● HCl


RN 610308-91-3 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2,3-dihydro-2-[5-methoxy-2-[3-[(2-methoxyethyl)(1-methylethyl)amino]propoxy]phenyl]-, monohydrochloride, (+)- (9CI) (CA INDEX NAME)

Rotation (+).

L4 ANSWER 2 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)




RN 610308-87-7 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2,3-dihydro-2-[2-[3-[(2-hydroxyethyl)(1-methylethyl)amino]-1-methylpropoxy]-5-methoxyphenyl]-, monohydrochloride (9CI) (CA INDEX NAME)




● HCl

RN 610308-88-8 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2,3-dihydro-2-[2-[3-[(2-hydroxyethyl)(1-methylethyl)amino]propoxy]-5-methoxyphenyl]- (9CI) (CA INDEX NAME)



RN 610308-89-9 CAPLUS
 CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[5-methoxy-2-[3-[(2-methoxyethyl)(1-methylethyl)amino]propoxy]phenyl]-, monohydrochloride (9CI) (CA INDEX NAME)


L4 ANSWER 2 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



● HCl

RN 610308-92-4 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2,3-dihydro-2-[2-[3-[(2-hydroxyethyl)(1-methylethyl)amino]propoxy]-5-methoxyphenyl]-, monohydrochloride, (+)- (9CI) (CA INDEX NAME)

Rotation (+).




● HCl

RN 610308-93-5 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2-[2-[3-[(2-ethoxyethyl)(1-methylethyl)amino]propoxy]-5-methoxyphenyl]-2,3-dihydro-, monohydrochloride, (+)- (9CI) (CA INDEX NAME)

Rotation (+).


L4 ANSWER 2 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



● HCl

RN 610308-94-6 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2-[5-methoxy-2-[3-[(1-methylethyl)(2-thienylmethyl)amino]propoxy]phenyl]-, monohydrochloride, (+)- (9CI) (CA INDEX NAME)

Rotation (+).




● HCl

RN 610308-95-7 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2-[2-[3-[(2-furanylmethyl)(1-methylethyl)amino]propoxy]-5-methoxyphenyl]-2,3-dihydro-, monohydrochloride, (+)- (9CI) (CA INDEX NAME)

Rotation (+).


L4 ANSWER 2 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



● HCl

RN 610308-98-0 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[3-[bis(1-methylethyl)amino]propoxy]-5-methoxyphenyl]-6-chloro-2,3-dihydro-, monohydrochloride, (+)- (9CI) (CA INDEX NAME)

Rotation (+).




● HCl

RN 610308-99-1 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2-[5-methoxy-2-[3-[methyl(1-methylethyl)amino]propoxy]phenyl]-, monohydrochloride, (+)- (9CI) (CA INDEX NAME)

Rotation (+).


L4 ANSWER 2 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



● HCl

RN 610308-96-8 CAPLUS
 CN 2-Pyrrolidinecarboxamide, 1-[3-[2-(3-acetyl-6-chloro-2,3-dihydro-2-benzothiazolyl)-4-methoxyphenoxy]propyl]-, monohydrochloride, (2S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




● HCl

RN 610308-97-9 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2-[2-[3-[ethyl(1-methylethyl)amino]propoxy]-5-methoxyphenyl]-2,3-dihydro-, monohydrochloride, (+)- (9CI) (CA INDEX NAME)

Rotation (+).


L4 ANSWER 2 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



● HCl

RN 610309-00-7 CAPLUS
 CN 2-Pyrrolidinecarboxamide, 1-[3-[2-(3-acetyl-6-chloro-2,3-dihydro-2-benzothiazolyl)-4-methoxyphenoxy]propyl]-N,N-dimethyl-, monohydrochloride, (2S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




● HCl

RN 610309-01-8 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2-[2-[3-[(2-hydroxy-2-methylpropyl)(1-methylethyl)amino]propoxy]-5-methoxyphenyl]-, monohydrochloride, (+)- (9CI) (CA INDEX NAME)

Rotation (+).


L4 ANSWER 2 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



● HCl

RN 610309-02-9 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2,3-dihydro-2-[2-[3-(hydroxy(1-methylethyl)amino)propoxy]-5-methoxyphenyl]-, monohydrochloride, (+)- (9CI) (CA INDEX NAME)

Rotation (+).




● HCl

RN 610309-03-0 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2,3-dihydro-2-[2-[3-(2-hydroxyethyl)methylamino]propoxy]-5-methoxyphenyl]-, monohydrochloride, (+)- (9CI) (CA INDEX NAME)

Rotation (+).


L4 ANSWER 2 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



● HCl

RN 610309-04-1 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2,3-dihydro-2-[5-methoxy-2-[3-[(2-methoxyethyl)(1-methylethyl)amino]propoxy]phenyl]-, monohydrochloride, (-)- (9CI) (CA INDEX NAME)

Rotation (-).




● HCl

RN 610309-05-2 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2,3-dihydro-2-[2-[3-[(2-hydroxyethyl)(1-methylethyl)amino]propoxy]-5-methoxyphenyl]-, monohydrochloride, (-)- (9CI) (CA INDEX NAME)

Rotation (-).


L4 ANSWER 2 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



● HCl

RN 610309-06-3 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2-[2-[3-[(2-ethoxyethyl)(1-methylethyl)amino]propoxy]-5-methoxyphenyl]-2,3-dihydro-, monohydrochloride, (-)- (9CI) (CA INDEX NAME)

Rotation (-).




● HCl

RN 610309-07-4 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[3-[(2-ethoxyethyl)(1-methylethyl)amino]propoxy]-5-methoxyphenyl]-2,3-dihydro-, monohydrochloride, (-)- (9CI) (CA INDEX NAME)

Rotation (-).


L4 ANSWER 2 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



● HCl

RN 610309-08-5 CAPLUS
 CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[5-methoxy-2-[3-[(2-methoxyethyl)(1-methylethyl)amino]propoxy]phenyl]-, monohydrochloride, (+)- (9CI) (CA INDEX NAME)

Rotation (+).




● HCl

RN 610309-09-6 CAPLUS
 CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[2-[3-[(2-hydroxyethyl)(1-methylethyl)amino]propoxy]-5-methoxyphenyl]-, monohydrochloride, (+)- (9CI) (CA INDEX NAME)


Rotation (+).

L4 ANSWER 2 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)




● HCl

RN 610309-10-9 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[3-(diethylamino)propoxy]-5-methoxyphenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl


RN 610309-11-0 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[2-(dimethylamino)ethoxy]-5-methoxyphenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl

RN 610309-12-1 CAPLUS
 CN Benzothiazole, 3-acetyl-5-chloro-2-[2-[3-(dimethylamino)propoxy]-5-


L4 ANSWER 2 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



● HCl

RN 610309-15-4 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[3-[(2S)-2-[(acetyloxy)methyl]-1-pyrrolidinyl]propoxy]-5-methoxyphenyl]-6-chloro-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)

Absolute stereochemistry.




● HCl

RN 610309-17-6 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[3-[(acetyloxy)(1-methylethyl)amino]propoxy]-5-methoxyphenyl]-6-chloro-2,3-dihydro-, mono(4-methylbenzenesulfonate) (9CI) (CA INDEX NAME)

CM 1


CRN 610309-16-5
 CMF C24 H29 Cl N2 O5 S

L4 ANSWER 2 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued) methoxyphenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl


RN 610309-13-2 CAPLUS
 CN Glycine, N-[3-[2-(3-acetyl-6-chloro-2,3-dihydro-2-benzothiazolyl)-4-methoxyphenoxy]propyl]-N-(1-methylethyl)-, ethyl ester, monohydrochloride (9CI) (CA INDEX NAME)



● HCl


RN 610309-14-3 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[3-[[2-(acetyloxy)ethyl](1-methylethyl)amino]propoxy]-5-methoxyphenyl]-6-chloro-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)

L4 ANSWER 2 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)




CM 2

CRN 104-15-4
 CMF C7 H9 O3 S




RN 610309-18-7 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[3-[(2-benzoyloxy)ethyl](1-methylethyl)amino]propoxy]-5-methoxyphenyl]-6-chloro-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl


RN 610309-19-8 CAPLUS
 CN Propanoic acid, 2,2-dimethyl-, 2-[[3-[2-(3-acetyl-6-chloro-2,3-dihydro-2-benzothiazolyl)-4-methoxyphenoxy]propyl](1-methylethyl)amino]ethyl ester, monohydrochloride (9CI) (CA INDEX NAME)

L4 ANSWER 2 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)




● HCl

RN 610309-20-1 CAPLUS
 CN Acetic acid, methoxy-, 2-[(3-[2-(3-acetyl-6-chloro-2,3-dihydro-2-benzothiazolyl)-4-methoxyphenoxy]propyl)(1-methylethyl)amino]ethyl ester, monohydrochloride (9CI) (CA INDEX NAME)




● HCl

RN 610309-21-2 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2,3-dihydro-2-[5-methoxy-2-[3-[(2-methoxymethoxy)ethyl](1-methylethyl)amino]propoxy]phenyl]-, monohydrochloride (9CI) (CA INDEX NAME)


L4 ANSWER 2 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)
 Absolute stereochemistry.

RN 610309-25-6 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2,3-dihydro-2-[2-[3-[(3S)-3-hydroxy-1-pyrrolidinyl]propoxy]-5-methoxyphenyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 610309-26-7 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2,3-dihydro-2-[5-methoxy-2-[3-[(2-methoxyethyl)(1-methylethyl)amino]propoxy]phenyl]- (9CI) (CA INDEX NAME)




L4 ANSWER 2 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)




● HCl

RN 610309-22-3 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2,3-dihydro-2-[5-methoxy-2-[3-[(2-methoxyethoxy)methoxy]ethyl](1-methylethyl)amino]propoxy]phenyl]- (9CI) (CA INDEX NAME)




RN 610309-23-4 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2,3-dihydro-2-[2-[3-[(2-hydroxyethyl)(2-methylpropyl)amino]propoxy]-5-methoxyphenyl]- (9CI) (CA INDEX NAME)




RN 610309-24-5 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2,3-dihydro-2-[2-[3-[(3S)-3-(hydroxymethyl)-1-pyrrolidinyl]propoxy]-5-methoxyphenyl]- (9CI) (CA INDEX NAME)

L4 ANSWER 2 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)


RN 610309-27-8 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2-[2-[3-[(2-ethoxyethyl)(1-methylethyl)amino]propoxy]-5-methoxyphenyl]-2,3-dihydro- (9CI) (CA INDEX NAME)



RN 610309-28-9 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2-[2-[3-[(2-furanylmethyl)(1-methylethyl)amino]propoxy]-5-methoxyphenyl]-2,3-dihydro- (9CI) (CA INDEX NAME)




RN 610309-29-0 CAPLUS
 CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[2-[3-[(2-hydroxyethyl)(1-methylethyl)amino]propoxy]-5-methoxyphenyl]-5-(trifluoromethyl)- (9CI) (CA INDEX NAME)




RN 610309-30-3 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2,3-dihydro-2-[2-[3-[(2-hydroxyethyl)(1-methylethyl)amino]-1-methylpropoxy]-5-methoxyphenyl]- (9CI) (CA INDEX NAME)

L4 ANSWER 2 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)




RN 610309-31-4 CAPLUS
 CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[5-methoxy-2-[3-[(2-methoxyethyl)(1-methylethyl)amino]propoxy]phenyl]- (9CI) (CA INDEX NAME)



RN 610309-32-5 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2,3-dihydro-2-[5-methoxy-2-[3-[(2-methoxyethyl)(1-methylethyl)amino]propoxy]phenyl]-, (+)- (9CI) (CA INDEX NAME)

Rotation (+).




RN 610309-33-6 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2,3-dihydro-2-[2-[3-[(2-hydroxyethyl)(1-methylethyl)amino]propoxy]-5-methoxyphenyl]-, (+)- (9CI) (CA INDEX NAME)

Rotation (+).

L4 ANSWER 2 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)


RN 610309-36-9 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2-[2-[3-[(2-furanylmethyl)(1-methylethyl)amino]propoxy]-5-methoxyphenyl]-2,3-dihydro-, (+)- (9CI) (CA INDEX NAME)

Rotation (+).




RN 610309-37-0 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2-[2-[3-[ethyl(1-methylethyl)amino]propoxy]-5-methoxyphenyl]-2,3-dihydro-, (+)- (9CI) (CA INDEX NAME)

Rotation (+).




RN 610309-38-1 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[3-[bis(1-methylethyl)amino]propoxy]-5-methoxyphenyl]-6-chloro-2,3-dihydro-, (+)- (9CI) (CA INDEX NAME)

Rotation (+).




L4 ANSWER 2 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)




RN 610309-34-7 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2-[2-[3-[(2-ethoxyethyl)(1-methylethyl)amino]propoxy]-5-methoxyphenyl]-2,3-dihydro-, (+)- (9CI) (CA INDEX NAME)

Rotation (+).



RN 610309-35-8 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2,3-dihydro-2-[5-methoxy-2-[3-[(1-methylethyl)(2-thienylmethyl)amino]propoxy]phenyl]-, (+)- (9CI) (CA INDEX NAME)


Rotation (+).



L4 ANSWER 2 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)


RN 610309-39-2 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2,3-dihydro-2-[5-methoxy-2-[3-[methyl(1-methylethyl)amino]propoxy]phenyl]-, (+)- (9CI) (CA INDEX NAME)

Rotation (+).



RN 610309-40-5 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2,3-dihydro-2-[2-[3-[(2-hydroxyethyl)methylamino]propoxy]-5-methoxyphenyl]-, (+)- (9CI) (CA INDEX NAME)


Rotation (+).



RN 610309-41-6 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2,3-dihydro-2-[2-[3-[(2-hydroxyethyl)methylamino]propoxy]-5-methoxyphenyl]-, (-)- (9CI) (CA INDEX NAME)


Rotation (-).

L4 ANSWER 2 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)




RN 610309-42-7 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2-[2-[3-[(2-ethoxyethyl)(1-methylethyl)amino]propoxy]-5-methoxyphenyl]-2,3-dihydro-, (-)- (9CI) (CA INDEX NAME)

Rotation (-).




RN 610309-43-8 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[3-[(2-ethoxyethyl)(1-methylethyl)amino]propoxy]-5-methoxyphenyl]-2,3-dihydro-, (+)- (9CI) (CA INDEX NAME)

Rotation (+).




RN 610309-44-9 CAPLUS
 CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[2-[3-[(2-hydroxyethyl)(1-


L4 ANSWER 2 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



RN 610309-48-3 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2-[2-[3-[cyclohexyl(2-hydroxyethyl)amino]propoxy]-5-methoxyphenyl]-2,3-dihydro- (9CI) (CA INDEX NAME)




RN 610309-49-4 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2-[2-[3-[ethyl(2-hydroxyethyl)amino]propoxy]-5-methoxyphenyl]-2,3-dihydro- (9CI) (CA INDEX NAME)




RE. CNT 33 THERE ARE 33 CITED REFERENCES AVAILABLE FOR THIS RECORD
 ALL CITATIONS AVAILABLE IN THE RE FORMAT


L4 ANSWER 2 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



RN 610309-45-0 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2,3-dihydro-2-[5-methoxy-2-[3-[(2-methoxymethoxy)ethyl](1-methylethyl)amino]propoxy]phenyl]- (9CI) (CA INDEX NAME)



RN 610309-46-1 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[3-[(2-(acetoxy)ethyl)(1-methylethyl)amino]propoxy]-5-methoxyphenyl]-6-chloro-2,3-dihydro- (9CI) (CA INDEX NAME)



RN 610309-47-2 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[3-[(2-(benzyloxy)ethyl)(1-methylethyl)amino]propoxy]-5-methoxyphenyl]-6-chloro-2,3-dihydro- (9CI) (CA INDEX NAME)


L4 ANSWER 3 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN

AN 1994:144163 CAPLUS
 DN 120:144163
 TI Topical ophthalmic compositions comprising a combination of calcium antagonists with known antiglaucoma agents
 IN Desantis, Louis, Jr.
 PA Alcon Laboratories, Inc., USA
 SO PCT Int. Appl., 20 PP.
 CODEN: PIXXD2
 DT Patent
 LA English
 FAN. CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI WO 9323082	A1	19931125	WO 1993-US4505	19930512
W: AU, CA, JP				
RW: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
AU 9342467	A1	19931213	AU 1993-42467	19930512
EP 639986	A1	19950301	EP 1993-911276	19930512
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT,				
SE JP 07508030	T2	19950907	JP 1993-503718	19930512
PRAI US 1992-882328	A	19920513		
WO 1993-US4505	A	19930512		
AB Calcium antagonists and compds. which lower intraocular pressure are combined in ophthalmic compns. to treat glaucoma. The calcium antagonists prevent or reduce the loss of visual field, while the intraocular pressure-lowering compds. maintain the intraocular pressure at normal levels.				
IT 112946-90-4				
RI: THU (Therapeutic use); BIOL (Biological study); USES (Uses) (calcium antagonist, ophthalmic compns. containing intraocular pressure-lowering agents and, for glaucoma treatment)				
RN 112946-90-4 CAPLUS				
CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[5-methoxy-2-[4-[methyl(2-(3,4,5-trimethoxyphenyl)ethyl)amino]butoxy]phenyl]-, monohydrochloride, (2S)- (9CI) (CA INDEX NAME)				

Absolute stereochemistry.

PAGE 1-A




L4 ANSWER 3 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)

PAGE 2-A

● HCl

L4 ANSWER 4 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN
 AN 1990:515158 CAPLUS
 DN 113:115158
 TI Synthesis and calcium antagonistic activity of (+)-(R)- and (-)-(S)-3-acetyl-2-[5-methoxy-2-[4-(N-methyl-N-(3,4,5-trimethoxyphenethyl)amino]butoxy]phenyl]benzothiazoline hydrochloride
 AU Fujita, Masanobu; Ota, Atsutoshi; Ito, Susumu; Yamamoto, Koji; Kawashima, Yoichi; Iso, Tadashi; Iwao, Junichi
 CS Cent. Res. Lab., Santen Pharm. Co., Ltd., Osaka, 533, Japan
 SO Chemical & Pharmaceutical Bulletin (1990), 38(4), 936-41
 CODEN: CPBTAL; ISSN: 0009-2363
 DT Journal
 LA English
 OS CASREACT 113:115158
 AB Both enantiomers of SA 2572 (I) were prepared and tested for their activity as Ca channel blockers and their hypotensive activity in rats. (-)-I had a more potent in vitro Ca antagonist activity and hypotensive activity than (+)-I, whereas (+)-I had a more potent inhibitory effect on the fast Ca inward channel than (-)-I, and both had a comparable inhibitory effect on the slow Ca inward channel.
 IT 129053-94-7
 RL BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); BIOL (Biological study) (antiarrhythmic and calcium antagonist activity of, in comparison to enantiomers)
 RN 129053-94-7 CAPLUS
 CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[5-methoxy-2-[4-[methyl[2-(3,4,5-trimethoxyphenyl)ethyl]amino]butoxy]phenyl]-, monohydrochloride (9CI)
 (CA INDEX NAME)



● HCl


IT 112946-90-4P 116311-93-4P 129170-48-5P
 RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); PRP (Properties); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation)

L4 ANSWER 4 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)
 (prepn. and abs. configuration and antiarrhythmic and calcium antagonist activity of)

RN 112946-90-4 CAPLUS
 CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[5-methoxy-2-[4-[methyl[2-(3,4,5-trimethoxyphenyl)ethyl]amino]butoxy]phenyl]-, monohydrochloride, (2S)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.

PAGE 1-A



● HCl


RN 116311-93-4 CAPLUS
 CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[5-methoxy-2-[4-[methyl[2-(3,4,5-trimethoxyphenyl)ethyl]amino]butoxy]phenyl]-, monohydrochloride, (R)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.

PAGE 2-A

L4 ANSWER 4 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)

PAGE 1-A




● HCl

RN 129170-48-5 CAPLUS
 CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[5-methoxy-2-[4-[methyl[2-(3,4,5-trimethoxyphenyl)ethyl]amino]butoxy]phenyl]-, (R)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.


PAGE 2-A



IT 129170-49-6P
 RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); RCT (Reactant); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent) (preparation and absolute configuration and antiarrhythmic and calcium

L4 ANSWER 4 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)
 antagonist activity of)
 RN 129170-49-6 CAPLUS
 CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[5-methoxy-2-[4-[methyl[2-(3,4,5-trimethoxyphenyl)ethyl]amino]butoxy]phenyl]-, (S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



L4 ANSWER 5 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN
 AN 1990:7476 CAPLUS
 Correction of: 1988:549521
 DN 112:7476
 Correction of: 109:149521
 TI Preparation of optically active 2-(hydroxyphenyl)benzothiazolines and -benzothiazinones as intermediates for cardiovascular agents
 IN Iwao, Junichi; Iso, Tadashi; Kawashima, Yoichi
 PA Santen Pharmaceutical Co., Ltd., Japan
 SO Jpn. Kokai Tokkyo Koho, 10 pp.
 CODEN: JKXKAF

DT Patent
 LA Japanese
 FAN.CNT 1


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI JP 63104969	A2	19880510	JP 1986-253158	19861023
JP 05060833	B4	19930903		
PRAI JP 1986-253158		19861023		

OS MARPAT 112:7476
 GI For diagram(s), see printed CA Issue.
 AB The title compds. [I; R = Q; R1, R3 = 1 or multiple groups selected from H, lower alkyl, lower alkoxy, halo, nitro; R2 = H, lower alkanoyl, lower alkyl; R4, R5 = H, lower alkyl; R6 = H, lower alkyl, (un)substituted Ph, naphthyl; R7 = lower alkyl, (un)substituted Ph, phenylalkoxy; R8 = H, lower alkyl, lower alkoxy, lower alkylthio, halo, cyano, lower alkanoylamino; n = 0, 1; X = S, CH2], useful as intermediates for cardiovascular agents, were prepared. A solution of (±)-3-acetyl-2-(2-hydroxy-5-methoxyphenyl)benzothiazole in DMF was added dropwise to a suspension of NaH in DMF with ice cooling. After stirring the mixture for 30 min at room temperature, a solution prepared by reaction of N-(benzyloxycarbonyl)-L-proline with Me2CHCH2O2CCl in THF containing Et3N under ice-salt cooling was added and the mixture was stirred at room temperature for 3 h to give 24.0% and 20.0% (+)- and (-)-3-acetyl-2-[2-[[[(2S)-1-(benzyloxycarbonyl)-2-pyrrolidinyl]carbonyl]oxy]-5-methoxyphenyl]benzothiazoline, resp.
 IT 112946-90-4B
 RI: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses) (preparation of, as cardiovascular agent)
 RN 112946-90-4 CAPLUS
 CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[5-methoxy-2-[4-[methyl[2-(3,4,5-trimethoxyphenyl)ethyl]amino]butoxy]phenyl]-, monohydrochloride, (2S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L4 ANSWER 5 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)

PAGE 1-A




PAGE 2-A

● HCl

IT 116311-93-4B
 RI: SPN (Synthetic preparation); PREP (Preparation) (preparation of, as intermediate for cardiovascular agent)
 RN 116311-93-4 CAPLUS
 CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[5-methoxy-2-[4-[methyl[2-(3,4,5-trimethoxyphenyl)ethyl]amino]butoxy]phenyl]-, monohydrochloride, (R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

PAGE 1-A




L4 ANSWER 5 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)

PAGE 2-A


● HCl

L4 ANSWER 6 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN
 AN 1988:549521 CAPLUS
 DN 109:149521
 TI Preparation of optically active 2-(hydroxyphenyl)benzothiazolines and
 -benzothiazinones as intermediates for cardiovascular agents
 IN Iwao, Junichi; Iso, Tadashi; Kawashima, Yoichi
 PA Santen Pharmaceutical Co., Ltd., Japan
 SO Jpn. Kokai Tokkyo Koho, 10 pp.
 CODEN: JKKXAF
 DT Patent
 LA Japanese
 PATENT NO. _____ KIND _____ DATE _____ APPLICATION NO. _____ DATE _____
 PI JP 63104969 A2 19880510 JP 1986-253158 19861023
 OS MARPAT 109:149521
 GI



AB The title compds. [I; R = O; R1, R3 = 1 or multiple groups selected from H, lower alkyl, lower alkoxy, halo, nitro; R2 = H, lower alkanoyl, lower alkyl; R4, R5 = H, lower alkyl; R6 = H, lower alkyl, (un)substituted Ph, naphthyl; R7 = lower alkyl, (un)substituted Ph, phenylalkoxy; R8 = H, lower alkyl, lower alkoxy, lower alkylthio, halo, cyano, lower alkanoylamino; n = 0, 1; X = S, CH2], useful as intermediates for cardiovascular agents, were prepared. A solution of (±)-3-acetyl-2-(2-hydroxy-5-methoxyphenyl)benzothiazole in DMF was added dropwise to a suspension of NaH in DMF with ice cooling. After stirring the mixture for 30 min at room temperature, a solution prepared by reaction of N-(benzyloxycarbonyl)-L-proline with Me2CHCH2O2CCl in THF containing Et3N under ice-salt cooling was added and the mixture was stirred at room temperature for 3 h to give 24.0% and 20.0% (+) and (-)-3-acetyl-2-[2-[[[(2S)-1-(benzyloxycarbonyl)-2-pyrrolidinyl]carbonyl]oxy]-5-methoxyphenyl]benzothiazoline, resp.
 IT 112946-90-4P
 RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses) (preparation of, as cardiovascular agent)
 RN 112946-90-4 CAPLUS
 CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[5-methoxy-2-[4-[methyl(2-(3,4,5-trimethoxyphenyl)ethyl)amino]butoxy]phenyl]-, monohydrochloride, (2S)-(9CI) (CA INDEX NAME)

L4 ANSWER 7 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN
 AN 1988:522190 CAPLUS
 DN 109:122190
 TI Electrophysiologic effects of a novel calcium antagonist, SA2572, in isolated rabbit and guinea pig hearts
 AU Miyawaki, Nobuaki; Furuta, Tatsuji; Shigei, Tatsuhiro
 CS Sch. Med., Nagoya Univ., Nagoya, Japan
 SO Journal of Cardiovascular Pharmacology (1988), 12(1), 65-71
 CODEN: JPCPD7; ISSN: 0160-2446
 DT Journal
 LA English
 GI




AB The cardiac effects of SA2572 (I), a newly synthesized Ca antagonist, were evaluated in guinea pig and rabbit hearts by electrophysiol. techniques. SA2572 (10-6-10-5M) decreased the upstroke velocity (Vmax) and the duration of the action potential (APD30) in guinea pig papillary muscles in a contraction- and frequency-dependent manner without affecting the resting potential. The slow responses (high K+ + isoproterenol) were suppressed by SA2572 at 10-6M. In rabbit sinus node, SA2572 (10-7-5 + 10-6M) caused a concentration-dependent decrease in the amplitude and Vmax of the action potential and tended to prolong the spontaneous cycle length. In Langendorff-perfused rabbit hearts elec. driven at 2 Hz, SA2572 (5 + 10-8-10-6M) produced concentration-dependent prolongations of the atrio-His bundle conduction time (A-H interval) and the His bundle-ventricular conduction time (H-V interval) concomitantly with a reduction of the developed tension of the ventricular muscle. These effects of SA2572 on the A-H and H-V intervals were more pronounced at higher stimulation frequency. Enantiospecificity was observed in these actions of SA2572, the (-)-isomer of SA2572 having more potent inhibitory effects on slow-channel-dependent than on fast-channel-dependent phenomena. These results indicate that SA2572 has characteristics of both slow and fast channel blockers, and that these inhibitory effects are frequency dependent.
 IT 112946-90-4 116311-93-4
 RL: BIOL (Biological study) (heart elec. activity response to, mechanism of)
 RN 112946-90-4 CAPLUS
 CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[5-methoxy-2-[4-[methyl(2-(3,4,5-trimethoxyphenyl)ethyl)amino]butoxy]phenyl]-, monohydrochloride, (2S)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.

L4 ANSWER 6 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)
 Absolute stereochemistry.

PAGE 1-A




PAGE 2-A

● HCl

L4 ANSWER 7 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)

PAGE 1-A




PAGE 2-A

● HCl

RN 116311-93-4 CAPLUS
 CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[5-methoxy-2-[4-[methyl(2-(3,4,5-trimethoxyphenyl)ethyl)amino]butoxy]phenyl]-, monohydrochloride, (R)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.

PAGE 1-A



L4 ANSWER 7 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)

PAGE 2-A

● HCl

L4 ANSWER 8 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN

AN 1988:167460 CAPLUS

DN 108:167460

TI Preparation of 2-phenylbenzothiazoline derivatives as cardiovascular agents

IN Iwao, Junichi; Iso, Tadashi; Kawashima, Yoichi

PA Santen Pharmaceutical Co., Ltd., Japan

SO Jpn. Kokai Tokkyo Koho, 7 pp.

CODEN: JKKXAF


DT Patent

LA Japanese

FAN. CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 62221679	A2	19870929	JP 1986-63189	19860319
JP 1986-63189		19860319		

GI



AB The title compds. [I: R = AmR4; R1 = 1 or multiple groups selected from lower alkyl, lower alkoxy, OH, halo, cyano, NO2, lower haloalkyl, or lower alkanoyl; R2 = lower alkanoyl, lower alkylcarbamoyl, PhNHCO, MeSO2; R3 = 1

or multiple groups selected from H, OH, lower alkyl, lower alkoxy, NO2, halo, or lower alkanoyloxy; R4 = (CH)nR5, oxiranyl; R5 = N-substituted aminomethyl, halomethyl; m, n = 0, 1; A = Cl-5 alkylene], useful as cardiovascular agents (no data) were prepared A solution of

2,5-(H2N)C1C6H3SH in PhMe was added to a solution of 2,5-(HO)(MeO)C6H3CHO in PhMe-MeOH and

the mixture was heated at 40° for 1 h. To the mixture, a solution of N-acetylimidazole in PhMe-MeOH was added and the mixture was stirred at

room temperature for 6 h to give 53.3% I (OR = 2-OH, R1 = 6-Cl, R2 = Ac, R3 = 5-MeO).

IT 113933-36-1P 113933-38-3P 113933-40-7P
113933-41-8P 113933-44-1P 113933-45-2P

113933-48-5P 113933-50-9P 113957-18-9P
113957-20-3P 113957-21-4P

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of, as cardiovascular agent)

RN 113933-36-1 CAPLUS


CN Benzothiazole, 3-acetyl-6-chloro-2-[2-[3-(dimethylamino)propoxy]-5-

L4 ANSWER 8 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)
methoxyphenyl]-2,3-dihydro-, (2Z)-2-butenedioate (9CI) (CA INDEX NAME)

CM 1

CRN 113933-35-0

CMF C21 H25 Cl N2 O3 S




CM 2

CRN 110-16-7

CMF C4 H4 O4

Double bond geometry as shown.




RN 113933-38-3 CAPLUS
CN Benzothiazole, 3-acetyl-6-chloro-2-[2-[4-[2-(3,4-dimethoxyphenyl)ethyl]-1-piperazinyl]butoxy]-5-methoxyphenyl]-2,3-dihydro-, (2E)-2-butenedioate (9CI) (CA INDEX NAME)

CM 1

CRN 113933-37-2

CMF C34 H42 Cl N3 O5 S




L4 ANSWER 8 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)

CM 2

CRN 110-17-8

CMF C4 H4 O4

Double bond geometry as shown.




RN 113933-40-7 CAPLUS
CN Benzothiazole, 3-acetyl-2-[2-[(5-(4-benzoyl-1-piperidinyl)pentyl)oxy]-5-methoxyphenyl]-6-chloro-2,3-dihydro-, ethanedioate (9CI) (CA INDEX NAME)

CM 1

CRN 113933-39-4

CMF C33 H37 Cl N2 O4 S



CM 2

CRN 144-62-7

CMF C2 H2 O4




RN 113933-41-8 CAPLUS

CN Benzothiazole,


2-[2-[3-[ethyl[2-(2,3,4-trimethoxyphenyl)ethyl]amino]propoxyl]-5-nitrophenyl]-2,3-dihydro-6-methoxy-3-(1-oxopropyl)-, hydrochloride (9CI) (CA INDEX NAME)

L4 ANSWER 8 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



● x HCl


RN 113933-44-1 CAPLUS
 CN Benzothiazole, 3-acetyl-6-chloro-2-[2-[4-[[2-(3,4-dimethoxyphenyl)ethyl]methylamino]butoxy]-5-methoxyphenyl]-2,3-dihydro-, hydrochloride (9CI) (CA INDEX NAME)



● x HCl


RN 113933-45-2 CAPLUS
 CN Benzothiazole, 2,3-dihydro-2-[2-[4-[[4-(4-hydroxyphenyl)methyl]-1-piperazinyl]butoxy]-5-nitrophenyl]-6-methoxy-3-(1-oxopropyl)-, hydrochloride (9CI) (CA INDEX NAME)

L4 ANSWER 8 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



● x HCl

RN 113933-48-5 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[4-[3-(cyclopropyl[2-(4-methoxyphenyl)ethyl]amino]propoxy]-3-methoxyphenyl]-2,3-dihydro-6-(trifluoromethyl)-, hydrochloride (9CI) (CA INDEX NAME)




● x HCl

RN 113933-50-9 CAPLUS
 CN 4-Benzothiazolecarbonitrile, 3-acetyl-2-[3-chloro-2-[4-[[4-(4-cyanophenyl)methyl]hexahydro-1H-1,4-diazepin-1-yl]butoxy]phenyl]-2,3-dihydro-, (2Z)-2-butenedioate (9CI) (CA INDEX NAME)

CM 1

CRN 113933-49-6
 CMF C33 H34 Cl N5 O2 S


L4 ANSWER 8 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



CM 2

CRN 110-16-7
 CMF C4 H4 O4


Double bond geometry as shown.



RN 113957-18-9 CAPLUS
 CN 4-Benzothiazolecarbonitrile, 3-acetyl-2-[3-chloro-2-[4-(4-morpholinyl)butoxy]phenyl]-2,3-dihydro-, (2Z)-2-butenedioate (9CI) (CA INDEX NAME)

CM 1

CRN 113957-17-8
 CMF C24 H26 Cl N3 O3 S




CM 2

CRN 110-16-7
 CMF C4 H4 O4

Double bond geometry as shown.


L4 ANSWER 8 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



RN 113957-20-3 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[[5-(cyclohexylmethylamino)pentyl]oxyl]-5-methoxyphenyl]-2,3-dihydro-, (2E)-2-butenedioate (9CI) (CA INDEX NAME)

CM 1


CRN 113957-19-0
 CMF C28 H37 Cl N2 O3 S



CM 2


CRN 110-17-8
 CMF C4 H4 O4

Double bond geometry as shown.



RN 113957-21-4 CAPLUS
 CN Benzothiazole, 2,3-dihydro-6-methoxy-2-[2-[4-[methyl[2-(2,3,4-trimethoxyphenyl)ethyl]amino]butoxy]-5-nitrophenyl]-3-(1-oxopropyl)-, hydrochloride (9CI) (CA INDEX NAME)

L4 ANSWER 8 OF 14 CAPLUS COPYRIGHT 2006 ACS ON STN (Continued)



● x HCl

L4 ANSWER 9 OF 14 CAPLUS COPYRIGHT 2006 ACS ON STN


AN 1988:167459 CAPLUS
 DN 108:167459
 TI Preparation of 2-[[[(phenoxyalkyl)amino]alkoxy]phenyl]benzimidazole derivatives as cardiovascular agents
 IN Iwao, Junichi; Iso, Tadashi; Kawashima, Yoichi
 PA Santen Pharmaceutical Co., Ltd., Japan
 SO Jpn. Kokai Tokkyo Koho, 7 pp.
 CODEN: JKOXAF

DT Patent

LA Japanese

FAN. CNT

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI JP 62221680	A2	19870929	JP 1986-63190	19860319
JP 06006581	B4	19940126		
PRAI JP 1986-63190		19860319		
GI				




AB The title compds. (I; R1 = one or multiple groups selected from H, alkyl, alkoxy, OH, halo, cyano, NO2, haloalkyl, or alkanoyloxy; R2 = alkanoyl, alkylcarbamoyl, phenylcarbamoyl, CH3SO2; R3 = one or multiple groups selected from H, OH, alkyl, alkoxy, NO2, halo or alkanoyloxy; R4 = one or multiple groups chosen from H, alkyl, C1-6 cycloalkyl; R5 = H, alkyl, alkoxy, alkylendioxy, alkanoyloxy, OH, NO2, cyano, halo; A, B = C1-6 alkylene), useful as cardiovascular agents, were prepared. A mixture of 3-acetyl-2-[2-(4-bromobutoxy)-5-methoxyphenyl]benzothiazolidine, N-methyl-N-[2-[(2,4,5-trimethoxy)phenoxy]ethyl]amine and K2CO3 in DMF was stirred at 60° for 3 h to give, after salt formation with (CO2H)2, 73% 3-acetyl-2-[5-methoxy-2-[4-methyl-N-[2-[(1,3,5-trimethoxy)phenoxy]ethyl]amino]butoxy]phenyl]benzothiazolidine. (CO2H)2 (II). II in vitro inhibited Ca2+-induced contraction of guinea pig's colons with an IC50 of 1.9 + 10-7 M. Capsules containing 3-acetyl-2-[5-methoxy-2-[3-(N-methyl-N-[2-[(1,3,5-trimethoxy)phenoxy]ethyl]amino]propoxy]phenyl]benzothiazolidine. (CO2H)2 (III) 5, Mg stearate 3 and lactose 142 mg were prepared.

IT 113955-75-2
 RL: RCT (Reactant); RACT (Reactant or reagent) (alkylation of, by cyclohexyl bromide)

RN 113955-75-2 CAPLUS

CN Benzothiazole, 3-acetyl-2-[2-[3-[[2-[(1,3-benzodioxol-5-yl)oxy]ethyl]methylamino]propoxy]-5-methoxyphenyl]-2,3-dihydro- (9CI) (CA INDEX NAME)


L4 ANSWER 9 OF 14 CAPLUS COPYRIGHT 2006 ACS ON STN (Continued)



IT 113955-85-4
 RL: RCT (Reactant); RACT (Reactant or reagent) (alkylation of, by phenoxyethyl methanesulfonate derivative)

RN 113955-85-4 CAPLUS

CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[5-methoxy-2-[3-(methylamino)propoxy]phenyl]- (9CI) (CA INDEX NAME)



IT 113955-54-7P 113955-56-9P 113955-57-0P
 113955-59-2P 113955-60-5P 113955-62-7P
 113955-63-8P 113955-65-0P 113955-66-1P
 113955-68-3P 113955-70-7P 113955-71-8P
 113955-72-9P 113955-73-0P 113955-74-1P
 113955-76-3P 113955-77-4P 113955-78-5P
 113955-80-9P 113955-82-1P

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses) (preparation of, as cardiovascular agent)

RN 113955-54-7 CAPLUS


CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[5-methoxy-2-[3-[methyl(2-(3,4,5-trimethoxyphenoxy)ethyl)amino]propoxy]phenyl]-, ethanedioate (9CI) (CA INDEX NAME)

CH 1

CRN 113955-53-6

CMF C31 H38 N2 O7 S

L4 ANSWER 9 OF 14 CAPLUS COPYRIGHT 2006 ACS ON STN (Continued)



CH 2

CRN 144-62-7

CMF C2 H2 O4




RN 113955-56-9 CAPLUS

CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[5-methoxy-2-[4-[methyl(2-(3,4,5-trimethoxyphenoxy)ethyl)amino]butoxy]phenyl]-, ethanedioate (9CI) (CA INDEX NAME)

CH 1

CRN 113955-55-8

CMF C32 H40 N2 O7 S




CH 2

CRN 144-62-7

L4 ANSWER 9 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)
CMF C2 H2 O4



RN 113955-57-0 CAPLUS
CN Benzothiazole, 3-acetyl-2-[2-[3-[[2-(1,3-benzodioxol-5-yloxy)ethyl]methylamino]propoxy]-5-methoxyphenyl]-6-chloro-2,3-dihydro-, hydrochloride (9CI) (CA INDEX NAME)



● x HCl


RN 113955-59-2 CAPLUS
CN Benzothiazole, 3-acetyl-2-[2-[3-[[2-(1,3-benzodioxol-5-yloxy)propyl]methylamino]propoxy]-5-methoxyphenyl]-2,3-dihydro-, (ZE)-2-butenedioate (9CI) (CA INDEX NAME)

CM 1

CRN 113955-58-1
CMF C30 H34 N2 O6 S

L4 ANSWER 9 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)
CM 1

CRN 113955-61-6
CMF C29 H34 N2 O4 S




CM 2

CRN 144-62-7
CMF C2 H2 O4



RN 113955-63-8 CAPLUS
CN Benzothiazole, 3-acetyl-2-[2-[4-[[2-(2-fluorophenoxy)ethyl]methylamino]butoxy]-5-methoxyphenyl]-2,3-dihydro-6-methyl-, hydrochloride (9CI) (CA INDEX NAME)




● x HCl

RN 113955-65-0 CAPLUS
CN Benzothiazole, 3-acetyl-2-[2-[4-[[2-(2,3-dihydro-1,4-benzodioxin-6-yl)oxy]ethyl]methylamino]butoxy]-5-methoxyphenyl]-2,3-dihydro-, (ZE)-2-butenedioate (9CI) (CA INDEX NAME)

CM 1


L4 ANSWER 9 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)




CM 2

CRN 110-17-8
CMF C4 H4 O4

Double bond geometry as shown.



RN 113955-60-5 CAPLUS
CN Benzothiazole, 3-acetyl-2-[5-chloro-2-[4-[ethyl[2-(2,3,4-trimethoxyphenoxy)ethyl]amino]butoxy]phenyl]-2,3-dihydro-, hydrochloride (9CI) (CA INDEX NAME)




● x HCl

RN 113955-62-7 CAPLUS
CN Benzothiazole, 3-acetyl-2-[4-[3-[ethyl[2-(2-methoxyphenoxy)ethyl]amino]propoxy]phenyl]-2,3-dihydro-, ethanedioate (9CI) (CA INDEX NAME)

L4 ANSWER 9 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)


CRN 113955-64-9
CMF C31 H36 N2 O6 S




CM 2

CRN 110-17-8
CMF C4 H4 O4

Double bond geometry as shown.



RN 113955-66-1 CAPLUS
CN Benzothiazole, 3-acetyl-2-[2-[3-[[2-(2,6-dimethoxyphenoxy)ethyl]methylamino]propoxy]-5-methoxyphenyl]-2,3-dihydro-, hydrochloride (9CI) (CA INDEX NAME)



● x HCl


RN 113955-68-3 CAPLUS
CN Benzothiazole, 3-acetyl-6-chloro-2,3-dihydro-2-[5-methoxy-2-[3-[methyl[2-(3,4,5-trimethoxyphenoxy)ethyl]amino]propoxy]phenyl]-, ethanedioate (9CI)

L4 ANSWER 9 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)
(CA INDEX NAME)

CM 1

CRN 113955-67-2

CMF C31 H37 C1 N2 O7 S



CM 2

CRN 144-62-7

CRN 144-62-7
CMF C2 H2 04




RN 113955-70-7 CAPLUS
CN Benzothiazole, 3-acetyl-2-[4-{3-[[2-(1,3-benzodioxol-5-
yloxy)ethyl]methylamino]propoxy}phenyl]-2,3-dihydro-, ethanedioate (9CI)
(CA INDEX NAME)


CM 1

CRN 113955-69-4

CMF C28 H30 N2 O5 S




L4 ANSWER 9 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



● x HCl

RN 113955-73-0 CAPLUS
CN Benzothiazole, 3-acetyl-2-[2-{3-[cyclopropyl]2-[(2,3-dihydro-1,4-benzodioxin-6-yl)oxy]ethyl]amino]propoxy]-5-methoxyphenyl]-2,3-dihydro-, hydrochloride (9CI) (CA INDEX NAME)



●x HCl

RN 113955-74-1 CAPLUS
CN Benzothiazole, 3-acetyl-2-[2-[2-(cyclopropyl[2-(3,4,5-trimethoxyphenyl)ethyl]amino]propoxy]-5-methoxyphenyl]-2,3-dihydro-, hydrochloride (9CI) (CA INDEX NAME)

L4 ANSWER 9 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)


CM 2

CRN 144-62-7

CMF C2 H2 O4




RN 113955-71-8 CAPLUS
CN Benzothiazole,
3-acetyl-2-[(2-{4-[(2-{3,4-dimethoxyphenoxy}ethyl)methylamin
o]butoxy}-5-methoxyphenyl)-2,3-dihydro-5-nitro-, hydrochloride (9CI) (CA
INDEX NAME)



●x HCl

RN 113955-72-9 CAPLUS
CN Benzothiazole, 3-acetyl-2-[2-{3-[(2-{1,3-benzodioxol-5-
yloxy)ethyl)cyclohexylamino]propoxy}-5-methoxyphenyl]-2,3-dihydro-,
hydrochloride (9CI) (CA INDEX NAME)

L4 ANSWER 9 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



● HCl

```


RN      113955-76-3  CAPLUS
CN      Benzothiazole, 3-acetyl-2-[2-{3-[[2-(1,3-benzodioxol-5-
        yloxy)ethyl]methylamino]propoxy]-5-methoxyphenyl]-2,3-dihydro-,
        (2E)-2-butenedioate (1:1) (9CI) (CA INDEX NAME)

```

CM 1

CRN 113955-75-2

CMF C29 H32 N2 O6 S




CM 2

CRN 110-17-8


CMF C4 H4 O4

Double bond geometry as shown.




RN 113955-77-4 CAPLUS
CN Benzothiazole, 3-acetyl-2-[2-[4-[[2-(1,3-benzodioxol-5-
yloxy)ethyl]methylamino]butoxy]-5-methoxyphenyl]-2,3-dihydro-,
hydrochloride (9CI) (CA INDEX NAME)

L4 ANSWER 9 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



● x HCl

RN 113955-78-5 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-{[2-(4-nitrophenoxy)ethyl]amino]propoxy]phenyl]-, hydrochloride (9CI) (CA INDEX NAME)



● x HCl

RN 113955-80-9 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-{[2-[(2,3-dihydro-1,4-benzodioxin-6-yl]oxy]ethyl]methylamino]propoxy]-5-methoxyphenyl]-2,3-dihydro-, (2E)-2-butenedioate (9CI) (CA INDEX NAME)


CM 1

CRN 113955-79-6
 CMF C30 H34 N2 O6 S

L4 ANSWER 9 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)
 CN 144-62-7
 CMF C2 H2 O4




L4 ANSWER 9 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



CM 2

CRN 110-17-8
 CMF C4 H4 O4

Double bond geometry as shown.




RN 113955-82-1 CAPLUS

CN Benzothiazole, 3-acetyl-2,3-dihydro-6-methoxy-2-[5-methoxy-2-[3-[methyl(2-(4-methylphenoxy)ethyl]amino]propoxy]phenyl]-, ethanedioate (9CI) (CA INDEX NAME)


CM 1

CRN 113955-81-0
 CMF C30 H36 N2 O5 S



CM 2


L4 ANSWER 10 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN
 AN 1988:167368 CAPLUS
 DN 108:167368
 TI Novel calcium antagonists. Synthesis and structure-activity relationship studies of benzothiazoline derivatives
 AU Yamamoto, Koji; Fujita, Masanobu; Tabashi, Keizo; Kawashima, Yoichi; Kato, Eishin; Oya, Masayuki; Iso, Tadashi; Iwao, Junichi
 CS Res. Lab., Santen Pharm. Co., Ltd., Osaka, Japan
 SO Journal of Medicinal Chemistry (1988), 31(5), 919-30
 CODEN: JMCMDR; ISSN: 0022-2623
 DT Journal
 LA English
 OS CASREACT 108:167368
 GI



AB Novel benzothiazoline derivs. were studied for their structure-activity relationships with respect to Ca²⁺ antagonist activity. As test compds., 42 3-acyl-2-arylbenzothiazolines, e.g., I, were synthesized. Thus, 2-HZNC6H4SH reacted with 2,5-HO(MeO)C6H4CHO to give hydroxymethoxyphenylbenzothiazoline II (R = R₁ = H) which on treatment with Ac₂O gave I (R = Ac, R₁ = H). Etherification of the latter II by treatment with NaH and then Br(CH₂)₄Br in DMF followed by amination with N-methylcyclohexylamine gave 561 I. These benzothiazoline derivs., e.g., I, exerted higher Ca²⁺ antagonist activity than the corresponding thiazolidine derivs. The effects of substituents, the substitution position of the aminoalkoxy group, and the length of the methylene chain on biol. activities were examined. The hydrochloride of 3-acetyl-2-[5-methoxy-2-[4-(N-methyl-N-(3,4,5-trimethoxyphenethyl)amino]butoxy]phenyl]benzothiazoline (III) showed a potent Ca²⁺ antagonist activity in vitro and dual inhibition on the fast Na⁺ inward channel and the slow Ca²⁺ inward channel in Langendorff perfused rabbit hearts. III.HCl also showed a long acting hypotensive effect in spontaneously hypertensive rats and prevented acute pulmonary thrombotic death in mice.

L4 ANSWER 10 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)

IT 86135-09-3P
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation and calcium antagonist activity of)
 RN 86135-09-3 CAPLUS
 CN Benzothiazole,
 3-acetyl-2-[2-[3-(cyclohexylmethylamino)propoxy]phenyl]-2,3-
 dihydro-, monohydrochloride (9CI) (CA INDEX NAME)




● HCl

IT 86135-02-6P 86135-03-7P 86135-07-1P
 86135-08-2P 86135-16-2P 86135-20-8P
 86135-21-9P 86135-22-0P 86135-23-1P
 86135-24-2P 86135-25-3P 86135-26-4P
 86135-27-5P 86135-28-6P 86135-29-7P
 86135-30-0P 86135-31-1P 86135-34-4P
 86135-36-6P 86135-40-2P 86135-41-3P
 86135-49-1P 86135-50-4P 86135-57-1P
 86135-58-2P 86135-60-6P 86135-82-2P
 86135-83-3P 86135-84-4P 86135-85-5P
 86135-86-6P 86135-87-7P 86135-88-8P
 86135-89-9P 86135-92-4P 86136-36-9P
 86136-37-0P 86136-58-5P 86136-61-0P
 86136-62-1P 99320-49-7P 99320-53-3P
 112946-45-9P 112946-46-0P 112946-47-1P
 112946-48-2P 112946-49-3P 112946-50-6P
 112946-51-7P 112946-54-0P 112946-57-3P
 112946-58-4P 112946-61-9P 112946-62-0P
 112946-63-1P 112946-64-2P 112946-66-4P
 112946-67-5P 112946-68-6P 112946-69-7P
 112946-70-0P 112946-71-1P 112946-73-3P
 112946-74-4P 112946-75-5P 112946-76-6P
 112946-77-7P 112946-78-8P 112946-79-9P
 112946-80-2P 112946-81-3P 112946-82-4P
 112946-83-5P 112946-84-6P 112946-85-7P
 112946-86-8P 112946-87-9P 112946-88-0P
 112946-89-1P 112947-04-3P 112947-05-4P
 112947-06-5P 112947-07-6P 112947-08-7P
 112947-09-8P 112947-10-1P 112947-11-2P
 112947-12-3P 112947-13-4P 112947-14-5P
 112947-15-6P 112947-16-7P 112947-17-8P

L4 ANSWER 10 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)


112947-18-9P 112947-19-0P 112947-20-3P
 112947-21-4P 112947-22-5P 112947-23-6P
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (prepn. and calcium antagonist activity of)
 RN 86135-02-6 CAPLUS
 CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[2-[3-(methylamino)propoxy]phenyl]-
 (9CI) (CA INDEX NAME)



RN 86135-03-7 CAPLUS
 CN Benzothiazole,
 3-acetyl-2,3-dihydro-2-[2-[3-(methylamino)propoxy]phenyl]-,
 (2E)-2-butenedioate (1:1) (9CI) (CA INDEX NAME)

CM 1


CRN 86135-02-6
 CMF C19 H22 N2 O2 S



CM 2


CRN 110-17-8
 CMF C4 H4 O4

Double bond geometry as shown.




RN 86135-07-1 CAPLUS
 CN Benzothiazole,
 3-acetyl-2-[2-[2-(dimethylamino)ethoxy]phenyl]-2,3-dihydro-
 , monohydrochloride (9CI) (CA INDEX NAME)

L4 ANSWER 10 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)




● HCl

RN 86135-08-2 CAPLUS
 CN Benzothiazole,
 3-acetyl-2-[2-[3-(dimethylamino)propoxy]phenyl]-2,3-dihydro-
 (9CI) (CA INDEX NAME)




RN 86135-16-2 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[3-(dimethylamino)propoxy]-3-methoxyphenyl]-
 2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl


RN 86135-20-8 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[4-(cyclohexylmethylamino)butoxy]-3-
 methoxyphenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)

L4 ANSWER 10 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



● HCl


RN 86135-21-9 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[3-(dimethylamino)propoxy]-5-methoxyphenyl]-
 2,3-dihydro-, (2Z)-2-butenedioate (1:1) (9CI) (CA INDEX NAME)



RN 86135-22-0 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[3-(dimethylamino)propoxy]-5-methoxyphenyl]-
 2,3-dihydro-, (2Z)-2-butenedioate (1:1) (9CI) (CA INDEX NAME)

CM 1

CRN 86135-21-9
 CMF C21 H26 N2 O3 S




CM 2


CRN 110-16-7
 CMF C4 H4 O4

Double bond geometry as shown.

L4 ANSWER 10 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)




RN 86135-23-1 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[3-(cyclohexylmethylamino)propoxy]-5-methoxyphenyl]-2,3-dihydro- (9CI) (CA INDEX NAME)



RN 86135-24-2 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[3-(cyclohexylmethylamino)propoxy]-5-methoxyphenyl]-2,3-dihydro-, ethanedioate (1:1) (9CI) (CA INDEX NAME)

CM 1

CRN 86135-23-1
 CMF C26 H34 N2 O3 S




CM 2

CRN 144-62-7
 CMF C2 H2 O4

L4 ANSWER 10 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)




RN 86135-27-5 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[[5-(cyclohexylmethylamino)pentyl]oxy]-5-methoxyphenyl]-2,3-dihydro- (9CI) (CA INDEX NAME)



RN 86135-28-6 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[[5-(cyclohexylmethylamino)pentyl]oxy]-5-methoxyphenyl]-2,3-dihydro-, (2E)-2-butenedioate (1:1) (9CI) (CA INDEX NAME)

CM 1

CRN 86135-27-5
 CMF C28 H38 N2 O3 S



CM 2


CRN 110-17-8
 CMF C4 H4 O4

Double bond geometry as shown.

L4 ANSWER 10 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)




RN 86135-25-3 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[4-(cyclohexylmethylamino)butoxy]-5-methoxyphenyl]-2,3-dihydro- (9CI) (CA INDEX NAME)



RN 86135-26-4 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[4-(cyclohexylmethylamino)butoxy]-5-methoxyphenyl]-2,3-dihydro-, ethanedioate (1:1) (9CI) (CA INDEX NAME)

CM 1


CRN 86135-25-3
 CMF C27 H36 N2 O3 S




CM 2

CRN 144-62-7
 CMF C2 H2 O4

L4 ANSWER 10 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)




RN 86135-29-7 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[[6-(cyclohexylmethylamino)hexyl]oxy]-5-methoxyphenyl]-2,3-dihydro- (9CI) (CA INDEX NAME)



RN 86135-30-0 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[[6-(cyclohexylmethylamino)hexyl]oxy]-5-methoxyphenyl]-2,3-dihydro-, ethanedioate (1:1) (9CI) (CA INDEX NAME)

CM 1

CRN 86135-29-7
 CMF C29 H40 N2 O3 S




CM 2

CRN 144-62-7
 CMF C2 H2 O4




L4 ANSWER 10 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)
 RN 86135-31-1 CAPLUS
 CN Benzothiazole,
 3-acetyl-2-[2-[4-[[2-(3,4-dimethoxyphenyl)ethyl]methylamino
]butoxy]-5-methoxyphenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA
 INDEX NAME)



● HCl

RN 86135-34-4 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[5-chloro-2-[3-(dimethylamino)propoxy]phenyl]-
 2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)




● HCl

RN 86135-36-6 CAPLUS
 CN Benzothiazole,
 3-acetyl-2-[2-[3-(dimethylamino)propoxy]-5-nitrophenyl]-2,3-
 dihydro- (9CI) (CA INDEX NAME)


L4 ANSWER 10 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)
 CM 2

CRN 110-17-8
 CMF C4 H4 O4

Double bond geometry as shown.




RN 86135-49-1 CAPLUS
 CN Benzothiazole,
 3-acetyl-2-[3-[3-(dimethylamino)propoxy]phenyl]-2,3-dihydro-
 (9CI) (CA INDEX NAME)



RN 86135-50-4 CAPLUS
 CN Benzothiazole,
 3-acetyl-2-[3-[3-(dimethylamino)propoxy]phenyl]-2,3-dihydro-
 , (2E)-2-butenedioate (1:1) (9CI) (CA INDEX NAME)

CM 1


CRN 86135-49-1
 CMF C20 H24 N2 O2 S



CM 2


CRN 110-17-8
 CMF C4 H4 O4

Double bond geometry as shown.




RN 86135-57-1 CAPLUS
 CN Benzothiazole,
 3-acetyl-2-[4-[2-(dimethylamino)ethoxy]phenyl]-2,3-dihydro-
 , monohydrochloride (9CI) (CA INDEX NAME)

L4 ANSWER 10 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)




RN 86135-40-2 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[4-(cyclohexylmethylamino)butoxy]-5-
 nitrophenyl]-2,3-dihydro- (9CI) (CA INDEX NAME)




RN 86135-41-3 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[4-(cyclohexylmethylamino)butoxy]-5-
 nitrophenyl]-2,3-dihydro-, (2E)-2-butenedioate (1:1) (9CI) (CA INDEX
 NAME)

CM 1

CRN 86135-40-2
 CMF C26 H33 N3 O4 S




L4 ANSWER 10 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)




● HCl

RN 86135-58-2 CAPLUS
 CN Benzothiazole,
 3-acetyl-2-[4-[3-(dimethylamino)propoxy]phenyl]-2,3-dihydro-
 , monohydrochloride (9CI) (CA INDEX NAME)



● HCl


RN 86135-60-6 CAPLUS
 CN Benzothiazole,
 3-acetyl-2-[4-[3-(cyclohexylmethylamino)propoxy]phenyl]-2,3-
 dihydro-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl

RN 86135-82-2 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[3-[4-[2-(3,4-dimethoxyphenyl)ethyl]-1-
 piperazinyl]propoxy]-5-methoxyphenyl]-2,3-dihydro- (9CI) (CA INDEX NAME)


L4 ANSWER 10 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



RN 86135-83-3 CAPLUS
 CN Benzothiazole, 3-acetyl-2-([2-([4-([2-(3,4-dimethoxyphenyl)ethyl]-1-piperazinyl)propoxy]-5-methoxyphenyl]-2,3-dihydro-, (2Z)-2-butenedioate (1:2) (9CI) (CA INDEX NAME)

CM 1


CRN 86135-82-2
 CMF C33 H41 N3 O5 S




CM 2

CRN 110-16-7
 CMF C4 H4 O4


Double bond geometry as shown.



L4 ANSWER 10 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)




RN 86135-86-6 CAPLUS
 CN Benzothiazole, 3-acetyl-2-([2-([5-([4-([2-(3,4-dimethoxyphenyl)ethyl]-1-piperazinyl)pentyl]oxy)-5-methoxyphenyl]-2,3-dihydro-, (2Z)-2-butenedioate (1:2) (9CI) (CA INDEX NAME)



RN 86135-87-7 CAPLUS
 CN Benzothiazole, 3-acetyl-2-([2-([5-([4-([2-(3,4-dimethoxyphenyl)ethyl]-1-piperazinyl)pentyl]oxy)-5-methoxyphenyl]-2,3-dihydro-, (2Z)-2-butenedioate (1:2) (9CI) (CA INDEX NAME)

CM 1

CRN 86135-86-6
 CMF C35 H45 N3 O5 S




CM 2

CRN 110-16-7
 CMF C4 H4 O4

Double bond geometry as shown.

L4 ANSWER 10 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)


RN 86135-84-4 CAPLUS
 CN Benzothiazole, 3-acetyl-2-([2-([4-([2-(3,4-dimethoxyphenyl)ethyl]-1-piperazinyl)butoxy]-5-methoxyphenyl]-2,3-dihydro-, (9CI) (CA INDEX NAME)



RN 86135-85-5 CAPLUS
 CN Benzothiazole, 3-acetyl-2-([2-([4-([2-(3,4-dimethoxyphenyl)ethyl]-1-piperazinyl)butoxy]-5-methoxyphenyl]-2,3-dihydro-, (2E)-2-butenedioate (1:2) (9CI) (CA INDEX NAME)

CM 1

CRN 86135-84-4
 CMF C34 H43 N3 O5 S




CM 2


CRN 110-17-8
 CMF C4 H4 O4

Double bond geometry as shown.

L4 ANSWER 10 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)




RN 86135-88-8 CAPLUS
 CN Benzothiazole, 3-acetyl-2-([2-([6-([4-([2-(3,4-dimethoxyphenyl)ethyl]-1-piperazinyl)hexyl]oxy)-5-methoxyphenyl]-2,3-dihydro-, (9CI) (CA INDEX NAME)



RN 86135-89-9 CAPLUS
 CN Benzothiazole, 3-acetyl-2-([2-([6-([4-([2-(3,4-dimethoxyphenyl)ethyl]-1-piperazinyl)hexyl]oxy)-5-methoxyphenyl]-2,3-dihydro-, (2Z)-2-butenedioate (1:2) (9CI) (CA INDEX NAME)

CM 1


CRN 86135-88-8
 CMF C36 H47 N3 O5 S




CM 2

CRN 110-16-7
 CMF C4 H4 O4

L4 ANSWER 10 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)
Double bond geometry as shown.




RN 86135-92-4 CAPLUS
CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[5-methoxy-2-[4-[2-(3,4,5-trimethoxyphenyl)ethyl]-1-piperazinyl]butoxy]phenyl]-, dihydrochloride (9CI) (CA INDEX NAME)




● 2 HCl

RN 86136-36-9 CAPLUS
CN Benzothiazole, 3-acetyl-2-[2-[4-(4-benzoyl-1-piperidinyl)butoxy]-5-methoxyphenyl]-2,3-dihydro- (9CI) (CA INDEX NAME)




RN 86136-37-0 CAPLUS
CN Benzothiazole, 3-acetyl-2-[2-[4-(4-benzoyl-1-piperidinyl)butoxy]-5-methoxyphenyl]-2,3-dihydro-, ethanedioate (1:1) (9CI) (CA INDEX NAME)


L4 ANSWER 10 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



RN 86136-62-1 CAPLUS
CN Benzothiazole, 3-acetyl-2-[2-[4-[(2-(3,4-dimethoxyphenyl)ethyl)methylamino]butoxy]-5-methoxyphenyl]-2,3-dihydro- (9CI) (CA INDEX NAME)




RN 99320-49-7 CAPLUS
CN Benzothiazole, 3-acetyl-2-[2-[4-[4-(4-chlorobenzoyl)-1-piperidinyl]butoxy]-5-methoxyphenyl]-2,3-dihydro- (9CI) (CA INDEX NAME)



RN 99320-53-3 CAPLUS
CN Benzothiazole, 3-acetyl-2-[2-[4-[4-(4-fluorobenzoyl)-1-piperidinyl]butoxy]-5-methoxyphenyl]-2,3-dihydro- (9CI) (CA INDEX NAME)

L4 ANSWER 10 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)
CM 1

CRN 86136-36-9
CMF C32 H36 N2 O4 S




CM 2

CRN 144-62-7
CMF C2 H2 O4




RN 86136-58-5 CAPLUS
CN Benzothiazole, 3-acetyl-2-[2-[3-(cyclohexylmethylamino)propoxy]phenyl]-2,3-dihydro- (9CI) (CA INDEX NAME)



RN 86136-61-0 CAPLUS
CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[5-methoxy-2-[4-[2-(3,4,5-trimethoxyphenyl)ethyl]-1-piperazinyl]butoxy]phenyl]- (9CI) (CA INDEX NAME)


L4 ANSWER 10 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



RN 112946-45-9 CAPLUS
CN Benzothiazole, 3-acetyl-2-[2-[3-(dimethylamino)propoxy]-5-nitrophenyl]-2,3-dihydro-, (2E)-2-butenedioate (2:3) (9CI) (CA INDEX NAME)

CM 1


CRN 86135-36-6
CMF C20 H23 N3 O4 S



CM 2


CRN 110-17-8
CMF C4 H4 O4

Double bond geometry as shown.




RN 112946-46-0 CAPLUS
CN Benzothiazole, 3-acetyl-2-[2-[3-(dimethylamino)propoxy]phenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)

L4 ANSWER 10 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



● HCl

RN 112946-47-1 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[5-chloro-2-[4-(2-(3,4,5-trimethoxyphenyl)ethyl)-1-piperazinyl]butoxy]phenyl]-2,3-dihydro- (9CI) (CA INDEX NAME)




RN 112946-48-2 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[5-chloro-2-[4-(2-(3,4,5-trimethoxyphenyl)ethyl)-1-piperazinyl]butoxy]phenyl]-2,3-dihydro-, (2Z)-2-butenedioate (1:2) (9CI) (CA INDEX NAME)

CM 1

CRN 112946-47-1
 CMF C34 H42 Cl N3 O5 S


L4 ANSWER 10 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



RN 112946-51-7 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[4-(4-benzoyl-1-piperidinyloxy)]-5-nitrophenyl]-2,3-dihydro-, (2Z)-2-butenedioate (1:1) (9CI) (CA INDEX NAME)

CM 1


CRN 112946-50-6
 CMF C31 H33 N3 O5 S



CM 2


CRN 110-16-7
 CMF C4 H4 O4

Double bond geometry as shown.



RN 112946-54-0 CAPLUS
 CN Benzothiazole, 2-[2-[3-(cyclohexylmethylamino)propoxy]phenyl]-2,3-dihydro-3-(1-oxopropyl)-, monohydrochloride (9CI) (CA INDEX NAME)


L4 ANSWER 10 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)




CM 2

CRN 110-16-7
 CMF C4 H4 O4

Double bond geometry as shown.




RN 112946-49-3 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[4-(4-benzoyl-1-piperidinyloxy)]-5-chlorophenyl]-2,3-dihydro- (9CI) (CA INDEX NAME)




RN 112946-50-6 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[4-(4-benzoyl-1-piperidinyloxy)]-5-nitrophenyl]-2,3-dihydro- (9CI) (CA INDEX NAME)

L4 ANSWER 10 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



● HCl


RN 112946-57-3 CAPLUS
 CN Benzothiazole, 2-[2-[(5-(cyclohexylmethylamino)pentyl)oxy]-5-methoxyphenyl]-2,3-dihydro-3-(1-oxopropyl)- (9CI) (CA INDEX NAME)



RN 112946-58-4 CAPLUS
 CN Benzothiazole, 2-[2-[(5-(cyclohexylmethylamino)pentyl)oxy]-5-methoxyphenyl]-2,3-dihydro-3-(1-oxopropyl)-, (2E)-2-butenedioate (1:1) (9CI) (CA INDEX NAME)

CM 1


CRN 112946-57-3
 CMF C29 H40 N2 O3 S




L4 ANSWER 10 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)

CM 2
CRN 110-17-8
CMF C4 H4 O4

Double bond geometry as shown.



RN 112946-61-9 CAPLUS
CN Benzothiazole, 2,3-dihydro-2-[5-methoxy-2-[4-[4-[2-(3,4,5-trimethoxyphenyl)ethyl]-1-piperazinyl]butoxy]phenyl]-3-(1-oxopropyl)- (9CI) (CA INDEX NAME)




RN 112946-62-0 CAPLUS
CN Benzothiazole, 2,3-dihydro-2-[5-methoxy-2-[4-[4-[2-(3,4,5-trimethoxyphenyl)ethyl]-1-piperazinyl]butoxy]phenyl]-3-(1-oxopropyl)-, (2Z)-2-butenedioate (1:2) (9CI) (CA INDEX NAME)

CM 1
CRN 112946-61-9
CMF C36 H47 N3 O6 S


L4 ANSWER 10 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)

CM 1
CRN 112946-63-1
CMF C33 H38 N2 O4 S



CM 2
CRN 110-16-7
CMF C4 H4 O4


Double bond geometry as shown.



RN 112946-66-4 CAPLUS
CN Benzothiazole, 3-acetyl-2-[2-[4-[4-(4-fluorobenzoyl)-1-piperidinyl]butoxy]-5-methoxyphenyl]-2,3-dihydro-, (2Z)-2-butenedioate (1:1) (9CI) (CA INDEX NAME)


CM 1
CRN 99320-53-3
CMF C32 H35 F N2 O4 S

L4 ANSWER 10 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)




CM 2
CRN 110-16-7
CMF C4 H4 O4

Double bond geometry as shown.




RN 112946-63-1 CAPLUS
CN Benzothiazole, 2-[2-[4-(4-benzoyl-1-piperidinyl)butoxy]-5-methoxyphenyl]-2,3-dihydro-3-(1-oxopropyl)- (9CI) (CA INDEX NAME)




RN 112946-64-2 CAPLUS
CN Benzothiazole, 2-[2-[4-(4-benzoyl-1-piperidinyl)butoxy]-5-methoxyphenyl]-2,3-dihydro-3-(1-oxopropyl)-, (2Z)-2-butenedioate (1:1) (9CI) (CA INDEX NAME)

L4 ANSWER 10 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)




CM 2
CRN 110-16-7
CMF C4 H4 O4

Double bond geometry as shown.




RN 112946-67-5 CAPLUS
CN Benzothiazole, 3-acetyl-2-[2-[3-(4-benzoyl-1-piperidinyl)propoxy]-5-methoxyphenyl]-2,3-dihydro- (9CI) (CA INDEX NAME)



RN 112946-68-6 CAPLUS
CN Benzothiazole, 3-acetyl-2-[2-[3-(4-benzoyl-1-piperidinyl)propoxy]-5-methoxyphenyl]-2,3-dihydro-, ethanedioate (1:1) (9CI) (CA INDEX NAME)

CM 1
CRN 112946-67-5
CMF C31 H34 N2 O4 S

L4 ANSWER 10 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



CM 2


CRN 144-62-7

CMF C2 H2 O4



RN 112946-69-7 CAPLUS

CN Benzothiazole, 3-acetyl-2-[2-[[5-(4-benzoyl-1-piperidinyl)pentyl]oxy]-5-methoxyphenyl]-2,3-dihydro- (9CI) (CA INDEX NAME)



RN 112946-70-0 CAPLUS

CN Benzothiazole, 3-acetyl-2-[2-[[5-(4-benzoyl-1-piperidinyl)pentyl]oxy]-5-methoxyphenyl]-2,3-dihydro-, (2Z)-2-butenedioate (1:1) (9CI) (CA INDEX NAME)

CM 1


CRN 112946-69-7

CMF C33 H38 N2 O4 S

L4 ANSWER 10 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)

RN 112946-73-3 CAPLUS


CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[5-methoxy-2-[3-[methyl(2-(2,3,4-trimethoxyphenyl)ethyl)amino]propoxy]phenyl]-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl

RN 112946-74-4 CAPLUS

CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[5-methoxy-2-[4-[methyl(2-(2,3,4-trimethoxyphenyl)ethyl)amino]butoxy]phenyl]-, monohydrochloride (9CI) (CA INDEX NAME)




● HCl

RN 112946-75-5 CAPLUS

CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[5-methoxy-2-[5-[methyl(2-(2,3,4-trimethoxyphenyl)ethyl)amino]pentyl]oxy]phenyl]-, monohydrochloride (9CI) (CA INDEX NAME)

L4 ANSWER 10 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)




CM 2

CRN 110-16-7


CMF C4 H4 O4

Double bond geometry as shown.




RN 112946-71-1 CAPLUS

CN Benzothiazole, 3-acetyl-2-[2-[3-[[2-(3,4-dimethoxyphenyl)ethyl]methylamino]propoxy]-5-methoxyphenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl


L4 ANSWER 10 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



● HCl

RN 112946-76-6 CAPLUS

CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[5-methoxy-2-[3-[methyl(2-(3,4,5-trimethoxyphenyl)ethyl)amino]propoxy]phenyl]-, monohydrochloride (9CI) (CA INDEX NAME)




● HCl

RN 112946-77-7 CAPLUS


CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[5-methoxy-2-[5-[methyl(2-(3,4,5-trimethoxyphenyl)ethyl)amino]pentyl]oxy]phenyl]-, monohydrochloride (9CI) (CA INDEX NAME)

L4 ANSWER 10 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



● HCl

RN 112946-78-8 CAPLUS
 CN Benzothiazole,
 3-acetyl-2-[2-(4-aminobutoxy)-5-methoxyphenyl]-2,3-dihydro-
 (9CI) (CA INDEX NAME)




RN 112946-79-9 CAPLUS
 CN Benzothiazole,
 3-acetyl-2-[2-(4-aminobutoxy)-5-methoxyphenyl]-2,3-dihydro-
 , (2Z)-2-butenedioate (1:1) (9CI) (CA INDEX NAME)

CM 1

CRN 112946-78-8
 CMF C20 H24 N2 O3 S


L4 ANSWER 10 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)




CM 2

CRN 110-16-7
 CMF C4 H4 O4

Double bond geometry as shown.



RN 112946-80-2 CAPLUS
 CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[5-methoxy-2-[4-(methylamino)butoxy]phenyl]- (9CI) (CA INDEX NAME)




RN 112946-81-3 CAPLUS
 CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[5-methoxy-2-[4-(methylamino)butoxy]phenyl]-, (2Z)-2-butenedioate (1:1) (9CI) (CA INDEX NAME)

CM 1

CRN 112946-80-2
 CMF C21 H26 N2 O3 S


L4 ANSWER 10 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



CM 2

CRN 110-16-7
 CMF C4 H4 O4


Double bond geometry as shown.



RN 112946-82-4 CAPLUS
 CN Benzothiazole,
 3-acetyl-2-[2-[4-(4-chlorobenzoyl)-1-piperidinyl]butoxy]-
 5-methoxyphenyl]-2,3-dihydro-, (2Z)-2-butenedioate (1:1) (9CI) (CA INDEX NAME)

CM 1

CRN 99320-49-7
 CMF C32 H35 Cl N2 O4 S




CM 2


CRN 110-16-7
 CMF C4 H4 O4

Double bond geometry as shown.

L4 ANSWER 10 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)




RN 112946-83-5 CAPLUS
 CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[5-methoxy-2-[4-[[2-(3,4,5-trimethoxyphenyl)ethyl]amino]butoxy]phenyl]- (9CI) (CA INDEX NAME)



RN 112946-84-6 CAPLUS
 CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[5-methoxy-2-[4-[[2-(3,4,5-trimethoxyphenyl)ethyl]amino]butoxy]phenyl]-, ethanedioate (1:1) (9CI) (CA INDEX NAME)

CM 1

CRN 112946-83-5
 CMF C31 H38 N2 O6 S




CM 2

CRN 144-62-7
 CMF C2 H2 O4

L4 ANSWER 10 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)




RN 112946-85-7 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-(4-{ethyl[2-(3,4,5-trimethoxyphenyl)ethyl]amino}butoxy)-5-methoxyphenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl


RN 112946-86-8 CAPLUS
 CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[5-methoxy-2-[4-[(1-methylethyl)(3,4,5-trimethoxyphenyl)ethyl]amino]butoxy]phenyl]-, monohydrochloride (9CI) (CA INDEX NAME)

L4 ANSWER 10 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



● HCl


RN 112946-89-1 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[4-[[2-(3,4-dimethoxyphenyl)propyl]methylamino]butoxy]-5-methoxyphenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl


RN 112947-04-3 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[2-(dimethylamino)ethoxy]phenyl]-2,3-dihydro- (9CI) (CA INDEX NAME)

L4 ANSWER 10 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



● HCl


RN 112946-87-9 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-(4-{cyclopropyl[2-(3,4,5-trimethoxyphenyl)ethyl]amino]butoxy)-5-methoxyphenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)




● HCl

RN 112946-88-0 CAPLUS
 CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[5-methoxy-2-[4-[methyl[3-(2,3,4-trimethoxyphenyl)propyl]amino]butoxy]phenyl]-, monohydrochloride (9CI) (CA INDEX NAME)


L4 ANSWER 10 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)




RN 112947-05-4 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-(4-{[2-(dimethylamino)ethoxy]phenyl}-2,3-dihydro- (9CI) (CA INDEX NAME)



RN 112947-06-5 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-(4-{[3-(dimethylamino)propoxy]phenyl}-2,3-dihydro- (9CI) (CA INDEX NAME)




RN 112947-07-6 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-(4-{[3-(cyclohexylmethylamino)propoxy]phenyl}-2,3-dihydro- (9CI) (CA INDEX NAME)




RN 112947-08-7 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-(3-(dimethylamino)propoxy)-3-methoxyphenyl]-2,3-dihydro- (9CI) (CA INDEX NAME)


L4 ANSWER 10 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



RN 112947-09-8 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[(3-chloro-2-[(3-(dimethylamino)propoxy)phenyl]-2,3-dihydro-1H-benzothiazol-5-yl]ethoxy]phenyl]-2,3-dihydro- (9CI) (CA INDEX NAME)




RN 112947-10-1 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[(2-[4-(cyclohexylmethylamino)butoxy]-3-methoxyphenyl]-2,3-dihydro-1H-benzothiazol-5-yl]ethoxy]phenyl]-2,3-dihydro- (9CI) (CA INDEX NAME)




RN 112947-11-2 CAPLUS
 CN Benzothiazole, 2-[(2-[3-(cyclohexylmethylamino)propoxy]phenyl]-2,3-dihydro-1H-benzothiazol-5-yl]ethoxy]phenyl]-2,3-dihydro-1H-benzothiazole, 3-acetyl- (9CI) (CA INDEX NAME)

L4 ANSWER 10 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)




RN 112947-12-3 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[(2-[3-[(2-(3,4-dimethoxyphenyl)ethyl)methylamino]propoxy]-5-methoxyphenyl]-2,3-dihydro-1H-benzothiazol-5-yl]ethoxy]phenyl]-2,3-dihydro- (9CI) (CA INDEX NAME)




RN 112947-13-4 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[(2-[3-[(2-(3,4-dimethoxyphenyl)ethyl)methylamino]propoxy]-5-methoxyphenyl]-2,3-dihydro-1H-benzothiazol-5-yl]ethoxy]phenyl]-2,3-dihydro- (9CI) (CA INDEX NAME)


L4 ANSWER 10 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



RN 112947-14-5 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[(2-[3-[(2-(3,4-dimethoxyphenyl)ethyl)methylamino]propoxy]phenyl]-2,3-dihydro-1H-benzothiazol-5-yl]ethoxy]phenyl]-2,3-dihydro- (9CI) (CA INDEX NAME)




RN 112947-15-6 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[(2-[3-[(2-(3,4-dimethoxyphenyl)ethyl)methylamino]butoxy]phenyl]-2,3-dihydro-1H-benzothiazol-5-yl]ethoxy]phenyl]-2,3-dihydro- (9CI) (CA INDEX NAME)




RN 112947-16-7 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[(2-[3-[(2-(3,4-dimethoxyphenyl)ethyl)methylamino]butoxy]phenyl]-2,3-dihydro-1H-benzothiazol-5-yl]ethoxy]phenyl]-2,3-dihydro- (9CI) (CA INDEX NAME)


L4 ANSWER 10 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



RN 112947-17-8 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[(2-[3-[(2-(3,4-dimethoxyphenyl)ethyl)methylamino]propoxy]phenyl]-2,3-dihydro-1H-benzothiazol-5-yl]ethoxy]phenyl]-2,3-dihydro- (9CI) (CA INDEX NAME)




RN 112947-18-9 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[(2-[3-[(2-(3,4-dimethoxyphenyl)ethyl)methylamino]butoxy]phenyl]-2,3-dihydro-1H-benzothiazol-5-yl]ethoxy]phenyl]-2,3-dihydro- (9CI) (CA INDEX NAME)




RN 112947-19-0 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[(2-[3-[(2-(3,4-dimethoxyphenyl)ethyl)methylamino]butoxy]phenyl]-2,3-dihydro-1H-benzothiazol-5-yl]ethoxy]phenyl]-2,3-dihydro- (9CI) (CA INDEX NAME)

L4 ANSWER 10 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)




RN 112947-20-3 CAPLUS
CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[5-methoxy-2-[4-[(1-methylethyl)[2-(3,4,5-trimethoxyphenyl)ethyl]amino]butoxy]phenyl]- (9CI) (CA INDEX NAME)



RN 112947-21-4 CAPLUS
CN Benzothiazole, 3-acetyl-2-[2-[4-[(cyclopropyl[2-(3,4,5-trimethoxyphenyl)ethyl]amino]butoxy]-5-methoxyphenyl]-2,3-dihydro- (9CI) (CA INDEX NAME)


L4 ANSWER 10 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)

IT 112946-72-2P
RL: SPN (Synthetic preparation); PREP (Preparation)
(preparation and calcium antagonist activity of)
RN 112946-72-2 CAPLUS
CN Benzothiazole,
3-acetyl-2-[2-[5-[(2-(3,4-dimethoxyphenyl)ethyl)methylamin
o]pentyl]oxy]-5-methoxyphenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl


IT 105148-98-9P 112946-90-4P
RL: SPN (Synthetic preparation); PREP (Preparation)
(preparation, calcium antagonist, and antihypertensive activity of)
RN 105148-98-9 CAPLUS
CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[5-methoxy-2-[4-[methyl[2-(3,4,5-trimethoxyphenyl)ethyl]amino]butoxy]phenyl]- (9CI) (CA INDEX NAME)




RN 112946-90-4 CAPLUS
CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[5-methoxy-2-[4-[methyl[2-(3,4,5-trimethoxyphenyl)ethyl]amino]butoxy]phenyl]-, monohydrochloride, (2S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.


L4 ANSWER 10 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



RN 112947-22-5 CAPLUS
CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[5-methoxy-2-[4-[methyl[3-(2,3,4-trimethoxyphenyl)propyl]amino]butoxy]phenyl]- (9CI) (CA INDEX NAME)




RN 112947-23-6 CAPLUS
CN Benzothiazole,
3-acetyl-2-[2-[4-[(2-(3,4-dimethoxyphenyl)propyl)methylamin
o]butoxy]-5-methoxyphenyl]-2,3-dihydro- (9CI) (CA INDEX NAME)



L4 ANSWER 10 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)

PAGE 1-A



● HCl

PAGE 2-A

L4 ANSWER 11 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN

AN 1986:608865 CAPLUS

DN 105:208865

TI Benzothiazoline derivatives

IN Iwao, Junichi; Iso, Tadashi; Oya, Masayuki

PA Santen Pharmaceutical Co., Ltd., Japan

SO Jpn. Kokai Tokkyo Koho, 7 pp.


CODEN: JPOKAF

DT Patent

LA Japanese

FAN.CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI JP 61083175	A2	19860426	JP 1984-187169	19840906
PRAI JP 1984-187169		19840906		
OS CASREACT 105:208865				
GI				



AB The title compound [I; R = (CH₂)₄Q] (II), useful as an antihypertensive, anticoagulant, and calcium antagonist, was prepared Alkylation of I (R = H)

with Br(CH₂)₄Br in DMF containing NaH and amination of the resulting I [R = (CH₂)₄Br] with QH in EtOH containing Et₃N under reflux for 3 h gave II.

II at 28 mg/kg p.o. lowered the blood pressure of mice and at 12 mg/kg inhibited blood platelet aggregation in mice. II also showed calcium antagonistic activity in an in vitro test using guinea pig's appendices. Capsules containing I and lactose were prepared

IT 105148-98-99
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOI (Biological study); PREP (Preparation); USES (Uses) (preparation of, as antihypertensive, anticoagulant and calcium antagonist)

RN 105148-98-9 CAPLUS
CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[5-methoxy-2-[4-[methyl(2-(3,4,5-trimethoxyphenyl)ethyl)amino]butoxy]phenyl]- (9CI) (CA INDEX NAME)

L4 ANSWER 12 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN

AN 1985:615278 CAPLUS

DN 103:215278

TI 2-Arylbenzothiazoline derivatives and pharmaceutical compositions

containing them

IN Iwao, Junichi; Iso, Tadashi; Oya, Masayuki

PA Santen Pharmaceutical Co., Ltd., Japan

SO Ger. Offen., 20 pp.


CODEN: GWOKBX

DT Patent

LA German

FAN.CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI DE 3446992	A1	19850704	DE 1984-3446992	19841221
JP 60139679	A2	19850724	JP 1983-251934	19831227
JP 05045587	B4	19930709		
US 4547513	A	19851015	US 1984-679466	19841207
GB 2152046	A1	19850731	GB 1984-32034	19841219
GB 2152046	B2	19870603		
ES 539066	A1	19860101	ES 1984-539066	19841226
FR 2557109	A1	19850628	FR 1984-19865	19841227
FR 2557109	B1	19870904		
PRAI JP 1983-251934	A	19831227		
OS CASREACT 103:215278; MARPAT 103:215278				
GI				



AB The title compds. I (R₁ = CHO, alkanoyl; R₂ = H, alkyl, alkoxy, NO₂; R₃ = H, alkyl, alkoxy, halo; Z = alkylene; Z₁ = CO, COCH₂, HOCH₂) were prepared Thus, 1.53 g


3-acetyl-2-[2-(4-bromobutoxy)-5-methoxyphenyl]benzothiazoline and 0.73 g 4-(4-fluorobenzoyl)piperidine were refluxed 1.5 h in EtOH containing Et₃N to give 1.28 g II. II inhibited aggregation of blood platelets with an IC₅₀ of 3.2 × 10⁻⁷M.

IT 99320-43-1P 99320-44-2P 99320-47-5P
99320-48-6P 99320-49-7P 99320-50-0P
99320-51-1P 99320-52-2P 99320-53-3P
99320-54-4P 99320-55-5P 99320-56-6P
99320-57-7P


RL: SPN (Synthetic preparation); PREP (Preparation) (preparation of, as blood platelet aggregation inhibitor and calcium antagonist)

RN 99320-43-1 CAPLUS
CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[5-methoxy-2-[4-[4-(4-methoxybenzoyl)-1-piperidinyl]butoxy]phenyl]- (9CI) (CA INDEX NAME)

L4 ANSWER 11 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



L4 ANSWER 12 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)




RN 99320-44-2 CAPLUS
CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[5-methoxy-2-[4-[4-(4-methoxybenzoyl)-1-piperidinyl]butoxy]phenyl]-, ethanedioate (9CI) (CA INDEX NAME)

CM 1

CRN 99320-43-1

CMF C33 H38 N2 O5 S



CM 2

CRN 144-62-7


CMF C2 H2 O4



RN 99320-47-5 CAPLUS

CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[5-methoxy-2-[4-[4-(4-methylbenzoyl)-1-piperidinyl]butoxy]phenyl]- (9CI) (CA INDEX NAME)


L4 ANSWER 12 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



RN 99320-48-6 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[4-[4-(4-methylbenzoyl)-1-piperidinyl]butoxy]phenyl]-, (2Z)-2-butenedioate (9CI) (CA INDEX NAME)

CM 1


CRN 99320-47-5
 CMF C33 H38 N2 O4 S



CM 2


CRN 110-16-7
 CMF C4 H4 O4

Double bond geometry as shown.



RN 99320-49-7 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[4-[4-(4-chlorobenzoyl)-1-piperidinyl]butoxy]-5-methoxyphenyl]-2,3-dihydro- (9CI) (CA INDEX NAME)


L4 ANSWER 12 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



RN 99320-50-0 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[4-[4-(4-chlorobenzoyl)-1-piperidinyl]butoxy]-5-methoxyphenyl]-2,3-dihydro-, (2Z)-2-butenedioate (9CI) (CA INDEX NAME)

CM 1


CRN 99320-49-7
 CMF C32 H35 Cl N2 O4 S



CM 2


CRN 110-16-7
 CMF C4 H4 O4

Double bond geometry as shown.



RN 99320-51-1 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[4-[4-(hydroxyphenylmethyl)-1-piperidinyl]butoxy]-5-methoxyphenyl]-2,3-dihydro- (9CI) (CA INDEX NAME)


L4 ANSWER 12 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



RN 99320-52-2 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[4-[4-(hydroxyphenylmethyl)-1-piperidinyl]butoxy]-5-methoxyphenyl]-, (2Z)-2-butenedioate (salt) (9CI) (CA INDEX NAME)

CM 1


CRN 99320-51-1
 CMF C32 H38 N2 O4 S



CM 2


CRN 110-16-7
 CMF C4 H4 O4

Double bond geometry as shown.



RN 99320-53-3 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[4-[4-(4-fluorobenzoyl)-1-piperidinyl]butoxy]-5-methoxyphenyl]-2,3-dihydro- (9CI) (CA INDEX NAME)


L4 ANSWER 12 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



RN 99320-54-4 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[4-[4-(4-fluorobenzoyl)-1-piperidinyl]butoxy]-5-methoxyphenyl]-2,3-dihydro-, (2Z)-2-butenedioate (9CI) (CA INDEX NAME)

CM 1


CRN 99320-53-3
 CMF C32 H35 F N2 O4 S



CM 2


CRN 110-16-7
 CMF C4 H4 O4

Double bond geometry as shown.




RN 99320-55-5 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[3-[4-(4-fluorobenzoyl)-1-piperidinyl]propoxy]-5-nitrophenyl]-2,3-dihydro- (9CI) (CA INDEX NAME)

L4 ANSWER 12 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



RN 99320-56-6 CAPLUS
 CN Benzothiazole,
 3-acetyl-2,3-dihydro-2-[5-methoxy-2-[4-[4-(phenylacetyl)-1-piperidinyl]butoxy]phenyl]- (9CI) (CA INDEX NAME)




RN 99320-57-7 CAPLUS
 CN Benzothiazole,
 3-acetyl-2,3-dihydro-2-[5-methoxy-2-[4-[4-(phenylacetyl)-1-piperidinyl]butoxy]phenyl]-, (2Z)-2-butenedioate (9CI) (CA INDEX NAME)

CM 1

CRN 99320-56-6
 CMF C33 H38 N2 O4 S


L4 ANSWER 12 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



CM 2

CRN 110-16-7
 CMF C4 H4 O4



Double bond geometry as shown.



L4 ANSWER 13 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN

RN 1985:6464 CAPLUS
 DN 102:6464
 TI Benzothiazolines
 PA Santen Pharmaceutical Co., Ltd., Japan
 SO Jpn. Kokai Tokkyo Koho, 62 pp.
 CODEN: JKKXAF
 DT Patent
 LA Japanese
 FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	JP 59067276	A2	19840416	JP 1982-153289	19820901
JP	03005393	B4	19910125		
PRAI	JP 1982-153289		19820901		
GI					



AB 128 Title compds. (I, R = alkanoyl; R1 = H, alkyl, alkoxy, HO, halo, nitro, etc.; R2 = halo, substituted amino, aminoalkyl; X = alkylene; m = 0, 1), useful as anticonvulsants, blood platelet aggregation inhibitors, vasodilators, etc. (no data), were prepared Thus, refluxing a mixture of 1.31

g the epoxypropoxy derivative II (R3 = epoxyethyl), 4.21 mL Me3CNH2, and 10 mL EtOH for 1 h gave, after treatment with HCl/AcOEt, 1.3 g II (R3 = Me3CNHCH2CHOH).


IT 06135-01-5P 06135-03-7P 06135-04-8P
 06135-05-9P 06135-07-1P 06135-09-3P
 06135-11-7P 06135-12-8P 06135-13-9P
 06135-14-0P 06135-15-1P 06135-17-3P
 06135-20-8P 06135-26-4P 06135-28-6P
 06135-31-1P 06135-32-2P 06135-33-3P
 06135-35-5P 06135-39-9P 06135-41-3P
 06135-43-5P 06135-45-7P 06135-48-0P
 06135-51-5P 06135-53-7P 06135-54-8P
 06135-55-9P 06135-56-0P 06135-59-3P
 06135-60-6P 06135-61-7P 06135-63-9P
 06135-65-1P 06135-66-2P 06135-67-3P
 06135-68-4P 06135-69-5P 06135-71-9P
 06135-72-0P 06135-74-2P 06135-76-4P
 06135-78-6P 06135-80-0P 06135-83-3P
 06135-87-7P 06135-89-9P 06135-92-4P
 06135-98-0P 06136-00-7P 06136-04-1P
 06136-06-3P 06136-08-5P 06136-12-1P
 06136-15-4P 06136-16-5P 06136-18-7P

L4 ANSWER 13 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)


06136-22-3P 06136-24-5P 06136-26-7P
 06136-27-8P 06136-30-3P 06136-31-4P
 06136-33-6P 06136-35-8P 06136-37-0P
 06136-39-2P 06136-41-6P 06136-44-9P
 06136-46-1P 06136-47-2P 06136-72-3P
 06136-73-4P 06136-74-5P 06136-75-6P
 06136-76-7P 06136-77-8P 06136-78-9P
 06136-80-3P 06136-82-5P 06136-83-6P
 06136-87-7P 06136-88-8P 06136-89-9P
 06136-90-2P 06136-92-4P 06136-93-5P
 06136-94-6P 06136-96-8P 06136-97-9P
 06136-99-1P 06136-99-2P 06136-99-3P
 06136-99-4P 06136-99-5P 06136-99-6P
 06136-99-7P 06136-99-8P 06136-99-9P
 06136-99-10P 06136-99-11P 06136-99-12P
 06136-99-13P 06136-99-14P 06136-99-15P
 06136-99-16P 06136-99-17P 06136-99-18P
 06136-99-19P 06136-99-20P 06136-99-21P
 06136-99-22P 06136-99-23P 06136-99-24P
 06136-99-25P 06136-99-26P 06136-99-27P
 06136-99-28P 06136-99-29P 06136-99-30P
 06136-99-31P 06136-99-32P 06136-99-33P
 06136-99-34P 06136-99-35P 06136-99-36P
 06136-99-37P 06136-99-38P 06136-99-39P
 06136-99-40P 06136-99-41P 06136-99-42P
 06136-99-43P 06136-99-44P 06136-99-45P
 06136-99-46P 06136-99-47P 06136-99-48P
 06136-99-49P 06136-99-50P 06136-99-51P
 06136-99-52P 06136-99-53P 06136-99-54P
 06136-99-55P 06136-99-56P 06136-99-57P
 06136-99-58P 06136-99-59P 06136-99-60P
 06136-99-61P 06136-99-62P 06136-99-63P
 06136-99-64P 06136-99-65P 06136-99-66P
 06136-99-67P 06136-99-68P 06136-99-69P
 06136-99-70P 06136-99-71P 06136-99-72P
 06136-99-73P 06136-99-74P 06136-99-75P
 06136-99-76P 06136-99-77P 06136-99-78P
 06136-99-79P 06136-99-80P 06136-99-81P
 06136-99-82P 06136-99-83P 06136-99-84P
 06136-99-85P 06136-99-86P 06136-99-87P
 06136-99-88P 06136-99-89P 06136-99-90P
 06136-99-91P 06136-99-92P 06136-99-93P
 06136-99-94P 06136-99-95P 06136-99-96P
 06136-99-97P 06136-99-98P 06136-99-99P
 06136-99-100P 06136-99-101P 06136-99-102P
 06136-99-103P 06136-99-104P 06136-99-105P
 06136-99-106P 06136-99-107P 06136-99-108P
 06136-99-109P 06136-99-110P 06136-99-111P
 06136-99-112P 06136-99-113P 06136-99-114P
 06136-99-115P 06136-99-116P 06136-99-117P
 06136-99-118P 06136-99-119P 06136-99-120P
 06136-99-121P 06136-99-122P 06136-99-123P
 06136-99-124P 06136-99-125P 06136-99-126P
 06136-99-127P 06136-99-128P 06136-99-129P
 06136-99-130P 06136-99-131P 06136-99-132P
 06136-99-133P 06136-99-134P 06136-99-135P
 06136-99-136P 06136-99-137P 06136-99-138P
 06136-99-139P 06136-99-140P 06136-99-141P
 06136-99-142P 06136-99-143P 06136-99-144P
 06136-99-145P 06136-99-146P 06136-99-147P
 06136-99-148P 06136-99-149P 06136-99-150P
 06136-99-151P 06136-99-152P 06136-99-153P
 06136-99-154P 06136-99-155P 06136-99-156P
 06136-99-157P 06136-99-158P 06136-99-159P
 06136-99-160P 06136-99-161P 06136-99-162P
 06136-99-163P 06136-99-164P 06136-99-165P
 06136-99-166P 06136-99-167P 06136-99-168P
 06136-99-169P 06136-99-170P 06136-99-171P
 06136-99-172P 06136-99-173P 06136-99-174P
 06136-99-175P 06136-99-176P 06136-99-177P
 06136-99-178P 06136-99-179P 06136-99-180P
 06136-99-181P 06136-99-182P 06136-99-183P
 06136-99-184P 06136-99-185P 06136-99-186P
 06136-99-187P 06136-99-188P 06136-99-189P
 06136-99-190P 06136-99-191P 06136-99-192P
 06136-99-193P 06136-99-194P 06136-99-195P
 06136-99-196P 06136-99-197P 06136-99-198P
 06136-99-199P 06136-99-200P 06136-99-201P
 06136-99-202P 06136-99-203P 06136-99-204P
 06136-99-205P 06136-99-206P 06136-99-207P
 06136-99-208P 06136-99-209P 06136-99-210P
 06136-99-211P 06136-99-212P 06136-99-213P
 06136-99-214P 06136-99-215P 06136-99-216P
 06136-99-217P 06136-99-218P 06136-99-219P
 06136-99-220P 06136-99-221P 06136-99-222P
 06136-99-223P 06136-99-224P 06136-99-225P
 06136-99-226P 06136-99-227P 06136-99-228P
 06136-99-229P 06136-99-230P 06136-99-231P
 06136-99-232P 06136-99-233P 06136-99-234P
 06136-99-235P 06136-99-236P 06136-99-237P
 06136-99-238P 06136-99-239P 06136-99-240P
 06136-99-241P 06136-99-242P 06136-99-243P
 06136-99-244P 06136-99-245P 06136-99-246P
 06136-99-247P 06136-99-248P 06136-99-249P
 06136-99-250P 06136-99-251P 06136-99-252P
 06136-99-253P 06136-99-254P 06136-99-255P
 06136-99-256P 06136-99-257P 06136-99-258P
 06136-99-259P 06136-99-260P 06136-99-261P
 06136-99-262P 06136-99-263P 06136-99-264P
 06136-99-265P 06136-99-266P 06136-99-267P
 06136-99-268P 06136-99-269P 06136-99-270P
 06136-99-271P 06136-99-272P 06136-99-273P
 06136-99-274P 06136-99-275P 06136-99-276P
 06136-99-277P 06136-99-278P 06136-99-279P
 06136-99-280P 06136-99-281P 06136-99-282P
 06136-99-283P 06136-99-284P 06136-99-285P
 06136-99-286P 06136-99-287P 06136-99-288P
 06136-99-289P 06136-99-290P 06136-99-291P
 06136-99-292P 06136-99-293P 06136-99-294P
 06136-99-295P 06136-99-296P 06136-99-297P
 06136-99-298P 06136-99-299P 06136-99-300P
 06136-99-301P 06136-99-302P 06136-99-303P
 06136-99-304P 06136-99-305P 06136-99-306P
 06136-99-307P 06136-99-308P 06136-99-309P
 06136-99-310P 06136-99-311P 06136-99-312P
 06136-99-313P 06136-99-314P 06136-99-315P
 06136-99-316P 06136-99-317P 06136-99-318P
 06136-99-319P 06136-99-320P 06136-99-321P
 06136-99-322P 06136-99-323P 06136-99-324P
 06136-99-325P 06136-99-326P 06136-99-327P
 06136-99-328P 06136-99-329P 06136-99-330P
 06136-99-331P 06136-99-332P 06136-99-333P
 06136-99-334P 06136-99-335P 06136-99-336P
 06136-99-337P 06136-99-338P 06136-99-339P
 06136-99-340P 06136-99-341P 06136-99-342P
 06136-99-343P 06136-99-344P 06136-99-345P
 06136-99-346P 06136-99-347P 06136-99-348P
 06136-99-349P 06136-99-350P 06136-99-351P
 06136-99-352P 06136-99-353P 06136-99-354P
 06136-99-355P 06136-99-356P 06136-99-357P
 06136-99-358P 06136-99-359P 06136-99-360P
 06136-99-361P 06136-99-362P 06136-99-363P
 06136-99-364P 06136-99-365P 06136-99-366P
 06136-99-367P 06136-99-368P 06136-99-369P
 06136-99-370P 06136-99-371P 06136-99-372P
 06136-99-373P 06136-99-374P 06136-99-375P
 06136-99-376P 06136-99-377P 06136-99-378P
 06136-99-379P 06136-99-380P 06136-99-381P
 06136-99-382P 06136-99-383P 06136-99-384P
 06136-99-385P 06136-99-386P 06136-99-387P
 06136-99-388P 06136-99-389P 06136-99-390P
 06136-99-391P 06136-99-392P 06136-99-393P
 06136-99-394P 06136-99-395P 06136-99-396P
 06136-99-397P 06136-99-398P 06136-99-399P
 06136-99-400P 06136-99-401P 06136-99-402P
 06136-99-403P 06136-99-404P 06136-99-405P
 06136-99-406P 06136-99-407P 06136-99-408P
 06136-99-409P 06136-99-410P 06136-99-411P
 06136-99-412P 06136-99-413P 06136-99-414P
 06136-99-415P 06136-99-416P 06136-99-417P
 06136-99-418P 06136-99-419P 06136-99-420P
 06136-99-421P 06136-99-422P 06136-99-423P
 06136-99-424P 06136-99-425P 06136-99-426P
 06136-99-427P 06136-99-428P 06136-99-429P
 06136-99-430P 06136-99-431P 06136-99-432P
 06136-99-433P 06136-99-434P 06136-99-435P
 06136-99-436P 06136-99-437P 06136-99-438P
 06136-99-439P 06136-99-440P 06136-99-441P
 06136-99-442P 06136-99-443P 06136-99-444P
 06136-99-445P 06136-99-446P 06136-99-447P
 06136-99-448P 06136-99-449P 06136-99-450P
 06136-99-451P 06136-99-452P 06136-99-453P
 06136-99-454P 06136-99-455P 06136-99-456P
 06136-99-457P 06136-99-458P 06136-99-459P
 06136-99-460P 06136-99-461P 06136-99-462P
 06136-99-463P 06136-99-464P 06136-99-465P
 06136-99-466P 06136-99-467P 06136-99-468P
 06136-99-469P 06136-99-470P 06136-99-471P
 06136-99-472P 06136-99-473P 06136-99-474P
 06136-99-475P 06136-99-476P 06136-99-477P
 06136-99-478P 06136-99-479P 06136-99-480P
 06136-99-481P 06136-99-482P 06136-99-483P
 06136-99-484P 06136-99-485P 06136-99-486P
 06136-99-487P 06136-99-488P 06136-99-489P
 06136-99-490P 06136-99-491P 06136-99-492P
 06136-99-493P 06136-99-494P 06136-99-495P
 06136-99-496P 06136-99-497P 06136-99-498P
 06136-99-499P 06136-99-500P 06136-99-501P
 06136-99-502P 06136-99-503P 06136-99-504P
 06136-99-505P 06136-99-506P 06136-99-507P
 06136-99-508P 06136-99-509P 06136-99-510P
 06136-99-511P 06136-99-512P 06136-99-513P
 06136-99-514P 06136-99-515P 06136-99-516P
 06136-99-517P 06136-99-518P 06136-99-519P
 06136-99-520P 06136-99-521P 06136-99-522P
 06136-99-523P 06136-99-524P 06136-99-525P
 06136-99-526P 06136-99-527P 06136-99-528P
 06136-99-529P 06136-99-530P 06136-99-531P
 06136-99-532P 06136-99-533P 06136-99-534P
 06136-99-535P 06136-99-536P 06136-99-537P
 06136-99-538P 06136-99-539P 06136-99-540P
 06136-99-541P 06136-99-542P 06136-99-543P
 06136-99-544P 06136-99-545P 06136-99-546P
 06136-99-547P 06136-99-548P 06136-99-549P
 06136-99-550P 06136-99-551P 06136-99-552P
 06136-99-553P 06136-99-554P 06136-99-555P
 06136-99-556P 06136-99-557P 06136-99-558P
 06136-99-559P 06136-99-560P 06136-99-561P
 06136-99-562P 06136-99-563P 06136-99-564P
 06136-99-565P 06136-99-566P 06136-99-567P
 06136-99-568P 06136-99-569P 06136-99-570P
 06136-99-571P 06136-99-572P 06136-99-573P
 06136-99-574P 06136-99-575P 06136-99-576P
 06136-99-577P 06136-99-578P 06136-99-579P
 06136-99-580P 06136-99-581P 06136-99-582P
 06136-99-583P 06136-99-584P 06136-99-585P
 06136-99-586P 06136-99-587P 06136-99-588P
 06136-99-589P 06136-99-590P 06136-99-591P
 06136-99-592P 06136-99-593P 06136-99-594P
 06136-99-595P 06136-99-596P 06136-99-597P
 06136-99-598P 06136-99-599P 06136-99-600P
 06136-99-601P 06136-99-602P 06136-99-603P
 06136-99-60

L4 ANSWER 13 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)

Double bond geometry as shown.




RN 86135-04-8 CAPLUS
 CN Benzo[thiazole, 3-acetyl-2-[2-[4-[(1,1-dimethylethyl)amino]butoxy]phenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl


RN 86135-05-9 CAPLUS
 CN Benzo[thiazole, 3-acetyl-2-[2-[3-[(1,2-diphenylethyl)amino]propoxy]phenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl

RN 86135-07-1 CAPLUS
 CN Benzo[thiazole, 3-acetyl-2-[2-[2-(dimethylamino)ethoxy]phenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)


L4 ANSWER 13 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)




CM 2

CRN 110-16-7
 CMF C4 H4 O4

Double bond geometry as shown.




RN 86135-12-8 CAPLUS
 CN Benzo[thiazole, 3-acetyl-2-[2-[3-(diethylamino)propoxy]phenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl


RN 86135-13-9 CAPLUS
 CN Benzo[thiazole, 3-acetyl-2-[2-[4-(diethylamino)butoxy]phenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)

L4 ANSWER 13 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



● HCl

RN 86135-09-3 CAPLUS
 CN Benzo[thiazole, 3-acetyl-2-[2-[3-(cyclohexylmethylamino)propoxy]phenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)




● HCl

RN 86135-11-7 CAPLUS
 CN Benzo[thiazole, 3-acetyl-2,3-dihydro-2-[2-[3-[methyl(phenylmethyl)amino]propoxy]phenyl]-, (2Z)-2-butenedioate (1:1) (9CI) (CA INDEX NAME)

CM 1


CRN 86135-10-6
 CMF C26 H28 N2 O2 S

L4 ANSWER 13 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)




● HCl

RN 86135-14-0 CAPLUS
 CN Benzo[thiazole, 3-acetyl-2-[2-[3-(dicyclohexylamino)propoxy]phenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl


RN 86135-15-1 CAPLUS
 CN Benzo[thiazole, 3-acetyl-2-[2-[3-[bis(2-hydroxyethyl)amino]propoxy]phenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl


RN 86135-17-3 CAPLUS

L4 ANSWER 13 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)
 CN Benzothiazole, 3-acetyl-2-[2-[4-(dimethylamino)butoxy]-3-methoxyphenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl

RN 86135-20-8 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[4-(cyclohexylmethylamino)butoxy]-3-methoxyphenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl


RN 86135-26-4 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[4-(cyclohexylmethylamino)butoxy]-5-methoxyphenyl]-2,3-dihydro-, ethanedioate (1:1) (9CI) (CA INDEX NAME)

CM 1


CRN 86135-25-3
 CMF C27 H36 N2 O3 S

L4 ANSWER 13 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)
 CMF C4 H4 O4

Double bond geometry as shown.




RN 86135-31-1 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[4-[[2-(3,4-dimethoxyphenyl)ethyl]methylamino]butoxy]-5-methoxyphenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl


RN 86135-32-2 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[4-(cyclohexyl(2-hydroxyethyl)amino)butoxy]-5-methoxyphenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl

RN 86135-33-3 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[4-(cyclohexyl[2-(3,4-

L4 ANSWER 13 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



CM 2


CRN 144-62-7
 CMF C2 H2 O4



RN 86135-28-6 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[[5-(cyclohexylmethylamino)pentyl]oxy]-5-methoxyphenyl]-2,3-dihydro-, (2E)-2-butenedioate (1:1) (9CI) (CA INDEX NAME)

CM 1


CRN 86135-27-5
 CMF C28 H38 N2 O3 S



CM 2


CRN 110-17-8

L4 ANSWER 13 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)
 dimethoxyphenyl]ethyl]amino]butoxy]-5-methoxyphenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl

RN 86135-35-5 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[3-(cyclohexylmethylamino)propoxy]-3-nitrophenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)




● HCl

RN 86135-39-9 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[3-(cyclohexylmethylamino)propoxy]-5-nitrophenyl]-2,3-dihydro-, (2E)-2-butenedioate (1:1) (9CI) (CA INDEX NAME)

CM 1

CRN 86135-38-8
 CMF C25 H31 N3 O4 S


L4 ANSWER 13 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



CM 2


CRN 110-17-8
CMF C4 H4 O4

Double bond geometry as shown.



RN 86135-41-3 CAPLUS
CN Benzothiazole, 3-acetyl-2-[2-(4-(cyclohexylmethylamino)butoxy)-5-nitrophenyl]-2,3-dihydro-, (2E)-2-butenedioate (1:1) (9CI) (CA INDEX NAME)


CM 1

CRN 86135-40-2
CMF C26 H33 N3 O4 S

CM 2

CRN 110-17-8


L4 ANSWER 13 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



CM 2


CRN 110-17-8
CMF C4 H4 O4

Double bond geometry as shown.



RN 86135-46-0 CAPLUS
CN Benzothiazole, 3-acetyl-2-[2-[3-(cyclohexylmethylamino)propoxy]-3-methoxy-5-nitrophenyl]-2,3-dihydro-, (2E)-2-butenedioate (1:1) (9CI) (CA INDEX NAME)

CM 1

CRN 86135-47-9
CMF C26 H33 N3 O5 S


CM 2

CRN 110-17-8
CMF C4 H4 O4

Double bond geometry as shown.


L4 ANSWER 13 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)

Double bond geometry as shown.



RN 86135-43-5 CAPLUS
CN Benzothiazole, 3-acetyl-2-[2-[[5-(cyclohexylmethylamino)pentyl]oxy]-5-nitrophenyl]-2,3-dihydro-, (2E)-2-butenedioate (1:1) (9CI) (CA INDEX NAME)


CM 1

CRN 86135-42-4
CMF C27 H35 N3 O4 S

CM 2

CRN 110-17-8
CMF C4 H4 O4

Double bond geometry as shown.




RN 86135-45-7 CAPLUS
CN Benzothiazole, 3-acetyl-2-[2-[[6-(cyclohexylmethylamino)hexyl]oxy]-5-nitrophenyl]-2,3-dihydro-, (2E)-2-butenedioate (1:1) (9CI) (CA INDEX NAME)


CM 1

CRN 86135-44-6
CMF C28 H37 N3 O4 S

L4 ANSWER 13 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)




RN 86135-51-5 CAPLUS
CN Benzothiazole, 3-acetyl-2-[3-[3-(dimethylamino)propoxy]-4-hydroxyphenyl]-2,3-dihydro- (9CI) (CA INDEX NAME)



RN 86135-53-7 CAPLUS
CN Benzothiazole, 3-acetyl-2-[3-[3-(cyclohexylmethylamino)propoxy]-4-hydroxyphenyl]-2,3-dihydro-, (2E)-2-butenedioate (1:1) (salt) (9CI) (CA INDEX NAME)


CM 1

CRN 86135-52-6
CMF C25 H32 N2 O3 S

CM 2


CRN 110-17-8
CMF C4 H4 O4

Double bond geometry as shown.




RN 86135-54-8 CAPLUS
CN Benzothiazole, 3-acetyl-2-[3-[4-(cyclohexylmethylamino)butoxy]-4-methoxyphenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)

L4 ANSWER 13 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)




● HCl

RN 86135-55-9 CAPLUS
 CN Benzo[1,2-b:4,5-b']dithiazole, 3-acetyl-2-[3-[(cyclohexylmethylamino)propoxy]-4-nitrophenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl

RN 86135-56-0 CAPLUS
 CN Benzo[1,2-b:4,5-b']dithiazole, 3-acetyl-2-[5-[(cyclohexylmethylamino)propoxy]-2-nitrophenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)




● HCl


RN 86135-59-3 CAPLUS
 CN Benzo[1,2-b:4,5-b']dithiazole, 3-acetyl-2-[4-[(dimethylamino)butoxy]phenyl]-2,3-dihydro-

L4 ANSWER 13 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)

RN 86135-63-9 CAPLUS
 CN Benzo[1,2-b:4,5-b']dithiazole, 3-acetyl-2-[4-[(cyclohexylmethylamino)propoxy]-3-hydroxyphenyl]-2,3-dihydro- (9CI) (CA INDEX NAME)




RN 86135-65-1 CAPLUS
 CN Benzo[1,2-b:4,5-b']dithiazole, 3-acetyl-2-[4-[(dimethylamino)butoxy]-3-methoxyphenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl


RN 86135-66-2 CAPLUS
 CN Benzo[1,2-b:4,5-b']dithiazole, 3-acetyl-2-[4-[(cyclohexylmethylamino)propoxy]-3-methoxyphenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl


RN 86135-67-3 CAPLUS
 CN Benzo[1,2-b:4,5-b']dithiazole, 3-acetyl-2-[4-[(cyclohexylmethylamino)butoxy]-3-methoxyphenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)

L4 ANSWER 13 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)




● HCl

RN 86135-60-6 CAPLUS
 CN Benzo[1,2-b:4,5-b']dithiazole, 3-acetyl-2-[4-[(cyclohexylmethylamino)propoxy]phenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)




● HCl

RN 86135-61-7 CAPLUS
 CN Benzo[1,2-b:4,5-b']dithiazole, 3-acetyl-2-[4-[(cyclohexylmethylamino)butoxy]phenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)




● HCl

L4 ANSWER 13 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)




● HCl

RN 86135-68-4 CAPLUS
 CN Benzo[1,2-b:4,5-b']dithiazole, 3-acetyl-2-[4-[(cyclohexylmethylamino)propoxy]-3-nitrophenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl


RN 86135-69-5 CAPLUS
 CN Benzo[1,2-b:4,5-b']dithiazole, 3-acetyl-2-[4-[(dimethylamino)propoxy]-3,5-dimethoxyphenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl


RN 86135-71-9 CAPLUS
 CN Benzo[1,2-b:4,5-b']dithiazole, 3-acetyl-2-[4-[(cyclohexylmethylamino)butoxy]-3,5-dimethoxyphenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)

L4 ANSWER 13 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



● HCl

RN 86135-72-0 CAPLUS
 CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[2-[3-(4-methyl-1-piperazinyl)propoxy]phenyl]-, dihydrochloride (9CI) (CA INDEX NAME)



● 2 HCl

RN 86135-74-2 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[2-[4-(2-(3,4-dimethoxyphenyl)ethyl)-1-piperazinyl]ethoxy]phenyl]-2,3-dihydro-, (2Z)-2-butenedioate (1:2) (9CI) (CA INDEX NAME)

CM 1


CRN 86135-73-1
 CMF C31 H37 N3 O4 S

L4 ANSWER 13 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)

CM 2

CRN 110-16-7
 CMF C4 H4 O4


Double bond geometry as shown.



RN 86135-78-6 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[2-[4-(2-(3,4-dimethoxyphenyl)acetyl)-1-piperazinyl]ethoxy]phenyl]-2,3-dihydro-, (2E)-2-butenedioate (1:1) (9CI) (CA INDEX NAME)

CM 1


CRN 86135-77-5
 CMF C31 H35 N3 O5 S



CM 2

CRN 110-17-8
 CMF C4 H4 O4

Double bond geometry as shown.




RN 86135-80-0 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[3-[4-(2-(3,4-dimethoxyphenyl)acetyl)-1-piperazinyl]propoxy]phenyl]-2,3-dihydro-, (2E)-2-butenedioate (1:1) (9CI) (CA INDEX NAME)

CM 1

CRN 86135-79-7


L4 ANSWER 13 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



CM 2

CRN 110-16-7
 CMF C4 H4 O4


Double bond geometry as shown.



RN 86135-76-4 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[3-[4-(2-(3,4-dimethoxyphenyl)ethyl)-1-piperazinyl]propoxy]phenyl]-2,3-dihydro-, (2Z)-2-butenedioate (1:2) (9CI) (CA INDEX NAME)


CM 1

CRN 86135-75-3
 CMF C32 H39 N3 O4 S



L4 ANSWER 13 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)


CMF C32 H37 N3 O5 S



CM 2

CRN 110-17-8
 CMF C4 H4 O4


Double bond geometry as shown.



RN 86135-83-3 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[3-[4-(2-(3,4-dimethoxyphenyl)ethyl)-1-piperazinyl]propoxy]-5-methoxyphenyl]-2,3-dihydro-, (2Z)-2-butenedioate (1:2) (9CI) (CA INDEX NAME)

CM 1

CRN 86135-82-2
 CMF C33 H41 N3 O5 S




CM 2

CRN 110-16-7

L4 ANSWER 13 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)
CMF C4 H4 O4


Double bond geometry as shown.



RN 86135-87-7 CAPLUS
CN Benzothiazole, 3-acetyl-2-[[5-[[4-[[2-(3,4-dimethoxyphenyl)ethyl]-1-piperazinyl]pentyl]oxy]-5-methoxyphenyl]-2,3-dihydro-, (2Z)-2-butenedioate (1:2) (9CI) (CA INDEX NAME)

CM 1


CRN 86135-86-6
CMF C35 H45 N3 O5 S



CM 2


CRN 110-16-7
CMF C4 H4 O4

Double bond geometry as shown.



RN 86135-89-9 CAPLUS
CN Benzothiazole, 3-acetyl-2-[[6-[[4-[[2-(3,4-dimethoxyphenyl)ethyl]-1-piperazinyl]hexyl]oxy]-5-methoxyphenyl]-2,3-dihydro-, (2Z)-2-butenedioate (1:2) (9CI) (CA INDEX NAME)

L4 ANSWER 13 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)




● 2 HCl

RN 86135-98-0 CAPLUS
CN Benzoic acid, 3,4,5-trimethoxy-, 2-[[4-[[2-(3-acetyl-2,3-dihydro-2-benzothiazolyl)-4-methoxyphenoxy]butyl]-1-piperazinyl]ethyl ester, (2Z)-2-butenedioate (1:2) (9CI) (CA INDEX NAME)

CM 1


CRN 86135-97-9
CMF C36 H45 N3 O8 S



CM 2


CRN 110-16-7
CMF C4 H4 O4

Double bond geometry as shown.



L4 ANSWER 13 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)
CM 1


CRN 86135-88-8
CMF C36 H47 N3 O5 S



CM 2

CRN 110-16-7
CMF C4 H4 O4

Double bond geometry as shown.




RN 86135-92-4 CAPLUS
CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[5-methoxy-2-[[4-[[2-(3,4,5-trimethoxyphenyl)ethyl]-1-piperazinyl]butoxy]phenyl]-, dihydrochloride (9CI) (CA INDEX NAME)

L4 ANSWER 13 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)

RN 86136-00-7 CAPLUS
CN Benzothiazole, 3-acetyl-2-[[2-[[4-[[2-(3,4-dimethoxyphenyl)acetyl]-1-piperazinyl]propoxy]-5-methoxyphenyl]-2,3-dihydro-, (2E)-2-butenedioate (1:1) (9CI) (CA INDEX NAME)

CM 1


CRN 86135-99-1
CMF C33 H39 N3 O6 S



CM 2

CRN 110-17-8
CMF C4 H4 O4

Double bond geometry as shown.




RN 86136-04-1 CAPLUS
CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[5-nitro-2-[[3-[[4-octyl-1-piperazinyl]propoxy]phenyl]-, (2Z)-2-butenedioate (1:2) (9CI) (CA INDEX NAME)

CM 1

CRN 86136-03-0
CMF C30 H42 N4 O4 S


L4 ANSWER 13 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



CH 2


CRN 110-16-7
CMF C4 H4 O4

Double bond geometry as shown.




RN 86136-06-3 CAPLUS
CN Benzothiazole, 3-acetyl-2-[2-[3-[4-(2-(3,4-dimethoxyphenyl)ethyl)-1-piperazinyl]propoxy]-5-nitrophenyl]-2,3-dihydro-, (2Z)-2-butenedioate (1:2) (9CI) (CA INDEX NAME)

CH 1

CRN 86136-05-2
CMF C32 H38 N4 O6 S

CH 2


L4 ANSWER 13 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)

CRN 86136-11-0
CMF C30 H34 N4 O5 S


CH 2

CRN 110-16-7
CMF C4 H4 O4

Double bond geometry as shown.



RN 86136-15-4 CAPLUS
CN Benzothiazole, 3-acetyl-2-[2-[3-[4-(2-(2-furanylcarbonyl)-1-piperazinyl]propoxy]-3-methoxy-5-nitrophenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)




● HCl

RN 86136-16-5 CAPLUS
CN Benzothiazole, 3-acetyl-2-[2-[3-[4-(2-(3,4-dimethoxyphenyl)ethyl)-1-piperazinyl]propoxy]-3-methoxy-5-nitrophenyl]-2,3-dihydro-, dihydrochloride (9CI) (CA INDEX NAME)

L4 ANSWER 13 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)


CRN 110-16-7
CMF C4 H4 O4

Double bond geometry as shown.



RN 86136-08-5 CAPLUS
CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[5-nitro-2-[3-[4-(1-oxooctyl)-1-piperazinyl]propoxy]phenyl]-, ethanedioate (1:1) (9CI) (CA INDEX NAME)

CH 1

CRN 86136-07-4
CMF C30 H40 N4 O5 S


CH 2

CRN 144-62-7
CMF C2 H2 O4

RN 86136-12-1 CAPLUS
CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[2-[3-[4-(2-hydroxy-2-phenylethyl)-1-piperazinyl]propoxy]-5-nitrophenyl]-, (2Z)-2-butenedioate (1:2) (salt) (9CI) (CA INDEX NAME)

CH 1


L4 ANSWER 13 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



● 2 HCl

RN 86136-18-7 CAPLUS
CN Benzothiazole, 3-acetyl-2-[3-[4-[2-(3,4-dimethoxyphenyl)ethyl]-1-piperazinyl]butoxy]-4-methoxyphenyl]-2,3-dihydro-, (2Z)-2-butenedioate (1:2) (9CI) (CA INDEX NAME)


CH 1

CRN 86136-17-6
CMF C34 H43 N3 O5 S

CH 2

CRN 110-16-7
CMF C4 H4 O4

Double bond geometry as shown.




RN 86136-22-3 CAPLUS
CN Benzothiazole, 3-acetyl-2-[4-[3-[4-(2-(3,4-dimethoxyphenyl)ethyl)-1-piperazinyl]propoxy]-3-methoxyphenyl]-2,3-dihydro-, (2Z)-2-butenedioate

L4 ANSWER 13 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)
(1:2) (9CI) (CA INDEX NAME)

CH 1


CRN 86136-21-2
CMF C33 H41 N3 O5 S



CH 2

CRN 110-16-7
CMF C4 H4 O4

Double bond geometry as shown.




RN 86136-24-5 CAPLUS
CN Benzothiazole, 3-acetyl-2-[4-{4-[2-(3,4-dimethoxyphenyl)ethyl]-1-piperazinyl}butoxy]-3-methoxyphenyl-2,3-dihydro-, (2Z)-2-butenedioate (1:2) (9CI) (CA INDEX NAME)

CH 1


CRN 86136-23-4
CMF C34 H43 N3 O5 S

L4 ANSWER 13 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)
CRN 110-16-7
CMF C4 H4 O4

Double bond geometry as shown.




RN 86136-27-8 CAPLUS
CN Benzothiazole, 3-acetyl-2-[2-{3-[(1,1-dimethylethyl)amino]-2-hydroxypropoxy}phenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl


RN 86136-30-3 CAPLUS
CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[2-{3-(1-pyrrolidinyl)propoxy}phenyl]-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl

RN 86136-31-4 CAPLUS
CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[2-{3-(4-morpholinyl)propoxy}phenyl]- (9CI) (CA INDEX NAME)


L4 ANSWER 13 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



CH 2

CRN 110-16-7
CMF C4 H4 O4


Double bond geometry as shown.



RN 86136-26-7 CAPLUS
CN Benzothiazole, 3-acetyl-2-[4-{4-[2-(3,4-dimethoxyphenyl)ethyl]-1-piperazinyl}butoxy]-3,5-dimethoxyphenyl-2,3-dihydro-, (2Z)-2-butenedioate (1:2) (9CI) (CA INDEX NAME)


CH 1

CRN 86136-25-6
CMF C35 H45 N3 O6 S



CH 2


L4 ANSWER 13 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



RN 86136-33-6 CAPLUS
CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[2-{3-[(1,1-dimethylethyl)amino]-2-hydroxypropoxy}phenyl]-, (2E)-2-butenedioate (1:1) (9CI) (CA INDEX NAME)

CH 1


CRN 86136-32-5
CMF C30 H34 N2 O2 S



CH 2

CRN 110-17-8
CMF C4 H4 O4

Double bond geometry as shown.




RN 86136-35-8 CAPLUS
CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[5-methoxy-2-[4-{(phenylmethyl)-1-piperidinyl}butoxy]phenyl]-, (2E)-2-butenedioate (1:1) (9CI) (CA INDEX NAME)

CH 1

CRN 86136-34-7
CMF C32 H38 N2 O3 S


L4 ANSWER 13 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



CM 2


CRN 110-17-8
CMF C4 H4 O4

Double bond geometry as shown.



RN 86136-37-0 CAPLUS
CN Benzothiazole, 3-acetyl-2-[2-[4-(4-benzoyl-1-piperidinyl)butoxy]-5-methoxyphenyl]-2,3-dihydro-, ethanedioate (1:1) (9CI) (CA INDEX NAME)


CM 1

CRN 86136-36-9
CMF C32 H36 N2 O4 S

CM 2

CRN 144-62-7
CMF C2 H2 O4


L4 ANSWER 13 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



CM 2

CRN 144-62-7
CMF C2 H2 O4

RN 86136-44-9 CAPLUS
CN Butanamide, 4-[2-(3-acetyl-2,3-dihydro-2-benzothiazolyl)phenoxy]-N-(2-(3,4-dimethoxyphenyl)ethyl)- (9CI) (CA INDEX NAME)



RN 86136-46-1 CAPLUS
CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[2-[4-(4-methyl-1-piperazinyl)-4-oxobutoxy]phenyl]-, (2E)-2-butanedioate (1:1) (9CI) (CA INDEX NAME)

CM 1

CRN 86136-45-0
CMF C24 H29 N3 O3 S


L4 ANSWER 13 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



RN 86136-39-2 CAPLUS
CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[2-[3-(4-hydroxy-1-piperidinyl)propoxy]-5-nitrophenyl]-, ethanedioate (1:1) (salt) (9CI)

(CA INDEX NAME)

CM 1

CRN 86136-38-1
CMF C23 H27 N3 O5 S

CM 2


CRN 144-62-7
CMF C2 H2 O4

RN 86136-41-6 CAPLUS
CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[5-nitro-2-[3-[4-(phenylmethyl)-1-piperidinyl]propoxy]phenyl]-, ethanedioate (1:1) (9CI) (CA INDEX NAME)

CM 1

CRN 86136-40-5
CMF C30 H33 N3 O4 S


L4 ANSWER 13 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)




CM 2

CRN 110-17-8
CMF C4 H4 O4


Double bond geometry as shown.



RN 86136-47-2 CAPLUS
CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[2-[4-(4-morpholinyl)-4-oxobutoxy]phenyl]- (9CI) (CA INDEX NAME)




RN 93264-72-3 CAPLUS
CN Benzothiazole, 3-acetyl-2-[2-[3-(ethylamino)-2-hydroxypropoxy]phenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl


L4 ANSWER 13 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)

RN 93264-73-4 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[3-(cyclohexylmethylamino)-2-hydroxypropoxy]phenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)




● HCl

RN 93264-74-5 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[3-(dimethylamino)-2-hydroxypropoxy]phenyl]-2,3-dihydro- (9CI) (CA INDEX NAME)




RN 93264-75-6 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[3-(dimethylamino)-2-hydroxypropoxy]phenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl

RN 93264-76-7 CAPLUS

L4 ANSWER 13 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)




● HCl

RN 93264-80-3 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[3-(dimethylamino)-2-hydroxypropoxy]-3-methoxyphenyl]-2,3-dihydro-, (2Z)-2-butenedioate (1:1) (salt) (9CI) (CA INDEX NAME)

CM 1


CRN 93264-79-0
 CMF C21 H26 N2 O4 S



CM 2

CRN 110-16-7
 CMF C4 H4 O4

Double bond geometry as shown.



RN 93264-82-5 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[3-(dimethylamino)-2-hydroxypropoxy]-5-nitrophenyl]-2,3-dihydro-, (2E)-2-butenedioate (1:1) (salt) (9CI) (CA INDEX NAME)


CM 1

CRN 93264-81-4

L4 ANSWER 13 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)
 CN Benzothiazole, 3-acetyl-2-[2-[3-(dimethylamino)-2-hydroxypropoxy]phenyl]-2,3-dihydro-, (2E)-2-butenedioate (1:1) (salt) (9CI) (CA INDEX NAME)

CM 1


CRN 93264-74-5
 CMF C20 H24 N2 O3 S




CM 2

CRN 110-17-8
 CMF C4 H4 O4

Double bond geometry as shown.




RN 93264-77-8 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[5-chloro-2-[3-(dimethylamino)-2-hydroxypropoxy]phenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl

RN 93264-78-9 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[3-(dimethylamino)-2-hydroxypropoxy]-3-methoxyphenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)

L4 ANSWER 13 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)
 CMF C20 H23 N3 O5 S



CM 2

CRN 110-17-8
 CMF C4 H4 O4


Double bond geometry as shown.



RN 93264-83-6 CAPLUS
 CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[2-[3-(4-morpholinyl)propoxy]phenyl]-, (2Z)-2-butenedioate (1:1) (9CI) (CA INDEX NAME)

CM 1


CRN 86136-31-4
 CMF C22 H26 N2 O3 S



CM 2


CRN 110-16-7
 CMF C4 H4 O4

Double bond geometry as shown.




L4 ANSWER 13 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)

RN 93265-07-7 CAPLUS
 CN Benzothiazole,
 3-acetyl-2-[2-[3-(diethylamino)propoxy]-5-nitrophenyl]-2,3-
 dihydro-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl

RN 93265-08-8 CAPLUS
 CN Benzothiazole,
 3-acetyl-2-[2-[3-[[2-(3,4-dimethylphenyl)ethyl]amino]propox
 y]phenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl

RN 93265-09-9 CAPLUS
 CN Benzothiazole,
 3-acetyl-2-[2-[3-(cyclohexylmethylamino)propoxy]phenyl]-2,3-
 dihydro-, (2Z)-2-butenedioate (1:1) (9CI) (CA INDEX NAME)


CM 1
 CRN 86136-58-5
 CMF C25 H32 N2 O2 S

L4 ANSWER 13 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)




RN 93265-12-4 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[4-[4-[2-(3,4-dimethoxyphenyl)ethyl]-1-
 piperazinyl]butoxy]phenyl]-2,3-dihydro-, (2Z)-2-butenedioate (1:2) (9CI)
 (CA INDEX NAME)

CM 1
 CRN 93265-11-3
 CMF C33 H41 N3 O4 S



CM 2
 CRN 110-16-7
 CMF C4 H4 O4


Double bond geometry as shown.



RN 93265-13-5 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[4-[4-[2-(3,4-dimethoxyphenyl)ethyl]-1-
 piperazinyl]butoxy]-5-methoxyphenyl]-2,3-dihydro-, (2Z)-2-butenedioate
 (1:2) (9CI) (CA INDEX NAME)


CM 1
 CRN 86135-84-4
 CMF C34 H43 N3 O5 S

L4 ANSWER 13 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)




CM 2
 CRN 110-16-7
 CMF C4 H4 O4

Double bond geometry as shown.




RN 93265-10-2 CAPLUS
 CN Benzothiazole,
 3-acetyl-2-[2-[3-(cyclohexylmethylamino)propoxy]phenyl]-2,3-
 dihydro-, ethanedioate (1:1) (9CI) (CA INDEX NAME)

CM 1
 CRN 86136-58-5
 CMF C25 H32 N2 O2 S




CM 2
 CRN 144-62-7
 CMF C2 H2 O4

L4 ANSWER 13 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)




CM 2
 CRN 110-16-7
 CMF C4 H4 O4

Double bond geometry as shown.



RN 93265-14-6 CAPLUS
 CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[5-methoxy-2-[4-[4-[2-(3,4,5-
 trimethoxyphenyl)ethyl]-1-piperazinyl]butoxy]phenyl]-,
 (2Z)-2-butenedioate (1:2) (9CI) (CA INDEX NAME)


CM 1
 CRN 86136-61-0
 CMF C35 H45 N3 O6 S



CM 2

L4 ANSWER 13 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)
 CRN 110-16-7
 CMF C4 H4 O4


Double bond geometry as shown.



RN 93265-16-8 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[4-[bis(4-chlorophenyl)methyl]-1-piperazinyl]butoxy]-5-methoxyphenyl]-2,3-dihydro-, (2Z)-2-butenedioate (1:2) (9CI) (CA INDEX NAME)

CM 1


CRN 93265-15-7
 CMF C37 H39 Cl2 N3 O3 S



CM 2

CRN 110-16-7
 CMF C4 H4 O4

Double bond geometry as shown.




RN 93265-17-9 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[3-[4-[2-(3,4-dimethoxyphenyl)ethenyl]-1-


L4 ANSWER 13 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)
 CM 1

CRN 93265-18-0
 CMF C33 H39 N3 O5 S

Double bond geometry as shown.



PAGE 1-A



CM 2


CRN 110-16-7
 CMF C4 H4 O4

Double bond geometry as shown.


L4 ANSWER 13 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)
 piperazinyl]propoxy]phenyl]-2,3-dihydro-, monohydrochloride, (E)- (9CI)
 (CA INDEX NAME)

Double bond geometry as shown.

PAGE 1-A




PAGE 2-A



● HCl

RN 93265-19-1 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[3-[4-[2-(3,4-dimethoxyphenyl)ethenyl]-1-piperazinyl]propoxy]-5-methoxyphenyl]-2,3-dihydro-, (2Z)-2-butenedioate (1:1) (9CI) (CA INDEX NAME)


L4 ANSWER 13 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



RN 93265-21-5 CAPLUS
 CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[5-nitro-2-[3-[4-(phenylacetyl)-1-piperazinyl]propoxy]phenyl]-, (2Z)-2-butenedioate (1:1) (9CI) (CA INDEX NAME)

CM 1


CRN 93265-20-4
 CMF C30 H32 N4 O5 S



CM 2

CRN 110-16-7
 CMF C4 H4 O4

Double bond geometry as shown.




RN 93265-23-7 CAPLUS
 CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[2-[3-[4-[3-(4-hydroxyphenyl)-2-oxopropyl]-1-piperazinyl]propoxy]-5-nitrophenyl]-, (2Z)-2-butenedioate (1:2) (salt) (9CI) (CA INDEX NAME)

CM 1

CRN 93265-22-6
 CMF C31 H34 N4 O6 S


L4 ANSWER 13 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



CM 2


CRN 110-16-7
CMF C4 H4 O4

Double bond geometry as shown.



RN 93265-25-9 CAPLUS
CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[2-[3-[4-(2-hydroxyethyl)-1-piperazinyl]propoxy]-5-methoxyphenyl]-, (2Z)-2-butenedioate (1:2) (salt) (9CI) (CA INDEX NAME)

CM 1

CRN 93265-24-8
CMF C25 H33 N3 O4 S

CM 2

L4 ANSWER 14 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN


AN 1983:422453 CAPLUS
DN 99:22453
TI Benzothiazoline compounds
PA Santen Pharmaceutical Co., Ltd., Japan
SO Belg., 59 pp.
CODEN: BEXXAL
DT Patent
LA French
FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	BE 894358	A1	19830103	BE 1982-59831	19820910
	JP 58046079	A2	19830317	JP 1981-144148	19810912
WO	8300865	A1	19830317	WO 1982-JP363	19820910
	W: AT, AU, CH, DE, DK, FI, GB, NL, NO, SE, US				
AU	8289026	A1	19830328	AU 1982-89026	19820910
	AU 541223	B2	19841220		
NL	8220310	A	19830801	NL 1982-20310	19820910
	GB 2115815	A1	19830914	GB 1983-11096	19820910
GB	2115815	B2	19850619		
	ES 515655	A1	19830916	ES 1982-515655	19820910
DE	3248957	T	19831020	DE 1982-3248957	19820910
	DE 3248957	C2	19890921		
CA	1169860	A1	19840626	CA 1982-411159	19820910
	AT 8209048	A	19850615	AT 1982-9048	19820910
AT	379592	B	19860127		
	CH 654001	A	19860131	CH 1983-2716	19820910
FR	2512820	A1	19830318	FR 1982-15454	19820913
	FR 2512820	B1	19861121		
US	4479949	A	19841030	US 1983-503160	19830414
	SE 8302352	A	19830426	SE 1983-2352	19830426
SE	444681	B	19860428		
	SE 444681	C	19860807		
FI	8301431	A	19830427	FI 1983-1431	19830427
	FI 68232	B	19850430		
FI	68232	C	19850812		
	NO 8301653	A	19830510	NO 1983-1653	19830510
DK	8302112	A	19830511	DK 1983-2112	19830511
	DK 164403	B	19920622		
DK	164403	C	19921116		
	ES 522386	A1	19840816	ES 1983-522386	19830513
US	4552969	A	19851112	US 1984-612322	19840521
	US 4558125	A	19851210	US 1984-612323	19840521
FRAI	JP 1981-144148	A	19810912		
	WO 1982-JP363	A	19820910		
US	1983-503160	A3	19830414		
	CASREACT 99:22453				
OS					
GI					


L4 ANSWER 13 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)

CRN 110-16-7
CMF C4 H4 O4


Double bond geometry as shown.



RN 93265-26-0 CAPLUS
CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[2-[3-(methyl-3-pyridinylamino)propoxy]-5-nitrophenyl]- (9CI) (CA INDEX NAME)



L4 ANSWER 14 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)




AB Benzothiazolines I (R = acyl; NR1R2 = amino; X = phenylene; X1 = alkylene, hydroxyalkylene) (100 compds.) were prepared. Thus II was obtained in 70% yield by aminating the bromopentyl oxy analog. II had a blood platelet aggregation-inhibiting ED50 of 1.3 + 10-6 M in vitro. I are also Ca blockers.

IT 86135-09-3P 86135-28-6P 86135-30-0P
86135-39-9P 86135-70-0P 86135-71-9P
86136-41-6P

RL: SPM (Synthetic preparation); PREP (Preparation)
(preparation and blood platelet aggregation-inhibiting activity of)

RN 86135-09-3 CAPLUS

CN Benzothiazole,
3-acetyl-2-[2-[3-(cyclohexylmethylamino)propoxy]phenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl


RN 86135-28-6 CAPLUS

CN Benzothiazole, 3-acetyl-2-[2-[5-(cyclohexylmethylamino)pentyl]oxy]-5-methoxyphenyl]-2,3-dihydro-, (2E)-2-butenedioate (1:1) (9CI) (CA INDEX NAME)

CM 1

CRN 86135-27-5
CMF C28 H38 N2 O3 S


L4 ANSWER 14 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)




CM 2

CRN 110-17-8
CMF C4 H4 O4

Double bond geometry as shown.

RN 86135-30-0 CAPLUS
CN Benzothiazole, 3-acetyl-2-[2-[[6-(cyclohexylmethylamino)hexyl]oxy]-5-methoxyphenyl]-2,3-dihydro-, ethanedioate (1:1) (9CI) (CA INDEX NAME)


CM 1

CRN 86135-29-7
CMF C29 H40 N2 O3 S


CM 2

CRN 144-62-7

L4 ANSWER 14 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)




● HCl

RN 86135-71-9 CAPLUS
CN Benzothiazole, 3-acetyl-2-[4-[(4-(cyclohexylmethylamino)butoxy]-3,5-dimethoxyphenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)

● HCl

RN 86136-41-6 CAPLUS
CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[5-nitro-2-[3-[(4-(phenylmethyl)-1-piperidinyl]propoxy]phenyl]-, ethanedioate (1:1) (9CI) (CA INDEX NAME)

CM 1

CRN 86136-40-5
CMF C30 H33 N3 O4 S


CM 2

CRN 144-62-7

L4 ANSWER 14 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)

RN 86135-39-9 CAPLUS
CN Benzothiazole, 3-acetyl-2-[2-[3-(cyclohexylmethylamino)propoxy]-5-nitrophenyl]-2,3-dihydro-, (2E)-2-butenedioate (1:1) (9CI) (CA INDEX NAME)


CM 1

CRN 86135-38-8
CMF C25 H31 N3 O4 S


CM 2

CRN 110-17-8
CMF C4 H4 O4


Double bond geometry as shown.

RN 86135-70-8 CAPLUS
CN Benzothiazole, 3-acetyl-2-[4-[3-(cyclohexylmethylamino)propoxy]-3,5-dimethoxyphenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)


L4 ANSWER 14 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)

IT 86135-31-1P 86135-46-8P 86135-84-4P
86135-85-5P 86135-92-4P 86136-04-1P
86136-61-0P
RL: SPN (Synthetic preparation); PREP (Preparation)
(preparation and calcium blocking activity of)
RN 86135-31-1 CAPLUS
CN Benzothiazole,
3-acetyl-2-[2-[4-[[2-(3,4-dimethoxyphenyl)ethyl]methylamino]
butoxy]-5-methoxyphenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA
INDEX NAME)

● HCl

RN 86135-46-8 CAPLUS
CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[5-nitro-2-[3-[(3-pyridinyl)methylamino]propoxy]phenyl]- (9CI) (CA INDEX NAME)RN 86135-84-4 CAPLUS
CN Benzothiazole, 3-acetyl-2-[2-[4-[2-(3,4-dimethoxyphenyl)ethyl]-1-


L4 ANSWER 14 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)
piperazinyl)butoxy]-5-methoxyphenyl]-2,3-dihydro- (9CI) (CA INDEX NAME)



RN 86135-85-5 CAPLUS
CN Benzo[1,2-b:4,5-b']dithiazole, 3-acetyl-2-[2-{4-[2-(3,4-dimethoxyphenyl)ethyl]-1-piperazinyl}butoxy]-5-methoxyphenyl]-2,3-dihydro-, (2E)-2-butenedioate (1:2) (9CI) (CA INDEX NAME)

CM 1


CRN 86135-84-4
CMF C34 H43 N3 O5 S




CM 2

CRN 110-17-8
CMF C4 H4 O4


Double bond geometry as shown.



L4 ANSWER 14 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)




RN 86136-61-0 CAPLUS
CN Benzo[1,2-b:4,5-b']dithiazole, 3-acetyl-2-[2-{4-[2-(3,4,5-trimethoxyphenyl)ethyl]-1-piperazinyl}butoxy]phenyl]- (9CI) (CA INDEX NAME)



IT 86135-01-5P 86135-03-7P 86135-04-8P
86135-05-9P 86135-06-0P 86135-07-1P
86135-08-2P 86135-11-7P 86135-12-8P
86135-13-9P 86135-14-0P 86135-15-1P
86135-16-2P 86135-17-3P 86135-19-5P
86135-20-6P 86135-22-0P 86135-24-2P
86135-26-4P 86135-27-5P 86135-29-7P
86135-32-2P 86135-33-3P 86135-34-4P
86135-35-5P 86135-37-7P 86135-38-8P
86135-41-3P 86135-43-5P 86135-45-7P
86135-48-0P 86135-50-4P 86135-51-5P
86135-53-7P 86135-54-8P 86135-55-9P
86135-56-0P 86135-57-1P 86135-58-2P
86135-59-3P 86135-60-6P 86135-61-7P
86135-62-8P 86135-63-9P 86135-64-0P
86135-65-1P 86135-66-2P 86135-67-3P
86135-68-4P 86135-69-5P 86135-72-0P
86135-74-2P 86135-76-4P 86135-78-6P
86135-80-0P 86135-81-1P 86135-83-3P
86135-87-7P 86135-89-9P 86135-91-3P
86135-94-6P 86135-96-8P 86135-98-0P
86136-00-7P 86136-02-9P 86136-06-3P
86136-08-5P 86136-10-9P 86136-12-1P
86136-14-3P 86136-15-4P 86136-16-5P
86136-18-7P 86136-20-1P 86136-22-3P
86136-24-5P 86136-26-7P 86136-27-8P
86136-28-9P 86136-29-0P 86136-30-3P
86136-31-4P 86136-33-6P 86136-35-8P
86136-37-0P 86136-39-2P 86136-40-5P
86136-44-9P 86136-46-1P 86136-47-2P
86136-57-4P 86136-58-5P 86136-59-6P
86136-60-9P 86136-62-1P

L4 ANSWER 14 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)
RN 86135-92-4 CAPLUS
CN Benzo[1,2-b:4,5-b']dithiazole, 3-acetyl-2-[2-{4-[2-(3,4,5-trimethoxyphenyl)ethyl]-1-piperazinyl}butoxy]phenyl]-, dihydrochloride (9CI) (CA INDEX NAME)




● 2 HCl

RN 86136-04-1 CAPLUS
CN Benzo[1,2-b:4,5-b']dithiazole, 3-acetyl-2-[2-{4-[2-(3,4,5-trimethoxyphenyl)ethyl]-1-piperazinyl}butoxy]phenyl]-, (2Z)-2-butenedioate (1:2) (9CI) (CA INDEX NAME)

CM 1

CRN 86136-03-0
CMF C30 H42 N4 O4 S




CM 2

CRN 110-16-7
CMF C4 H4 O4

Double bond geometry as shown.

L4 ANSWER 14 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)
RL: SYN (Synthetic preparation); PREP (Preparation)
(prepn. of)
RN 86135-01-5 CAPLUS
CN Benzo[1,2-b:4,5-b']dithiazole, 3-acetyl-2-[2-{4-[2-(3-aminopropoxy)phenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)




● HCl

RN 86135-03-7 CAPLUS
CN Benzo[1,2-b:4,5-b']dithiazole, 3-acetyl-2-[2-{4-[2-(3-aminopropoxy)phenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)

CM 1


CRN 86135-02-6
CMF C19 H22 N2 O2 S



CM 2


CRN 110-17-8
CMF C4 H4 O4

Double bond geometry as shown.




RN 86135-04-8 CAPLUS
CN Benzo[1,2-b:4,5-b']dithiazole, 3-acetyl-2-[2-{4-[2-(3-aminopropoxy)phenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)

L4 ANSWER 14 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



● HCl

RN 86135-05-9 CAPLUS
 CN Benzothiazole,
 3-acetyl-2-[(2-{3-[(1,2-diphenylethyl)amino]propoxy}phenyl)-2,3-dihydro-1H-benzothiazol-5-yl]phenyl]-2,3-dihydro-1H-benzothiazole, monohydrochloride (9CI) (CA INDEX NAME)




● HCl

RN 86135-06-0 CAPLUS
 CN Benzothiazole,
 3-acetyl-2-[(2-{3-[(3,4-dimethoxyphenyl)ethyl]amino]propoxy}phenyl)-2,3-dihydro-1H-benzothiazol-5-yl]phenyl]-2,3-dihydro-1H-benzothiazole, monohydrochloride (9CI) (CA INDEX NAME)

L4 ANSWER 14 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)
 CN Benzothiazole,
 3-acetyl-2-[(2-{3-[(methyl(phenylmethyl)amino]propoxy}phenyl)-2,3-dihydro-1H-benzothiazol-5-yl]phenyl)-2,3-dihydro-1H-benzothiazole, monohydrochloride (9CI) (CA INDEX NAME)

CM 1


CRN 86135-10-6
 CMF C26 H28 N2 O2 S




CM 2

CRN 110-16-7
 CMF C4 H4 O4

Double bond geometry as shown.




RN 86135-12-8 CAPLUS
 CN Benzothiazole,
 3-acetyl-2-[(2-{3-[(diethylamino)propoxy]phenyl)-2,3-dihydro-1H-benzothiazol-5-yl]phenyl]-2,3-dihydro-1H-benzothiazole, monohydrochloride (9CI) (CA INDEX NAME)



● HCl


RN 86135-13-9 CAPLUS
 CN Benzothiazole,
 3-acetyl-2-[(2-{4-[(diethylamino)butoxy]phenyl)-2,3-dihydro-1H-benzothiazol-5-yl]phenyl]-2,3-dihydro-1H-benzothiazole, monohydrochloride (9CI) (CA INDEX NAME)

L4 ANSWER 14 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)




● HCl

RN 86135-07-1 CAPLUS
 CN Benzothiazole,
 3-acetyl-2-[(2-{2-[(dimethylamino)ethoxy]phenyl)-2,3-dihydro-1H-benzothiazol-5-yl]phenyl]-2,3-dihydro-1H-benzothiazole, monohydrochloride (9CI) (CA INDEX NAME)




● HCl

RN 86135-08-2 CAPLUS
 CN Benzothiazole,
 3-acetyl-2-[(2-{3-[(dimethylamino)propoxy]phenyl)-2,3-dihydro-1H-benzothiazol-5-yl]phenyl]-2,3-dihydro-1H-benzothiazole, monohydrochloride (9CI) (CA INDEX NAME)




RN 86135-11-7 CAPLUS

L4 ANSWER 14 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)




● HCl

RN 86135-14-0 CAPLUS
 CN Benzothiazole,
 3-acetyl-2-[(2-{3-[(dicyclohexylamino)propoxy]phenyl)-2,3-dihydro-1H-benzothiazol-5-yl]phenyl]-2,3-dihydro-1H-benzothiazole, monohydrochloride (9CI) (CA INDEX NAME)



● HCl


RN 86135-15-1 CAPLUS
 CN Benzothiazole,
 3-acetyl-2-[(2-{3-[(bis(2-hydroxyethyl)amino)propoxy]phenyl)-2,3-dihydro-1H-benzothiazol-5-yl]phenyl)-2,3-dihydro-1H-benzothiazole, monohydrochloride (9CI) (CA INDEX NAME)



● HCl


RN 86135-16-2 CAPLUS
 CN Benzothiazole,
 3-acetyl-2-[(2-{3-[(dimethylamino)propoxy]-3-methoxyphenyl)-2,3-dihydro-1H-benzothiazol-5-yl]phenyl]-2,3-dihydro-1H-benzothiazole, monohydrochloride (9CI) (CA INDEX NAME)

L4 ANSWER 14 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)
2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl

RN 86135-17-3 CAPLUS
CN Benzo[1,2-b:4,5-b']dithiazole, 3-acetyl-2-[2-(4-(dimethylamino)butoxy)-3-methoxyphenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)




● HCl

RN 86135-19-5 CAPLUS
CN Benzo[1,2-b:4,5-b']dithiazole, 3-acetyl-2-[2-[3-(cyclohexylmethylamino)propoxy]-3-methoxyphenyl]-2,3-dihydro-, (2Z)-2-butenedioate (1:1) (9CI) (CA INDEX NAME)

CM 1

CRN 86135-18-4
CMF C26 H34 N2 O3 S




L4 ANSWER 14 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)

CM 2

CRN 110-16-7
CMF C4 H4 O4


Double bond geometry as shown.



RN 86135-24-2 CAPLUS
CN Benzo[1,2-b:4,5-b']dithiazole, 3-acetyl-2-[2-[3-(cyclohexylmethylamino)propoxy]-5-methoxyphenyl]-2,3-dihydro-, ethanedioate (1:1) (9CI) (CA INDEX NAME)

CM 1

CRN 86135-23-1
CMF C26 H34 N2 O3 S



CM 2

CRN 144-62-7
CMF C2 H2 O4



RN 86135-26-4 CAPLUS
CN Benzo[1,2-b:4,5-b']dithiazole, 3-acetyl-2-[2-(4-(cyclohexylmethylamino)butoxy)-5-methoxyphenyl]-2,3-dihydro-, ethanedioate (1:1) (9CI) (CA INDEX NAME)

CM 1


CRN 86135-25-3
CMF C27 H36 N2 O3 S

L4 ANSWER 14 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)


CM 2

CRN 110-16-7
CMF C4 H4 O4

Double bond geometry as shown.



RN 86135-20-8 CAPLUS
CN Benzo[1,2-b:4,5-b']dithiazole, 3-acetyl-2-[2-(4-(cyclohexylmethylamino)butoxy)-3-methoxyphenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)




● HCl


RN 86135-22-0 CAPLUS
CN Benzo[1,2-b:4,5-b']dithiazole, 3-acetyl-2-[2-[3-(dimethylamino)propoxy]-5-methoxyphenyl]-2,3-dihydro-, (2Z)-2-butenedioate (1:1) (9CI) (CA INDEX NAME)

CM 1

CRN 86135-21-9
CMF C21 H26 N2 O3 S



L4 ANSWER 14 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)




CM 2

CRN 144-62-7
CMF C2 H2 O4




RN 86135-27-5 CAPLUS
CN Benzo[1,2-b:4,5-b']dithiazole, 3-acetyl-2-[2-[[5-(cyclohexylmethylamino)pentyl]oxy]-5-methoxyphenyl]-2,3-dihydro- (9CI) (CA INDEX NAME)




RN 86135-29-7 CAPLUS
CN Benzo[1,2-b:4,5-b']dithiazole, 3-acetyl-2-[2-[[6-(cyclohexylmethylamino)hexyl]oxy]-5-methoxyphenyl]-2,3-dihydro- (9CI) (CA INDEX NAME)

L4 ANSWER 14 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)




RN 86135-32-2 CAPLUS
 CN Benzothiazole,
 3-acetyl-2-[2-[(4-cyclohexyl(2-hydroxyethyl)amino)butoxy]-5-methoxyphenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl

RN 86135-33-3 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[(4-cyclohexyl(2-(3,4-dimethoxyphenyl)ethyl)amino)butoxy]-5-methoxyphenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)

L4 ANSWER 14 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)




● HCl

RN 86135-37-7 CAPLUS
 CN Benzothiazole,
 3-acetyl-2-[2-[(3-(dimethylamino)propoxy)-5-nitrophenyl]-2,3-dihydro-, (2E)-2-butenedioate (1:1) (9CI) (CA INDEX NAME)

CM 1


CRN 86135-36-6
 CMF C20 H23 N3 O4 S



CM 2


CRN 110-17-8
 CMF C4 H4 O4

Double bond geometry as shown.




RN 86135-38-8 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[(3-(cyclohexylmethylamino)propoxy)-5-nitrophenyl]-2,3-dihydro- (9CI) (CA INDEX NAME)

L4 ANSWER 14 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



● HCl


RN 86135-34-4 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[5-chloro-2-[3-(dimethylamino)propoxy]phenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl

RN 86135-35-5 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[(3-(cyclohexylmethylamino)propoxy)-3-nitrophenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)


L4 ANSWER 14 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



RN 86135-41-3 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[(4-cyclohexylmethylamino)butoxy]-5-nitrophenyl]-2,3-dihydro-, (2E)-2-butenedioate (1:1) (9CI) (CA INDEX NAME)

CM 1


CRN 86135-40-2
 CMF C26 H33 N3 O4 S



CM 2

CRN 110-17-8
 CMF C4 H4 O4

Double bond geometry as shown.




RN 86135-43-5 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[(5-(cyclohexylmethylamino)pentyl)oxy]-5-nitrophenyl]-2,3-dihydro-, (2E)-2-butenedioate (1:1) (9CI) (CA INDEX NAME)

CM 1


CRN 86135-42-4

L4 ANSWER 14 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)
CMF C27 H35 N3 O4 S




CM 2
CRN 110-17-8
CMF C4 H4 O4

Double bond geometry as shown.




RN 86135-45-7 CAPLUS
CN Benzothiazole, 3-acetyl-2-[[6-(cyclohexylmethylamino)hexyl]oxy]-5-nitrophenyl]-2,3-dihydro-, (2E)-2-butenedioate (1:1) (9CI) (CA INDEX NAME)

CM 1
CRN 86135-44-6
CMF C28 H37 N3 O4 S




CM 2

L4 ANSWER 14 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)
CMF C20 H24 N2 O2 S




CM 2
CRN 110-17-8
CMF C4 H4 O4

Double bond geometry as shown.




RN 86135-51-5 CAPLUS
CN Benzothiazole, 3-acetyl-2-[3-[3-(dimethylamino)propoxy]-4-hydroxyphenyl]-2,3-dihydro- (9CI) (CA INDEX NAME)



RN 86135-53-7 CAPLUS
CN Benzothiazole, 3-acetyl-2-[3-[3-(cyclohexylmethylamino)propoxy]-4-hydroxyphenyl]-2,3-dihydro-, (2E)-2-butenedioate (1:1) (salt) (9CI) (CA INDEX NAME)

CM 1
CRN 86135-52-6
CMF C25 H32 N2 O3 S




CM 2

L4 ANSWER 14 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)


CRN 110-17-8
CMF C4 H4 O4

Double bond geometry as shown.




RN 86135-48-0 CAPLUS
CN Benzothiazole, 3-acetyl-2-[2-[3-(cyclohexylmethylamino)propoxy]-3-methoxy-5-nitrophenyl]-2,3-dihydro-, (2E)-2-butenedioate (1:1) (9CI) (CA INDEX NAME)

CM 1
CRN 86135-47-9
CMF C26 H33 N3 O5 S



CM 2
CRN 110-17-8
CMF C4 H4 O4

Double bond geometry as shown.




RN 86135-50-4 CAPLUS
CN Benzothiazole, 3-acetyl-2-[3-[3-(dimethylamino)propoxy]phenyl]-2,3-dihydro-, (2E)-2-butenedioate (1:1) (9CI) (CA INDEX NAME)


CM 1
CRN 86135-49-1

L4 ANSWER 14 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)
CRN 110-17-8
CMF C4 H4 O4

Double bond geometry as shown.




RN 86135-54-8 CAPLUS
CN Benzothiazole, 3-acetyl-2-[3-[4-(cyclohexylmethylamino)butoxy]-4-methoxyphenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl


RN 86135-55-9 CAPLUS
CN Benzothiazole, 3-acetyl-2-[3-[3-(cyclohexylmethylamino)propoxy]-4-nitrophenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl


RN 86135-56-0 CAPLUS
CN Benzothiazole, 3-acetyl-2-[5-[3-(cyclohexylmethylamino)propoxy]-2-nitrophenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)

L4 ANSWER 14 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)




● HCl

RN 86135-57-1 CAPLUS
 CN Benzothiazole,
 3-acetyl-2-[4-{2-(dimethylamino)ethoxy}phenyl]-2,3-dihydro-
 -, monohydrochloride (9CI) (CA INDEX NAME)



● HCl


RN 86135-58-2 CAPLUS
 CN Benzothiazole,
 3-acetyl-2-[4-{3-(dimethylamino)propoxy}phenyl]-2,3-dihydro-
 -, monohydrochloride (9CI) (CA INDEX NAME)



● HCl


RN 86135-59-3 CAPLUS

L4 ANSWER 14 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)




● HCl

RN 86135-62-8 CAPLUS
 CN Benzothiazole,
 3-acetyl-2-[4-{3-(diethylamino)propoxy}phenyl]-2,3-dihydro-
 -, monohydrochloride (9CI) (CA INDEX NAME)



● HCl


RN 86135-63-9 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[4-{3-(cyclohexylmethylamino)propoxy}-3-hydroxyphenyl]-2,3-dihydro- (9CI) (CA INDEX NAME)



RN 86135-64-0 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[4-{3-(dimethylamino)propoxy}-3-methoxyphenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)


L4 ANSWER 14 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)

CN Benzothiazole,
 3-acetyl-2-[4-{4-(dimethylamino)butoxy}phenyl]-2,3-dihydro-
 -, monohydrochloride (9CI) (CA INDEX NAME)



● HCl


RN 86135-60-6 CAPLUS
 CN Benzothiazole,
 3-acetyl-2-[4-{3-(cyclohexylmethylamino)propoxy}phenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl


RN 86135-61-7 CAPLUS
 CN Benzothiazole,
 3-acetyl-2-[4-{4-(cyclohexylmethylamino)butoxy}phenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)

L4 ANSWER 14 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)




● HCl

RN 86135-65-1 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[4-{4-(dimethylamino)butoxy}-3-methoxyphenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl


RN 86135-66-2 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[4-{3-(cyclohexylmethylamino)propoxy}-3-methoxyphenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl


RN 86135-67-3 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[4-{4-(cyclohexylmethylamino)butoxy}-3-methoxyphenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)

L4 ANSWER 14 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)




● HCl

RN 86135-68-4 CAPLUS
 CN Benzo[1,2-b:4,5-b']dithiazole, 3-acetyl-2-[4-[3-(cyclohexylmethylamino)propoxy]-3-nitrophenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl


RN 86135-69-5 CAPLUS
 CN Benzo[1,2-b:4,5-b']dithiazole, 3-acetyl-2-[4-[3-(dimethylamino)propoxy]-3,5-dimethoxyphenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl

RN 86135-72-0 CAPLUS
 CN Benzo[1,2-b:4,5-b']dithiazole, 3-acetyl-2-[4-[3-(4-methyl-1-

L4 ANSWER 14 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)
 piperazinyl)propoxy]phenyl]-, dihydrochloride (9CI) (CA INDEX NAME)




● 2 HCl

RN 86135-74-2 CAPLUS
 CN Benzo[1,2-b:4,5-b']dithiazole, 3-acetyl-2-[2-[2-[4-[2-(3,4-dimethoxyphenyl)ethyl]-1-piperazinyl]ethoxy]phenyl]-2,3-dihydro-, (2Z)-2-butenedioate (1:2) (9CI) (CA INDEX NAME)

CH 1

CRN 86135-73-1
 CMF C31 H37 N3 O4 S




CH 2

CRN 110-16-7
 CMF C4 H4 O4

Double bond geometry as shown.


L4 ANSWER 14 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



RN 86135-76-4 CAPLUS
 CN Benzo[1,2-b:4,5-b']dithiazole, 3-acetyl-2-[2-[3-[4-[2-(3,4-dimethoxyphenyl)ethyl]-1-piperazinyl]propoxy]phenyl]-2,3-dihydro-, (2Z)-2-butenedioate (1:2) (9CI) (CA INDEX NAME)

CH 1


CRN 86135-75-3
 CMF C32 H39 N3 O4 S



CH 2

CRN 110-16-7
 CMF C4 H4 O4

Double bond geometry as shown.




RN 86135-78-6 CAPLUS
 CN Benzo[1,2-b:4,5-b']dithiazole, 3-acetyl-2-[2-[3-[4-[2-(3,4-dimethoxyphenyl)ethyl]-1-piperazinyl]propoxy]phenyl]-2,3-dihydro-, (2E)-2-butenedioate (1:1) (9CI) (CA INDEX NAME)

CH 1

CRN 86135-77-5
 CMF C31 H35 N3 O5 S


L4 ANSWER 14 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



CH 2

CRN 110-17-8
 CMF C4 H4 O4


Double bond geometry as shown.



RN 86135-80-0 CAPLUS
 CN Benzo[1,2-b:4,5-b']dithiazole, 3-acetyl-2-[2-[3-[4-[2-(3,4-dimethoxyphenyl)ethyl]-1-piperazinyl]propoxy]phenyl]-2,3-dihydro-, (2E)-2-butenedioate (1:1) (9CI) (CA INDEX NAME)

CH 1


CRN 86135-79-7
 CMF C32 H37 N3 O5 S



CH 2

CRN 110-17-8
 CMF C4 H4 O4


L4 ANSWER 14 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)
Double bond geometry as shown.



RN 86135-81-1 CAPLUS
CN Benzothiazole, 3-acetyl-2-[2-[3-[4-(3,4-dimethoxyphenyl)-1-oxo-2-propenyl]-1-piperazinyl]propoxy]phenyl]-2,3-dihydro-, monohydrochloride, (E)- (9CI) (CA INDEX NAME)

Double bond geometry as shown.

PAGE 1-A



PAGE 2-A

● HCl

RN 86135-83-3 CAPLUS
CN Benzothiazole, 3-acetyl-2-[2-[3-[4-(2-(3,4-dimethoxyphenyl)ethyl)-1-piperazinyl]propoxy]-5-methoxyphenyl]-2,3-dihydro-, (2Z)-2-butenedioate (1:2) (9CI) (CA INDEX NAME)

CM 1


CRN 86135-82-2
CMF C33 H41 N3 O5 S

L4 ANSWER 14 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)

CM 2

CRN 110-16-7
CMF C4 H4 O4


Double bond geometry as shown.



RN 86135-89-9 CAPLUS
CN Benzothiazole, 3-acetyl-2-[2-[6-[4-(2-(3,4-dimethoxyphenyl)ethyl)-1-piperazinyl]hexyloxy]-5-methoxyphenyl]-2,3-dihydro-, (2Z)-2-butenedioate (1:2) (9CI) (CA INDEX NAME)

CM 1


CRN 86135-88-8
CMF C36 H47 N3 O5 S



CM 2


CRN 110-16-7
CMF C4 H4 O4

Double bond geometry as shown.



RN 86135-91-3 CAPLUS
CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[2-[4-[4-(2-hydroxyethyl)-1-piperazinyl]butoxy]-5-methoxyphenyl]-, (2Z)-2-butenedioate (1:2) (salt) (9CI) (CA INDEX NAME)


L4 ANSWER 14 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



CM 2

CRN 110-16-7
CMF C4 H4 O4


Double bond geometry as shown.



RN 86135-87-7 CAPLUS
CN Benzothiazole, 3-acetyl-2-[2-[5-[4-(2-(3,4-dimethoxyphenyl)ethyl)-1-piperazinyl]pentyloxy]-5-methoxyphenyl]-2,3-dihydro-, (2Z)-2-butenedioate (1:2) (9CI) (CA INDEX NAME)

CM 1


CRN 86135-86-6
CMF C35 H45 N3 O5 S



L4 ANSWER 14 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)

CM 1


CRN 86135-90-2
CMF C26 H35 N3 O4 S



CM 2

CRN 110-16-7
CMF C4 H4 O4


Double bond geometry as shown.



RN 86135-94-6 CAPLUS
CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[5-methoxy-2-[4-[4-(2,3,4-trimethoxyphenyl)methyl]-1-piperazinyl]butoxy]phenyl]-, (2Z)-2-butenedioate (1:2) (9CI) (CA INDEX NAME)

CM 1

CRN 86135-93-5
CMF C34 H43 N3 O6 S




CM 2

L4 ANSWER 14 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)


CRN 110-16-7
CMF C4 H4 O4

Double bond geometry as shown.



RN 86135-96-8 CAPLUS
CN Benzothiazole, 3-acetyl-2-[2-[4-[4-[(4-chlorophenyl)phenylmethyl]-1-piperazinyl]butoxy]-5-methoxyphenyl]-2,3-dihydro-, (2E)-2-butenedioate (1:2) (9CI) (CA INDEX NAME)


CM 1

CRN 86135-95-7
CMF C37 H40 Cl N3 O3 S

CM 2

CRN 110-17-8
CMF C4 H4 O4


Double bond geometry as shown.



RN 86135-98-0 CAPLUS
CN Benzoic acid, 3,4,5-trimethoxy-, 2-[4-[2-(3-acetyl-2,3-dihydro-2-benzothiazolyl)-4-methoxyphenoxy]butyl]-1-piperazinylethyl ester, (2Z)-2-butenedioate (1:2) (9CI) (CA INDEX NAME)

CM 1


L4 ANSWER 14 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



CM 2

CRN 110-17-8
CMF C4 H4 O4

Double bond geometry as shown.




RN 86136-02-9 CAPLUS
CN Benzothiazole, 3-acetyl-2-[2-[3-[4-[(2E)-3-(3,4-dimethoxyphenyl)-1-oxo-2-propenyl]-1-piperazinyl]propoxy]-5-methoxyphenyl]-2,3-dihydro-, (2Z)-2-butenedioate (1:1) (9CI) (CA INDEX NAME)

CM 1

CRN 86136-01-8
CMF C34 H39 N3 O6 S

Double bond geometry as shown.


L4 ANSWER 14 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)

CRN 86135-97-9
CMF C36 H45 N3 O8 S

CM 2

CRN 110-16-7
CMF C4 H4 O4

Double bond geometry as shown.




RN 86136-00-7 CAPLUS
CN Benzothiazole, 3-acetyl-2-[2-[3-[4-[(3,4-dimethoxyphenyl)acetyl]-1-piperazinyl]propoxy]-5-methoxyphenyl]-2,3-dihydro-, (2E)-2-butenedioate (1:1) (9CI) (CA INDEX NAME)

CM 1

CRN 86135-99-1
CMF C33 H39 N3 O6 S

L4 ANSWER 14 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)

PAGE 1-A




PAGE 2-A

OMe

CM 2

CRN 110-16-7
CMF C4 H4 O4

Double bond geometry as shown.




RN 86136-06-3 CAPLUS
CN Benzothiazole, 3-acetyl-2-[2-[3-[4-[2-(3,4-dimethoxyphenyl)ethyl]-1-piperazinyl]propoxy]-5-nitrophenyl]-2,3-dihydro-, (2Z)-2-butenedioate (1:2) (9CI) (CA INDEX NAME)

CM 1

CRN 86136-05-2
CMF C32 H38 N4 O6 S


L4 ANSWER 14 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



CM 2


CRN 110-16-7
CMF C4 H4 O4

Double bond geometry as shown.




RN 86136-08-5 CAPLUS
CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[5-nitro-2-[3-[4-(1-oxooctyl)-1-piperazinyl]propoxy]phenyl]-, ethanedioate (1:1) (9CI) (CA INDEX NAME)

CM 1

CRN 86136-07-4
CMF C30 H40 N4 O5 S

CM 2


L4 ANSWER 14 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)

CRN 86136-11-0
CMF C30 H34 N4 O5 S

CM 2


CRN 110-16-7
CMF C4 H4 O4

Double bond geometry as shown.



RN 86136-14-3 CAPLUS
CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[2-[3-[4-[2-(4-hydroxyphenyl)-2-oxooethyl]-1-piperazinyl]propoxy]-5-nitrophenyl]-, ethanedioate (1:2) (salt) (9CI) (CA INDEX NAME)

CM 1

CRN 86136-13-2
CMF C30 H32 N4 O6 S


CM 2

L4 ANSWER 14 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)

CRN 144-62-7
CMF C2 H2 O4

RN 86136-10-9 CAPLUS
CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[5-nitro-2-[3-[4-(2-oxo-2-phenylethyl)-1-piperazinyl]propoxy]phenyl]-, (2Z)-2-butenedioate (1:2) (9CI) (CA INDEX NAME)


CM 1

CRN 86136-09-6
CMF C30 H32 N4 O5 S

CM 2

CRN 110-16-7
CMF C4 H4 O4

Double bond geometry as shown.




RN 86136-12-1 CAPLUS
CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[2-[3-[4-(2-hydroxy-2-phenylethyl)-1-piperazinyl]propoxy]-5-nitrophenyl]-, (2Z)-2-butenedioate (1:2) (salt) (9CI) (CA INDEX NAME)

CM 1

L4 ANSWER 14 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)


CRN 144-62-7
CMF C2 H2 O4

RN 86136-15-4 CAPLUS
CN Benzothiazole, 3-acetyl-2-[2-[3-[4-(2-furanylcarbonyl)-1-piperazinyl]propoxy]-5-nitrophenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl

RN 86136-16-5 CAPLUS
CN Benzothiazole, 3-acetyl-2-[2-[3-[4-[2-(3,4-dimethoxyphenyl)ethyl]-1-piperazinyl]propoxy]-3-methoxy-5-nitrophenyl]-2,3-dihydro-, dihydrochloride (9CI) (CA INDEX NAME)




● 2 HCl

RN 86136-18-7 CAPLUS
CN Benzothiazole, 3-acetyl-2-[3-[4-[4-[2-(3,4-dimethoxyphenyl)ethyl]-1-

L4 ANSWER 14 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)
piperazinyl]butoxy]-4-methoxyphenyl]-2,3-dihydro-, (2Z)-2-butenedioate
(1:2) (9CI) (CA INDEX NAME)

CM 1


CRN 86136-17-6
CMF C34 H43 N3 O5 S



CM 2

CRN 110-16-7
CMF C4 H4 O4

Double bond geometry as shown.




RN 86136-20-1 CAPLUS
CN Benzothiazole, 3-acetyl-2-[4-{4-[2-(3,4-dimethoxyphenyl)ethyl]-1-piperazinyl]propoxy]phenyl]-2,3-dihydro-, (2E)-2-butenedioate (1:2) (9CI) (CA INDEX NAME)

CM 1

CRN 86136-19-8
CMF C32 H39 N3 O4 S


L4 ANSWER 14 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)
Double bond geometry as shown.



RN 86136-24-5 CAPLUS
CN Benzothiazole, 3-acetyl-2-[4-{4-[2-(3,4-dimethoxyphenyl)ethyl]-1-piperazinyl]butoxy]-3-methoxyphenyl]-2,3-dihydro-, (2Z)-2-butenedioate
(1:2) (9CI) (CA INDEX NAME)

CM 1


CRN 86136-23-4
CMF C34 H43 N3 O5 S



CM 2

CRN 110-16-7
CMF C4 H4 O4

Double bond geometry as shown.




RN 86136-26-7 CAPLUS
CN Benzothiazole, 3-acetyl-2-[4-{4-[2-(3,4-dimethoxyphenyl)ethyl]-1-piperazinyl]butoxy]-3,5-dimethoxyphenyl]-2,3-dihydro-, (2Z)-2-butenedioate
(1:2) (9CI) (CA INDEX NAME)

CM 1

CRN 86136-25-6
CMF C35 H45 N3 O6 S


L4 ANSWER 14 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



CM 2

CRN 110-17-8
CMF C4 H4 O4


Double bond geometry as shown.



RN 86136-22-3 CAPLUS
CN Benzothiazole, 3-acetyl-2-[4-{3-[4-[2-(3,4-dimethoxyphenyl)ethyl]-1-piperazinyl]propoxy]-3-methoxyphenyl]-2,3-dihydro-, (2Z)-2-butenedioate
(1:2) (9CI) (CA INDEX NAME)

CM 1


CRN 86136-21-2
CMF C33 H41 N3 O5 S



CM 2

CRN 110-16-7
CMF C4 H4 O4


L4 ANSWER 14 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)




CM 2

CRN 110-16-7
CMF C4 H4 O4

Double bond geometry as shown.



RN 86136-27-8 CAPLUS
CN Benzothiazole, 3-acetyl-2-[2-[3-[(1,1-dimethylethyl)amino]-2-hydroxypropoxy]phenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)




● HCl

RN 86136-28-9 CAPLUS
CN Benzothiazole, 3-acetyl-2-[2-[3-(cyclohexylmethylamino)-2-hydroxypropoxy]phenyl]-2,3-dihydro-, monohydrochloride, (R*,R*)- (9CI) (CA INDEX NAME)


Relative stereochemistry.

L4 ANSWER 14 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



● HCl


RN 86136-29-0 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[3-(diethylamino)-2-hydroxypropoxy]phenyl]-2,3-dihydro-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl


RN 86136-30-3 CAPLUS
 CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[2-[3-(1-pyrrolidinyl)propoxy]phenyl]-, monohydrochloride (9CI) (CA INDEX NAME)

L4 ANSWER 14 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



● HCl


RN 86136-31-4 CAPLUS
 CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[2-[3-(4-morpholinyl)propoxy]phenyl]- (9CI) (CA INDEX NAME)



RN 86136-33-6 CAPLUS
 CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[2-[3-[4-(phenylmethyl)-1-piperidinyl]propoxy]phenyl]-, (2E)-2-butenedioate (1:1) (9CI) (CA INDEX NAME)

CM 1

CRN 86136-32-5
 CMF C30 H34 N2 O2 S




L4 ANSWER 14 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)

CM 2

CRN 110-17-8
 CMF C4 H4 O4


Double bond geometry as shown.



RN 86136-35-8 CAPLUS
 CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[5-methoxy-2-[4-[4-(phenylmethyl)-1-piperidinyl]butoxy]phenyl]-, (2E)-2-butenedioate (1:1) (9CI) (CA INDEX NAME)

CM 1


CRN 86136-34-7
 CMF C32 H38 N2 O3 S



CM 2

CRN 110-17-8
 CMF C4 H4 O4

Double bond geometry as shown.




RN 86136-37-0 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[4-(4-benzoyl-1-piperidinyl)butoxy]-5-methoxyphenyl]-2,3-dihydro-, ethanedioate (1:1) (9CI) (CA INDEX NAME)

CM 1

CRN 86136-36-9
 CMF C32 H36 N2 O4 S

L4 ANSWER 14 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



CM 2


CRN 144-62-7
 CMF C2 H2 O4



RN 86136-39-2 CAPLUS
 CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[2-[3-(4-hydroxy-1-piperidinyl)propoxy]-5-nitrophenyl]-, ethanedioate (1:1) (salt) (9CI) (CA INDEX NAME)

CM 1

CRN 86136-38-1
 CMF C23 H27 N3 O5 S




CM 2

CRN 144-62-7
 CMF C2 H2 O4


L4 ANSWER 14 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



RN 86136-40-5 CAPLUS
 CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[5-nitro-2-[3-[4-(phenylmethyl)-1-piperidinyl]propoxy]phenyl]- (9CI) (CA INDEX NAME)



RN 86136-44-9 CAPLUS
 CN Butanamide, 4-[2-(3-acetyl-2,3-dihydro-2-benzothiazolyl)phenoxy]-N-(2-{3,4-dimethoxyphenyl}ethyl)- (9CI) (CA INDEX NAME)




RN 86136-46-1 CAPLUS
 CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[2-[4-(4-methyl-1-piperazinyl)-4-oxobutoxy]phenyl]-, (2E)-2-butenedioate (1:1) (9CI) (CA INDEX NAME)

CM 1


CRN 86136-45-0
 CMF C24 H29 N3 O3 S

L4 ANSWER 14 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)


RN 86136-58-5 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[3-(cyclohexylmethylamino)propoxy]phenyl]-2,3-dihydro- (9CI) (CA INDEX NAME)



RN 86136-59-6 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[4-[3-(cyclohexylmethylamino)propoxy]-3,5-dimethoxyphenyl]-2,3-dihydro- (9CI) (CA INDEX NAME)




RN 86136-60-9 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[4-[4-(cyclohexylmethylamino)butoxy]-3,5-dimethoxyphenyl]-2,3-dihydro- (9CI) (CA INDEX NAME)



RN 86136-62-1 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[4-[[2-(3,4-dimethoxyphenyl)ethyl]methylamino]butoxy]-3-methoxyphenyl]-2,3-dihydro- (9CI) (CA INDEX NAME)


L4 ANSWER 14 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)




CM 2

CRN 110-17-8
 CMF C4 H4 O4


Double bond geometry as shown.




RN 86136-47-2 CAPLUS
 CN Benzothiazole, 3-acetyl-2,3-dihydro-2-[2-{4-(4-morpholinyl)-4-oxobutoxy}phenyl]- (9CI) (CA INDEX NAME)



RN 86136-57-4 CAPLUS
 CN Benzothiazole, 3-acetyl-2-[2-[3-[(1,1-dimethylethyl)amino]-2-hydroxypropoxy]phenyl]-2,3-dihydro- (9CI) (CA INDEX NAME)



L4 ANSWER 14 OF 14 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)



=> => d que l12 stat

L5 1 SEA FILE=CAPLUS ABB=ON PLU=ON "TOKAI MAKI"/AU
L6 43 SEA FILE=CAPLUS ABB=ON PLU=ON "HONDA TAKAHIRO"/AU
L7 6 SEA FILE=CAPLUS ABB=ON PLU=ON "NIWA MASASHI"/AU
L8 31 SEA FILE=CAPLUS ABB=ON PLU=ON ("FUJIMURA KEN ICHI"/AU OR
 "FUJIMURA KENICHI"/AU)
L9 9 SEA FILE=CAPLUS ABB=ON PLU=ON ("KOHNO SHIN ICHI"/AU OR
 "KOHNO SHINICHI"/AU)
L10 1 SEA FILE=CAPLUS ABB=ON PLU=ON "OSUMI YAEKO"/AU
L11 84 SEA FILE=CAPLUS ABB=ON PLU=ON L5 OR L6 OR L7 OR L8 OR L9 OR
 L10
L12 1 SEA FILE=CAPLUS ABB=ON PLU=ON L11 AND ?BENZOTHAZOLINE

=> d bib abs


L12 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2006 ACS on STN
 AN 2003:796678 CAPLUS
 DN 139:312393
 TI κ -Opioid receptor agonist comprising 2- phenylbenzothiazoline derivative
 IN Tokai, Maki; Honda, Takahiro; Niwa, Masashi;
 Osumi, Yasuo; Fujimura, Ken-ichi; Kohno,
 Shin-ichi
 PA Santen Pharmaceutical Co., Ltd., Japan
 SO PCT Int. Appl., 129 pp.
 CODEN: PIXXDZ
 DT Patent
 LA Japanese
 FAN.CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI WO 2003082840	A1	20031009	WO 2003-JP3928	20030328
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MY, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG CA 2480560 AA 20031009 CA 2003-2480560 20030328 JP 2004002352 A2 20040108 JP 2003-89637 20030328 EP 1496053 A1 20050112 EP 2003-715569 20030328 R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK US 2005113430 A1 20050526 US 2003-509549 20030328 PRAI JP 2002-97500 A 20020329 WO 2003-JP3928 W 20030328 OS MARPAT 139:312393 GI				

L12 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)
 rheumatism-like diseases or anti-itching agent contg. the above
 κ -opioid receptor agonist as an active ingredient. The presence of
 an amino-substituted alkyl group bonded to the Ph group of 2-
 phenylbenzothiazoline and the presence of an acyl group bonded to
 the nitrogen atom of the 2-phenylbenzothiazoline are important
 for the impartation of κ -opioid receptor agonistic activity. The
 compd. I also possesses anti-nociception activity. For example,

(+)-3-acetyl-6-chloro-2-[2-[3-[N-(2-ethoxyethyl)-N-isopropylamino]propoxy]-
 5-methoxyphenyl]benzothiazoline hydrochloride at 30 mg/kg p.o.
 inhibited 100% pain in a mouse acetic acid-writhing assay.

RE.CNT 33 THERE ARE 33 CITED REFERENCES AVAILABLE FOR THIS RECORD
 ALL CITATIONS AVAILABLE IN THE RE FORMAT



AB Dislocation closed is a κ -opioid receptor agonist comprising a 2-
 phenylbenzothiazoline derivative which is either a compound having a
 basic skeleton having a chemical structure represented by the general
 formula
 (I) (wherein R represents amino-substituted alkyl and R1 represents acyl)
 or a salt of the compound Also disclosed is an analgesic in particular
 for

=> d his full

(FILE 'HOME' ENTERED AT 10:25:56 ON 02 FEB 2006)

FILE 'REGISTRY' ENTERED AT 10:26:08 ON 02 FEB 2006

L1 STRUCTURE UPLOADED

L2 26 SEA SSS SAM L1

L3 570 SEA SSS FUL L1

FILE 'CAPLUS' ENTERED AT 10:27:17 ON 02 FEB 2006

L4 14 SEA ABB=ON PLU=ON L3

D QUE L4 STAT

D 1-14 BIB ABS HITSTR

E TOKAI MAKI/AU

L5 1 SEA ABB=ON PLU=ON "TOKAI MAKI"/AU

E HONDA TAKAHIRO/AU

L6 43 SEA ABB=ON PLU=ON "HONDA TAKAHIRO"/AU

E NIWA MASASHI/AU

L7 6 SEA ABB=ON PLU=ON "NIWA MASASHI"/AU

E FUJIMURA KEN/AU

L8 31 SEA ABB=ON PLU=ON ("FUJIMURA KEN ICHI"/AU OR "FUJIMURA KENICHI"/AU)

E KOHNO SHIN/AU

L9 9 SEA ABB=ON PLU=ON ("KOHNO SHIN ICHI"/AU OR "KOHNO SHINICHI"/AU)

E OSUMI YAEKO/AU

L10 1 SEA ABB=ON PLU=ON "OSUMI YAEKO"/AU

L11 84 SEA ABB=ON PLU=ON L5 OR L6 OR L7 OR L8 OR L9 OR L10

L12 1 SEA ABB=ON PLU=ON L11 AND ?BENZOTHAZOLINE

D QUE L12 STAT

D BIB ABS

FILE HOME

FILE REGISTRY

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 31 JAN 2006 HIGHEST RN 873191-05-0

DICTIONARY FILE UPDATES: 31 JAN 2006 HIGHEST RN 873191-05-0

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH JULY 14, 2005

Please note that search-term pricing does apply when conducting SmartSELECT searches.

```
*****
*
* The CA roles and document type information have been removed from
* the IDE default display format and the ED field has been added,
* effective March 20, 2005. A new display format, IDERL, is now
* available and contains the CA role and document type information.
*
*****
```

Structure search iteration limits have been increased. See HELP SLIMITS for details.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/ONLINE/UG/regprops.html>

FILE CAPLUS

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 2 Feb 2006 VOL 144 ISS 6

FILE LAST UPDATED: 1 Feb 2006 (20060201/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/infopolicy.html>

=>